


Every point information enters, and where it ends up

state as of 29 July 2026, commit 3f7f375 · atlas-app

■ Captured from a person ■ Stored ■ Derived on read — never stored ■ Re-read loop



The dashed path is the only cycle. An answer to a registered question clears everything derived and re-runs the whole pipeline against the stored bytes — the org id survives, so every link to it still works. Everything below the establishment is recomputed on each read and never written.

• CAPTURE POINTS

Six inputs, four screens

INPUT	WHERE	HANDLER	EFFECT
Files	Upload	/api/upload → ingestFileAction	Sliced client-side to beat the request limit, reassembled server-side, bytes retained in source_blobs
Instruction	Upload	ingest/plan.ts	Read after the files, so it can only name columns that actually exist
Hypothesis	Upload and Context	hypothesis/read.ts	Read after the graph, so revenue can attach to a unit that exists
Anonymise	Upload	ingest/buildGraph.ts	Decides displayName; rawName is retained separately
Answers	Confirm / register	answerIngestAction	RE-READ Full pipeline re-run from the stored bytes
Scenario moves	Scenarios	runPlayAction · scenario/mutate.ts	Written to scenario state; the baseline establishment is never mutated

• DESTINATION

Stored versus derived

Anything that can be recomputed is recomputed. A second copy is a second copy that can disagree with the first.

ARTEFACT		WHY
source_blobs	STORED	The only thing that lets a correction re-read rather than patch
positions	STORED	The establishment — the one shared truth everything downstream reads
ingest_notes	STORED	Assumptions and questions, plus what each was answered with
orgs.cleaning_json	STORED	What the scrub removed — unrecoverable from the saved result
orgs.business_json	STORED	The client's prose and what was read out of it, kept side by side
source_files	STORED	Each file's fate; a dropped file must never be silent
scenarios · audit_log	STORED	Modelled changes, and who applied what
canonical table	DERIVED	Friday's download is Friday's establishment, with no reconciliation step to remember
unit profiles · medians	DERIVED	Recomputed whenever positions or supplied revenue change
hypotheses	DERIVED	A finding must never outlive the data that produced it
play candidates · prices	DERIVED	Same

• INVARIANTS

Five rules the flow enforces

01 Corrections re-read, never patch.

An answer clears everything derived and re-runs from the original bytes. Patching the saved result would leave the per-file report describing a read that no longer matches the map.

02 **Order is load-bearing.**

Instruction after files, so it can only name real columns. Scrub after binding, because a totals row is invisible until the columns have been named. Hypothesis after the graph, so revenue attaches to a unit that exists.

03 **Saving a hypothesis touches no file.**

The only capture point that skips the pipeline. It changes what Atlas can say, not what it read — so the box is safe to edit as many times as a conversation needs.

04 **Scenarios never mutate the baseline.**

Modelled changes live in scenario state against a frozen establishment. Every mutation passes one guardrail point, so protection cannot be bypassed by a drag or by a future control.

05 **Nothing is dropped silently.**

A failed file, an unmatched join, a scrubbed row, an ignored instruction, an unattachable revenue figure — each is written to the register or the per-file report and surfaced before the map is trusted.
