Duration : 3.797 s Start: Jun 25, 4:47:31.808 pm End: Jun 25, 4:47:35.605 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 9 9 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Automated End2End Tests	3.797 s	1	0	1	0	9	0	0	9

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Automated End2End Tests	1	0	1	0	3.797 s

SCENARIOS SUMMARY -- 4 -




#	t I Antiira Nama	Scenario Name	T	P	F	S	Duration
1	Automated End2End Tests	Customer place an order by purchasing an item from search	9	0	0	9	3.786 s

DETAILED SECTION -- 5 --

Automated End2End Tests

FAILED	DURATION - 3.797 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 4:47:31.808 p	m // 4:47:35.605 pm /	Pass - 0	1	Pass - 0	9
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 9	

Customer place an order by purchasing an item from search



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	3.064 s
	java.lang.NullPointerException: Cannot invoke "com.aventstack.extentreports.ExtentTest.assignAuthor(String[])" because "runners.TestRunner. test" is null		
	at stepDefinitions.Hooks.beforeScenario(Hooks.java:36)		
1	Given user is on Home Page	SKIPPED	0.002 s
2	When he search for "dress"	SKIPPED	0.001 s
3	And choose to buy the first item	SKIPPED	0.001 s
4	And moves to checkout from mini cart	SKIPPED	0.001 s
5	And enter "Lakshay" personal details on checkout page	SKIPPED	0.001 s
6	And select same delivery address	SKIPPED	0.000 s
7	And select payment method as "check" payment	SKIPPED	0.000 s
8	And place the order	SKIPPED	0.000 s
9	Then verify the order details	SKIPPED	0.000 s