Motherson Automotive & Technology engineering
Survery No 172/1-5,274/2,276/7,
Chengalpattu Sriperumbudur Road, Vadgal Village B Vallam Panchayat,,Vadagal,
Kanchipuram, Tamil Nadu, 602105


CUSTOMER NAME	MMLI PUNE
PROJECT NAME	SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4
PROJECT CODE	FMSPM00867
COMMISSION	ROBIS
PROJECT TYPE	WORK STATION
PLACE OF INSTALLATION	MMLI PUNE
RESPONSIBLE OF PROJECT	ROBIS
REVISION	01(Screw driver wiring updated)
DESIGNER	MANORAJ.S

CREATED ON	24-07-2023	CHECKED BY		
LAST EDITED DATE	11-04-2024	CHECKED ON	29-07-2023	NUMBER OF PAGES 38


+CP/1

MACHINE OVER VIEW

FMSPM00856,858,859,860,867



ISO VIEW




FRONT VIEW

3

REVISION			Date	24-07-2023	ROBIS	Motherson Automotive & Technology engineering	MACHINE OVER VIEW		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 1
Modification	Date	Name	Original		Replacement of	Replaced by			Page 2 / 38

MACHINE FRONT VIEW


FMSPM00856,858,859,860,867-COMPONENTS;




PANEL CUTOUT

CUSTOMIZED PANEL
H 500 X W 650 X D 210


LEFT SIDE VIEW



FRONT SIDE VIEW



RIGHT SIDE VIEW




1	ISOLATOR CUTOUT
2	PANEL FAN CUTOUT
3	PANEL FILTER CUTOUT
4	FIELD INTERFACE CUTOUT
5	POWER INDICATION
6	SERVICE PORT

REVISION			Date	24-07-2023	ROBIS	Motherson Automotive & Technology engineering	PANEL CUTOUT		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 3
Modification	Date	Name	Original		Replacement of	Replaced by			Page 4 / 38

LAYOUT DIAGRAM

-1A00	CAAAZ00000000077 PLC FX5U32MRES MITSUBHISHI	1
-1A01	CAAAZ00000000072 16POINT INPUT CARD FX5-16EX/ES -MITSUBHISHI	1
-1A02	CAAAZ00000000073 16POINTS OUTCARD :-FX5-16EYRES, MISTUBHISHI	1
-K1 TO -K6	BMELES0935 SLIM RELAY COIL 24VDC	6
-A1	BMELES1310 ETEHRNET SWITCH 100 MB/S	1
-1F0	BMELES1708 MCB SINGLE POLE 10A SIEMENS MAKE	1
-V1	BMELES1532 DELTA LITE POWER SUPPLY 10A ,1 Phase ,240W	1
-1F1	BMELES0584 3075799 TB4-HESILED 24 (5X20) EI	1
-X1	BMELES0589 TERMINAL BLOCK 4.0 SQ MM 1 IN 1 OUT	2
-X1	BMELES0595 TERMINAL BLOCK 4.0 SQ MM 1 IN 1 OUT YE/GN	1
-X2	BMELES0589 TERMINAL BLOCK 4.0 SQ MM 1 IN 1 OUT	6
-X3	BMELES0589 TERMINAL BLOCK 4.0 SQ MM 1 IN 1 OUT	7
-X4	BMELES0595 TERMINAL BLOCK 4.0 SQ MM 1 IN 1 OUT YE/GN	8
-X5	BMELES0364 TERMINAL BLOCK 2.5 SQ MM 1 IN 2 OUT	10
-X6	BMELES0364 TERMINAL BLOCK 2.5 SQ MM 1 IN 2 OUT	10
-X7	BMELES0366 TERMINAL BLOCK 2.5 SQ MM 2 IN 2 OUT	16
-X8	BMELES0584 3075799 TB4-HESILED 24 (5X20) EI	29
-F1	BMELES3072 SIEMENS MCB 2POLE 16AMPS 5SL62167RC	1
-F2	BMELES1706 MCB SINGLE POLE 4A SIEMENS MAKE	1
-F3	BMELES1705 MCB SINGLE POLE 2A SIEMENS MAKE	1
-F4	BMELES1705 MCB SINGLE POLE 2A SIEMENS MAKE	1
-F5	BMELES1707 MCB SINGLE POLE 6A SIEMENS MAKE	1
-F6	BMELES1705 MCB SINGLE POLE 2A SIEMENS MAKE	1
XD1	CAABA00000000433 804000 INDIAN 6A DIN RAIL POWER SOCKET	1



REVISION			Date	08-09-2023	ROBIS	Motherson Automotive & Technology engineering	LAYOUT DIAGRAM		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 4
Modification	Date	Name	Original		Replacement of	Replaced by			Page 5 / 38

PROJECT ARCHITECTURE



CAAAZ00000000077
PLC FX5U32MRES
MITSUBHISHI



CAAAZ00000000072
16POINT INPUT CARD
MODEL :-FX5-16EX/ES
MITSUBHISHI



CAAAZ00000000073
16POINTS OUTCARD
MODEL:-FX5-16EYRES,
MAKE :- MISTUBHISHI



CAAAZ00000000076
RS COMMUNICATION CARD
FX5-232-BD,MITSUBHISH



BMELES1540
Mushroom Red Turn
Teknic 1NC 2PSML4 01
(2AML4+S2)



TOWERLIGHT 2
STG RG24V BUZ MNT
BMELES0523



SENSORS
(CUSTOMER
SCOPE)



BMPNES5128
NEBU-M8G3-K-5-LE3



SCREW DRIVER 1
(CUSTOMER
SCOPE)



BMELES1310
Ethernet Switch
100 MB/S



BMELES4179
CITIZEN -JM63-M01
PRINTER



CAAAI00000000586
HMI MODEL : GS2107-WTBD
MITSUBHISH



BMELES3959
Data logic power
scanner PD9531



BMELES1552
MUSHROOM PB GREEN
Teknic 1NO 2PSM3 10
(2AM3+S1)



BMELES1552
MUSHROOM PB GREEN
Teknic 1NO 2PSM3 10
(2AM3+S1)



BMELES1542
NONIII. YELLOW PUSH
BUTTON, Teknic 1 NO
2PSF8 10 (2AF8+S1)

INPUT/OUTPUT

SAFETY

ETHERNET COMMUNICATION

RS 232 COMMUNICATION

RS 485 COMMUNICATION

REVISION			Date	08-09-2023	ROBIS	Motherson Automotive & Technology engineering	PROJECT ARCHITECTURE		=	
			Ed.	MANORAJ.SELVARAJ					+ CP	
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4				FMSPM00867	Page 5
Modification	Date	Name	Original		Replacement of	Replaced by				Page 6 / 38

MAIN POWER DISTRIBUTION



-F1
BMELES3072
SIEMENS MCB 2POLE 16AMPS
5SL62167RC



-Q1
CAABA00000000274
16 A /3P /1WAY ISOLATOR
ROTARY SWITCH

-X1
BMELES0589
TERMINAL BLOCK CX4
4.0 SQ MM 1 IN 1 OUT

-W0
3Gx2.5 mm²
BMELES1940

BMELES3408
INDUSTRIAL
SOCKET LEGRAND

INDUSTRIAL SOCKET

POWER SUPPLY
1 PHASE 230V
50-60 Hz

-X2
BMELES0589
TERMINAL BLOCK CX4
4.0 SQ MM 1 IN 1 OUT

-X3
BMELES0589
TERMINAL BLOCK CX4
4.0 SQ MM 1 IN 1 OUT

-X4
BMELES0595
TERMINAL BLOCK
4.0 SQ MM 1 IN 1 OUT YE/GN

HMI PANEL EARTH

PNEUMATIC PANEL EARTH

PANEL EARTH

REVISION			Date	08-09-2023	ROBIS	Motherson Automotive & Technology engineering	MAIN POWER DISTRIBUTION	=	
			Ed.	MANORAJ.SELVARAJ				+ CP	
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 6
Modification	Date	Name	Original		Replacement of	Replaced by			Page 7 / 38

POWER SUPPLY

-V1
BMELES1532
DELTA LITE POWER SUPPLY
10A ,1 Phase ,240W



Weidmüller PROeco
L(+) N(-) PE
Adjust 22-28 V
+ + - -
13 14

1L1-1 / 6.2 -X2:1:B
1N1-1 / 6.5 -X3:1:B
PE-1 / 6.7 -X4:1:B

2L1-1 2.5 mm² BK
1N1-1 2.5 mm² BU
PE-1 2.5 mm² GNYE

-F2
MCB SINGLE POLE
4 A SIEMENS MAKE
5SL6104RC;
BMELES1706

1L1-1 2.5 mm² BK

2L1-1 1.5 mm² DBU 24VDC
1N1-1 1.5 mm² DBU P0VDC
PE-1 2.5 mm² GNYE PE-3

-1F0:2 10.2 / 24VDC
-X6:1 10.6 / P0VDC
-X4:3:B 6.8 / PE-3

1L1-2 / 6.3 -X2:2:B
1N1-2 / 6.5 -X3:2:B
PE-2 / 6.7 -X4:2:B

1L1-2 2.5 mm² BK

-F3
BMELES1705
MCB SINGLE POLE
2A SIEMENS MAKE
5SL61027RC

3L1-2 BK/1 0.75 mm²

-W1
BMELES0075
3 G 0.75 mm²

2L1-2 BK/1 0.75 mm²
1N1-2 BK/2 0.75 mm²
PE-2 GNYE 0.75 mm²

-M1
BMELES0049
SK 3322107-
FAN AND FILTER UNIT



-LS
BMELES1669
AE PANEL DOOR
LIMIT SWITCH -
SZ 4127010



21
22

-W2
BMELES0075
3 G 0.75 mm²

4L1-2 BK/2 0.75 mm²

-H1
BMELES2527
1Feet 6W LED
TUBE LIGHT WITH
ALUMINIUM BATTERY (CW)

1N1-3 / 6.5 -X3:3:B

1N1-3 1 mm² BU

1L1-3 / 6.3 -X2:3:B

-F4
BMELES1705
MCB SINGLE POLE
2A SIEMENS MAKE
5SL61027RC

1L1-3 2.5 mm² BK


2L1-3 1.5 mm² BK

-K6:11 21.1 / 2L1-3


6 8

REVISION			Date	08-09-2023	ROBIS		Motherson Automotive & Technology engineering	POWER SUPPLY		=
			Ed.	MANORAJ.SELVARAJ						+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4				FMSPM00867	Page 7
Modification	Date	Name	Original		Replacement of	Replaced by				Page 8 / 38


INDICATION LAMP



POWER SOCKET



230V GREEN
POWER INDICATION
LAMP







ESD FAN (CUSTOMER SCOPE)

REVISION			Date	01-08-2023	ROBIS		Motherson Automotive & Technology engineering	INDICATION LAMP	=
			Ed.	manoraj.selvaraj					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 8
Modification	Date	Name	Original		Replacement of	Replaced by			Page 9 / 38

SOCKET INTERFACE





8

10

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	SOCKET INTERFACE		=	
			Ed.	manoraj.selvaraj					+ CP	
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page	9
Modification	Date	Name	Original		Replacement of	Replaced by			Page	10 / 38

DISTRIBUTION 24VDC TERMINAL BLOCK

P24VDC1 / 10.2 -X5:1

P24VDC1 — DBU — 1.5 mm²

-1F1
2A

BMELES0584
TB4-HESILED
24 (5X20) EI

1P24VDC — BK/1 — 0.75 mm²

-HMI:+ 22.1 / 1P24VDC



24VDC / 7.1 -V1:+

24VDC — DBU — 1.5 mm²

-1F0
BMELES1708
MCB SINGLE POLE 10A
SIEMENS MAKE
5SL61107RC

P24VDC — DBU — 1.5 mm²

-X5

BMELES0364
TERMINAL BLOCK
2.5 SQ MM 1 IN 2 OUT

P24VDC1	DBU	1.5 mm²	-1F1 10.0 / P24VDC1
P24VDC2	DBU	0.5 mm²	-1A00:COM0 14.1 / P24VDC2
P24VDC3	DBU	0.5 mm²	-1A00:COM2 14.5 / P24VDC3
P24VDC4	DBU	0.5 mm²	-1A02:+V4 16.1 / P24VDC4
P24VDC5	DBU	0.5 mm²	-1A02:+V6 16.5 / P24VDC5
P24VDC6	DBU	0.5 mm²	-K3:11 19.5 / P24VDC6
P24VDC7	DBU	0.5 mm²	-A1:US:1 11.1 / P24VDC7
P24VDC8	BK/1	0.75 mm²	-PB1-S2:13 25.4 / P24VDC8
P24VDC9	BK/2	0.75 mm²	-PB1-S1:11 25.5 / P24VDC9
P24VDC10	BK/1	0.75 mm²	-PB2-S4:13 25.1 / P24VDC10
P24VDC11	BK/2	0.75 mm²	-PB2-S3:13 25.2 / P24VDC11
P24VDC12	BK/1	0.75 mm²	-PSC 22.5 / P24VDC12
P24VDC13	BK/23	1 mm²	-1X100:16 26.5 / P24VDC13

P0VDC / 7.1 -V1:-

P0VDC — DBU — 1.5 mm²

-X6

BMELES0364
TERMINAL BLOCK
2.5 SQ MM 1 IN 2 OUT

P0VDC1	DBU	0.5 mm²	-1A00:S/S 13.1 / P0VDC1
P0VDC2	DBU	0.5 mm²	-1A01:S/S 15.1 / P0VDC2
P0VDC3	DBU	0.5 mm²	-K6:A2 21.1 / P0VDC3
P0VDC4	DBU	0.5 mm²	-K1:A2 19.1 / P0VDC4
P0VDC5	BK/3	0.75 mm²	-PSC 22.5 / P0VDC5
P0VDC6	BK/2	0.5 mm²	-HMI:- 22.2 / P0VDC6
P0VDC7	DBU	0.5 mm²	-A1:US:2 11.1 / P0VDC7
P0VDC8	BK/17	0.5 mm²	+PP-1X1 +PP/2.1 / P0VDC8
P0VDC9	BK/5	0.5 mm²	-TL1.0:5 25.9 / P0VDC9
P0VDC10	BK/24	1 mm²	-1X100:21 26.7 / P0VDC10

9

11


REVISION			Date	08-09-2023	ROBIS	Motherson Automotive & Technology engineering	DISTRIBUTION 24VDC TERMINAL BLOCK		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 10
Modification	Date	Name	Original		Replacement of	Replaced by			Page 11 / 38

COMMUNICATION

RJ45 Pinout T-568B

1. White Orange
2. Orange
3. White Green
4. Blue
5. White Blue
6. Green
7. White Brown
8. Brown

*Top View of Cable Plug Shown





P24VDC7 / 10.3 -X5:4
P0VDC7 / 10.7 -X6:4
PE-9 / 6.8 -X4:3:A

0.5 mm² DBU P24VDC7
0.5 mm² DBU P0VDC7
1 mm² GNYE PE-9

-A1
BMELES1310
Ethernet Switch
100 MB/S

US1 1 | GND 2 | PE 3
US

PHOENIX CONTACT

2891001

1 RJ45 | 2 RJ45 | 3 RJ45 | 4 RJ45 | 5 RJ45

-WC1
BMELES1072
UNITRONIC LAN 600

-WC2
BMELES1072
UNITRONIC LAN 600

-WC5
/11.8
BMELES1072
UNITRONIC LAN 600

PLC
HMI

-1A00:Ethernet 12.7 / -WC1
-HMI:Ethernet 22.1 / -WC2
-MAIN PANEL:5:5 11.8 / -WC5

MAIN PANEL
SERVICE PORT

SERVICE PORT

5 RJ45

-WC5
/11.3
BMELES1072
UNITRONIC LAN 600

-A1:5:5 11.4 / -WC5

REVISION			Date	27-07-2023	ROBIS		Motherson Automotive & Technology engineering	COMMUNICATION	=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 11
Modification	Date	Name	Original		Replacement of	Replaced by			Page 12 / 38

MAIN PLC POWER SUPPLY



-F6
BMELES1705
MCB SINGLE POLE
2A SIEMENS MAKE
5SL61027RC

1L1-7 / 6.3 -X2:2:A
1N1-7 / 6.6 -X3:7:B
PE-7 / 6.9 -X4:7:B

BK 2.5 mm²
1L1-7
2
1
2.5 mm²
BK
2L1-7
2.5 mm²
BU
1N1-7
2.5 mm²
GNYE
PE-7

WC1 / 11.1 -A1:1:1

-WC1
/11.1
/22.1
BMELES1072
2170144-UNITRONIC
LAN 600S/FTP CAT7Y



-1A00
CAAAZ00000000077
PLC
FX5U32MRES
MAKE :- MITSUBHISHI

L | N | PE | SG (GND) | SDB (TXD-) | SDA (TXD+) | RDB (RXD-) | RDA (RXD+) | V1+ (PEW0) | V2+ (PEW2) | V-' (PEW4) | V+ (PAW0) | V- (PAW2) | Ethernet

Ethernet port

MITSUBISHI ELECTRIC
Mitsubishi FX5U-32MR-ES 16DI/16DO Part 1 of 5

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	MAIN PLC POWER SUPPLY		=
			Ed.	manoraj.selvaraj					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 12
Modification	Date	Name	Original		Replacement of	Replaced by			Page 13 / 38

MAIN INPUT MODULE



-1A00
CAAAZ00000000077
PLC FX5U32MRES
MAKE :- MITSUBHISHI

P0VDC1 / 10.6 / -X6:1 — 0.5 mm² DBU

P0VDC1	S/S	0V	24V	X00	X01	X02	X03	X04	X05	X06	X07
				E0.0	E0.1	E0.2	E0.3	E0.4	E0.5	E0.6	E0.7
				EMERGENCY STOP PB	RH CYCLE START PB			AIR PRESSURE SWITCH		SCREW DRIVER OK ALL	
					LH CYCLE START PB		RESET		SPARE		SCREW DRIVER NG

MITSUBISHI ELECTRIC
Mitsubishi FX5U-32MR-ES 16DI/16DO Part 2 of 5

X00 / 17.0 -X7:1:A	X01 / 17.0 -X7:1:C	X02 / 17.0 -X7:2:A	X03 / 17.1 -X7:2:C	X04 / 17.1 -X7:3:A	X05 / 17.1 -X7:3:C	X06 / 17.1 -X7:4:A	X07 / 17.1 -X7:4:C	X10 / 17.1 -X7:5:A	X11 / 17.1 -X7:5:C	X12 / 17.2 -X7:6:A	X13 / 17.2 -X7:6:C
X14 / 17.2 -X7:7:A	X15 / 17.2 -X7:7:C	X16 / 17.2 -X7:8:A	X17 / 17.2 -X7:8:C								

-1A00

X10	X11	X12	X13	X14	X15	X16	X17				
E1.0	E1.1	E1.2	E1.3	E1.4	E1.5	E1.6	E1.7				
SPARE		CLAMPING CYL1 FWD RS		CLAMPING CYL2 FWD RS		LH MAIN PART PRESENCE					
	SPARE		CLAMPING CYL1 SPARE		CLAMPING CYL2 SPARE		LH CHILD PART PRESENCE				

MITSUBISHI ELECTRIC
Mitsubishi FX5U-32MR-ES 16DI/16DO Part 3 of 5

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	MAIN INPUT MODULE	=
			Ed.	manoraj.selvaraj				+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867 Page 13
Modification	Date	Name	Original		Replacement of	Replaced by		Page 14 / 38

MAIN OUTPUT MODULE



-1A00
CAAAZ00000000077
PLC FX5U32MRES
MAKE :- MITSUBHISHI

Mitsubishi FX5U-32MR-ES 16DI/16DO Part 4 of 5

MITSUBISHI ELECTRIC

	TOWER LAMP GREEN	TOWER LAMP YELLOW	TOWER LAMP RED	TOWER LAMP BUZZER		SHUTOFF VALVE	MACHINE LIGHT	SCREW DRIVER ENABLE	SCREW DRIVER RESET
	A0.0	A0.1	A0.2	A0.3		A0.4	A0.5	A0.6	A0.7
	COM0	Y00	Y01	Y02	Y03	COM1	Y04	Y05	Y06	Y07

0.5 mm² DBU P24VDC2 → -X5:1 10.2 / P24VDC2

0.5 mm² DBU Y00 → -X8:1:A 18.1 / Y00
0.5 mm² DBU Y01 → -X8:2:A 18.1 / Y01
0.5 mm² DBU Y02 → -X8:3:A 18.1 / Y02
0.5 mm² DBU Y03 → -X8:4:A 18.1 / Y03
0.5 mm² DBU P24VDC2
0.5 mm² DBU Y04 → -X8:5:A 18.2 / Y04
0.5 mm² DBU Y05 → -K6:A1 21.0 / Y05
0.5 mm² DBU Y06 → -K1:A1 19.0 / Y06
0.5 mm² DBU Y07 → -K2:A1 19.2 / Y07

-1A00
Mitsubishi FX5U-32MR-ES 16DI/16DO Part 5 of 5

MITSUBISHI ELECTRIC

	SPARE	SPARE	CLAMPING CYL 1 FWD	CLAMPING CYL 1 REV		CLAMPING CYL 2 FWD	CLAMPING CYL 2 REV	SPARE VALVE	SPARE VALVE
	A1.0	A1.1	A1.2	A1.3		A1.4	A1.5	A1.6	A1.7
	COM2	Y10	Y11	Y12	Y13	COM3	Y14	Y15	Y16	Y17

0.5 mm² DBU P24VDC3 → -X5:2 10.2 / P24VDC3

0.5 mm² DBU Y10 → -X8:6:A 18.2 / Y10
0.5 mm² DBU Y11 → -X8:7:A 18.2 / Y11
0.5 mm² DBU Y12 → -X8:8:A 18.2 / Y12
0.5 mm² DBU Y13 → -X8:9:A 18.2 / Y13
0.5 mm² DBU P24VDC3
0.5 mm² DBU Y14 → -X8:10:A 18.3 / Y14
0.5 mm² DBU Y15 → -X8:11:A 18.3 / Y15
0.5 mm² DBU Y16 → -X8:12:A 18.3 / Y16
0.5 mm² DBU Y17 → -X8:13:A 18.3 / Y17

13 15

REVISION			Date	08-09-2023	ROBIS	Motherson Automotive & Technology engineering	MAIN OUTPUT MODULE		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 14
Modification	Date	Name	Original		Replacement of	Replaced by			Page 15 / 38

EXPANSION INPUT MODULE



P0VDC2 / 10.6 -X6:1 — DBU 0.5 mm² — P0VDC2 — -1A01 /15.5 S/S

X20 / 17.3 -X7:9:A — DBU 0.5 mm² — X20 — -1A01 /15.5 X20 E2.0 — HV/LV LH PROXIMITY SENSOR 1

X21 / 17.3 -X7:9:C — DBU 0.5 mm² — X21 — -1A01 /15.5 X21 E2.1 — HV/LV LH PROXIMITY SENSOR 2

X22 / 17.3 -X7:10:A — DBU 0.5 mm² — X22 — -1A01 /15.5 X22 E2.2 — HV/LV RH MAIN PART PRESENCE

X23 / 17.3 -X7:10:C — DBU 0.5 mm² — X23 — -1A01 /15.5 X23 E2.3 — HV/LV RH CHILD PART PRESENCE

X24 / 17.3 -X7:11:A — DBU 0.5 mm² — X24 — -1A01 /15.5 X24 E2.4 — HV/LV RH PROXIMITY SENSOR1

X25 / 17.3 -X7:11:C — DBU 0.5 mm² — X25 — -1A01 /15.5 X25 E2.5 — HV/LV RH PROXIMITY SENSOR 2

X26 / 17.3 -X7:12:A — DBU 0.5 mm² — X26 — -1A01 /15.5 X26 E2.6 — HIGH VARIANT

X27 / 17.4 -X7:12:C — DBU 0.5 mm² — X27 — -1A01 /15.5 X27 E2.7 — MID VARIANT

CAAAZ00000000072
16POINTINPUTCARD
MODEL :-FX5-16EX/ES
MAKE :-MITSUBHISHI

MITSUBISHI ELECTRIC

Mitsubishi FX5U-EX/ES 16DI Part 1 of 2

X30 / 17.4 -X7:13:A — DBU 0.5 mm² — X30 — -1A01 /15.1 X30 E3.0 — LOW VARIANT

X31 / 17.4 -X7:13:C — DBU 0.5 mm² — X31 — -1A01 /15.1 X31 E3.1 — SPARE

X32 / 17.4 -X7:14:A — DBU 0.5 mm² — X32 — -1A01 /15.1 X32 E3.2 — SPARE

X33 / 17.4 -X7:14:C — DBU 0.5 mm² — X33 — -1A01 /15.1 X33 E3.3 — SPARE

X34 / 17.4 -X7:15:A — DBU 0.5 mm² — X34 — -1A01 /15.1 X34 E3.4 — SPARE

X35 / 17.5 -X7:15:C — DBU 0.5 mm² — X35 — -1A01 /15.1 X35 E3.5 — SPARE

X36 / 17.5 -X7:16:A — DBU 0.5 mm² — X36 — -1A01 /15.1 X36 E3.6 — SPARE

X37 / 17.5 -X7:16:C — DBU 0.5 mm² — X37 — -1A01 /15.1 X37 E3.7 — SPARE

MITSUBISHI ELECTRIC

Mitsubishi FX5U-EX/ES 16DI Part 2 of 2

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	EXPANSION INPUT MODULE		=
			Ed.	manoraj.selvaraj	SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4				+ CP
			Appr.					FMSPM00867	Page 15
Modification	Date	Name	Original		Replacement of	Replaced by			Page 16 / 38

EXPANSION OUTPUT MODULE



-1A02
/16.5
CAAAZ00000000073
16POINTS OUTCARD
-FX5-16EYRES, MAKE
MISTUBHISHI

Mitsubishi FX5-16EYR-ES 16DO Part 1 of 2

MITSUBISHI ELECTRIC

SPARE VALVE SPARE SPARE SPARE

SPARE VALVE SPARE SPARE SPARE

+V4 Y20 Y21 Y22 Y23 Y24 Y25 Y26 Y27

0.5 mm² DBU P24VDC4

0.5 mm² DBU Y20 → -X8:14:A 18.4 / Y20

0.5 mm² DBU Y21 → -X8:15:A 18.4 / Y21

0.5 mm² DBU Y22 → -X8:16:A 18.4 / Y22

0.5 mm² DBU Y23 → -X8:17:A 18.4 / Y23

0.5 mm² DBU Y24 → -X8:18:A 18.4 / Y24

0.5 mm² DBU Y25 → -X8:19:A 18.5 / Y25

0.5 mm² DBU Y26 → -X8:20:A 18.5 / Y26

0.5 mm² DBU Y27 → -X8:21:A 18.5 / Y27

P24VDC4 → -X5:2 10.3 / P24VDC4

-1A02
/16.1

Mitsubishi FX5-16EYR-ES 16DO Part 2 of 2

MITSUBISHI ELECTRIC

SPARE SPARE SPARE SPARE

SPARE SPARE SPARE SPARE

+V6 Y30 Y31 Y32 Y33 Y34 Y35 Y36 Y37

0.5 mm² DBU P24VDC5

0.5 mm² DBU Y30 → -X8:22:A 18.5 / Y30

0.5 mm² DBU Y31 → -X8:23:A 18.5 / Y31

0.5 mm² DBU Y32 → -X8:24:A 18.6 / Y32

0.5 mm² DBU Y33 → -X8:25:A 18.6 / Y33

0.5 mm² DBU Y34 → -X8:26:A 18.6 / Y34

0.5 mm² DBU Y35 → -X8:27:A 18.6 / Y35

0.5 mm² DBU Y36 → -X8:28:A 18.7 / Y36

0.5 mm² DBU Y37 → -X8:29:A 18.7 / Y37

P24VDC5 → -X5:3 10.3 / P24VDC5

15 17

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	EXPANSION OUTPUT MODULE		=
			Ed.	manoraj.selvaraj					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 16
Modification	Date	Name	Original		Replacement of	Replaced by			Page 17 / 38

BMELES2970
TERMINAL BLOCK CXDL2.5
2.5 SQ MM 2 IN 2 OUT
-X7-

-PB1-S1:12 25.5 / X00	X00	BK/4	0.75 mm²	1	X00	DBU	0.5 mm²	X00 / 13.2 -1A00:X00
-PB2-S4:14 25.1 / X01	X01	BK/3	0.75 mm²		X01	DBU	0.5 mm²	X01 / 13.3 -1A00:X01
-PB1-S2:14 25.4 / X02	X02	BK/3	0.75 mm²	2	X02	DBU	0.5 mm²	X02 / 13.3 -1A00:X02
-PB2-S3:14 25.2 / X03	X03	BK/4	0.75 mm²		X03	DBU	0.5 mm²	X03 / 13.3 -1A00:X03
-PSC 22.6 / X04	X04	BK/2	0.75 mm²	3	X04	DBU	0.5 mm²	X04 / 13.4 -1A00:X04
					X05	DBU	0.5 mm²	X05 / 13.4 -1A00:X05
-K4:14 19.7 / X06	X06	DBU	0.5 mm²	4	X06	DBU	0.5 mm²	X06 / 13.4 -1A00:X06
-K5:14 19.9 / X07	X07	DBU	0.5 mm²		X07	DBU	0.5 mm²	X07 / 13.5 -1A00:X07
				5	X10	DBU	0.5 mm²	X10 / 13.6 -1A00:X10
					X11	DBU	0.5 mm²	X11 / 13.6 -1A00:X11
-1X100:1 26.1 / X12	X12	BK/1	1 mm²	6	X12	DBU	0.5 mm²	X12 / 13.7 -1A00:X12
-1X100:2 26.1 / X13	X13	BK/2	1 mm²		X13	DBU	0.5 mm²	X13 / 13.7 -1A00:X13
-1X100:3 26.1 / X14	X14	BK/3	1 mm²	7	X14	DBU	0.5 mm²	X14 / 13.8 -1A00:X14
-1X100:4 26.2 / X15	X15	BK/4	1 mm²		X15	DBU	0.5 mm²	X15 / 13.8 -1A00:X15
-1X100:5 26.2 / X16	X16	BK/5	1 mm²	8	X16	DBU	0.5 mm²	X16 / 13.8 -1A00:X16
-1X100:6 26.2 / X17	X17	BK/6	1 mm²		X17	DBU	0.5 mm²	X17 / 13.9 -1A00:X17
-1X100:7 26.3 / X20	X20	BK/7	1 mm²	9	X20	DBU	0.5 mm²	X20 / 15.1 -1A01:X20
-1X100:8 26.3 / X21	X21	BK/8	1 mm²		X21	DBU	0.5 mm²	X21 / 15.2 -1A01:X21
-1X100:9 26.3 / X22	X22	BK/9	1 mm²	10	X22	DBU	0.5 mm²	X22 / 15.2 -1A01:X22
-1X100:10 26.3 / X23	X23	BK/10	1 mm²		X23	DBU	0.5 mm²	X23 / 15.3 -1A01:X23
-1X100:11 26.4 / X24	X24	BK/11	1 mm²	11	X24	DBU	0.5 mm²	X24 / 15.3 -1A01:X24
-1X100:12 26.4 / X25	X25	BK/12	1 mm²		X25	DBU	0.5 mm²	X25 / 15.3 -1A01:X25
-1X100:13 26.4 / X26	X26	BK/13	1 mm²	12	X26	DBU	0.5 mm²	X26 / 15.4 -1A01:X26
-1X100:14 26.5 / X27	X27	BK/14	1 mm²		X27	DBU	0.5 mm²	X27 / 15.4 -1A01:X27
-1X100:15 26.5 / X30	X30	BK/15	1 mm²	13	X30	DBU	0.5 mm²	X30 / 15.6 -1A01:X30
					X31	DBU	0.5 mm²	X31 / 15.6 -1A01:X31
				14	X32	DBU	0.5 mm²	X32 / 15.6 -1A01:X32
					X33	DBU	0.5 mm²	X33 / 15.7 -1A01:X33
				15	X34	DBU	0.5 mm²	X34 / 15.7 -1A01:X34
					X35	DBU	0.5 mm²	X35 / 15.7 -1A01:X35
				16	X36	DBU	0.5 mm²	X36 / 15.8 -1A01:X36
					X37	DBU	0.5 mm²	X37 / 15.8 -1A01:X37

INPUT TERMINAL DISTRIBUTION

Modification	REVISION			
Date				
Name				
Original		Date	11-04-2024	
		Ed.	MANORAJ.SELVARAJ	
Replacement of		Appr.		Replaced by

ROBIS
SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4

Motherson Automotive & Technology engineering

INPUT TERMINAL DISTRIBUTION

FMSPM00867

Page 17
Page 18 / 38

OUTPUT TERMINAL DISTRIBUTION

ALL FUSE SHOULD BE 0.5 A




-X8
BMELES2968
TERMINAL BLOCK 2.5 SQ MM
1 IN 2 OUT

Y00 / 14.1 / -1A00:Y00	Y01 / 14.2 / -1A00:Y01	Y02 / 14.2 / -1A00:Y02	Y03 / 14.3 / -1A00:Y03	Y04 / 14.3 / -1A00:Y04	Y10 / 14.6 / -1A00:Y10	Y11 / 14.6 / -1A00:Y11	Y12 / 14.7 / -1A00:Y12	Y13 / 14.7 / -1A00:Y13	Y14 / 14.8 / -1A00:Y14	Y15 / 14.8 / -1A00:Y15	Y16 / 14.8 / -1A00:Y16	Y17 / 14.9 / -1A00:Y17	Y20 / 16.1 / -1A02:Y20	Y21 / 16.2 / -1A02:Y21	Y22 / 16.2 / -1A02:Y22	Y23 / 16.3 / -1A02:Y23	Y24 / 16.3 / -1A02:Y24	Y25 / 16.3 / -1A02:Y25	Y26 / 16.4 / -1A02:Y26	Y27 / 16.4 / -1A02:Y27	Y30 / 16.6 / -1A02:Y30	Y31 / 16.6 / -1A02:Y31	Y32 / 16.6 / -1A02:Y32	Y33 / 16.7 / -1A02:Y33	Y34 / 16.7 / -1A02:Y34	Y35 / 16.8 / -1A02:Y35	Y36 / 16.8 / -1A02:Y36	Y37 / 16.8 / -1A02:Y37
0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²
DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU	DBU
Y00	Y01	Y02	Y03	Y04	Y10	Y11	Y12	Y13	Y14	Y15	Y16	Y17	Y20	Y21	Y22	Y23	Y24	Y25	Y26	Y27	Y30	Y31	Y32	Y33	Y34	Y35	Y36	Y37		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29		
0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A	0.5A		
OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE	OE		

Y00	Y01	Y02	Y03	Y04	Y12	Y13	Y14	Y15	Y16	Y17	Y20	Y21																		
0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²	0.5 mm²																		
BK/1	BK/2	BK/3	BK/4	BK/1	BK/2	BK/3	BK/4	BK/5	BK/6	BK/7	BK/8	BK/9																		
Y00	Y01	Y02	Y03	Y04	Y12	Y13	Y14	Y15	Y16	Y17	Y20	Y21																		
-TL1.0:1 25.7 / Y00	-TL1.0:2 25.8 / Y01	-TL1.0:3 25.8 / Y02	-TL1.0:4 25.8 / Y03	+PP-1X1:1 +PP/2.1 / Y04	+PP-1X1:2 +PP/2.1 / Y12	+PP-1X1:3 +PP/2.2 / Y13	+PP-1X1:4 +PP/2.2 / Y14	+PP-1X1:5 +PP/2.2 / Y15	+PP-1X1:6 +PP/2.3 / Y16	+PP-1X1:7 +PP/2.3 / Y17	+PP-1X1:8 +PP/2.3 / Y20	+PP-1X1:9 +PP/2.4 / Y21																		


REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	OUTPUT TERMINAL DISTRIBUTION	=
			Ed.	manoraj.selvaraj				+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867 Page 18
Modification	Date	Name	Original		Replacement of	Replaced by		Page 19 / 38

RELAY INTERFACE FOR SCREWING DRIVER 1




REVISION			Date	11-04-2024	ROBIS	Motherson Automotive & Technology engineering	RELAY INTERFACE FOR SCREWING DRIVER 1		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 19
Modification	Date	Name	Original		Replacement of	Replaced by			Page 20 / 38

SCREWING DRIVER INTERFACE 1



REVISION			Date	11-04-2024	ROBIS	Motherson Automotive & Technology engineering	SCREWING DRIVER INTERFACE 1		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 20
Modification	Date	Name	Original		Replacement of	Replaced by			Page 21 / 38

MACHINE LIGHT & FAN INTERFACE



REVISION			Date	08-09-2023	ROBIS	Motherson Automotive & Technology engineering	MACHINE LIGHT & FAN INTERFACE		=
			Ed.	MANORAJ.SELVARAJ	SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4				+ CP
			Appr.					FMSPM00867	Page 21
Modification	Date	Name	Original		Replacement of	Replaced by			Page 22 / 38

HMI INTERFACE



-HMI
CAAAI00000000586
HMI GS2107-WTBD

Ethernet | RS-232 | RS-422 | USB

MITSUBISHI ELECTRIC

+ | - | FG

-WC1
BMELES1072
UNITRONIC LAN 600

-WC6
BMELES0221
0034504 - Unitronic
LIYCY 4 X 0.34

-WC2 / 11.2 -A1:2:2

-WC6 / 23.2 -HMI RS232-COM1

-W5
BMELES1937
3 G 0.75 mm²

0.75 mm²	0.75 mm²	0.75 mm²
BK/1	BK/2	GNYE
1P24VDC	P0VDC6	PE-8

-1F1 / 10.0 / 1P24VDC

-X6:3 / 10.7 / P0VDC6

-X4:2:A / 6.7 / PE-8

HMI POWER SUPPLY

-W6
BMELES1937
3 G 0.75 mm²

0.75 mm²	0.75 mm²	0.75 mm²
BK/1	BK/3	BK/2
P24VDC12	P0VDC5	X04

P24VDC12 / 10.4 -X5:6

P0VDC5 / 10.7 -X6:3

X04 / 17.1 -X7:3:B

-PSC
3 PIN CONNECTOR

BN | BU | BK | WH

PS1

1 | 2 | 3 | 4


P




PRESSURE SWITCH

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	HMI INTERFACE		=	
			Ed.	manoraj.selvaraj					+ CP	
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4				FMSPM00867	Page 22
Modification	Date	Name	Original		Replacement of	Replaced by				Page 23 / 38

HMI TO SCANNER COMMUNICATION







Screws to fix
RS-232C connector
#4-40UNC
(inch screw thread)

Pin No.	Signal	Name
1	CD (DCD)	Receive carrier detection
2	RD (RXD)	Receive data
3	SD (TXD)	Send data
4	ER (DTR)	Send request
5	SG (GND)	Signal ground
6	DR (DSR)	Send enabled
7, 8, 9		Not used

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	HMI TO SCANNER COMMUNICATION		=
			Ed.	manoraj.selvaraj					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 23
Modification	Date	Name	Original		Replacement of	Replaced by			Page 24 / 38

PLC TO PRINTER COMMUNICATION







Screws to fix
RS-232C connector
#4-40UNC
(inch screw thread)


Pin No.	Signal	Name
1	CD (DCD)	Receive carrier detection
2	RD (RXD)	Receive data
3	SD (TXD)	Send data
4	ER (DTR)	Send request
5	SG (GND)	Signal ground
6	DR (DSR)	Send enabled
7, 8, 9		Not used

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	PLC TO PRINTER COMMUNICATION	=
			Ed.	manoraj.selvaraj				+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867 Page 24
Modification	Date	Name	Original		Replacement of	Replaced by		Page 25 / 38

PUSHBUTTON & TOWER LAMP INTERFACE









REVISION			Date	08-09-2023	ROBIS	Motherson Automotive & Technology engineering	PUSHBUTTON & TOWER LAMP INTERFACE		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 25
Modification	Date	Name	Original		Replacement of	Replaced by			Page 26 / 38

24 PIN I/O INTERFACE




REVISION			Date	27-07-2023	ROBIS	Motherson Automotive & Technology engineering	24 PIN I/O INTERFACE		=
			Ed.	MANORAJ.SELVARAJ					+ CP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 26
Modification	Date	Name	Original		Replacement of	Replaced by			Page 27 / 38

CUSTOMIZE PANEL



TAG NO	DESCRIPTION
Y04	SHUT OFF VALVE
Y12	CLAMPING CYL1 FWD SOL
Y13	CLAMPING CYL1 REV SOL
Y14	CLAMPING CYL2 FWD SOL
Y15	CLAMPING CYL2 REV SOL
Y16	SPARE VALVE
Y17	SPARE VALVE
Y20	SPARE VALVE
Y21	SPARE VALVE
-1X1	BMELES2970 TERMINAL BLOCK 2.5 SQ MM 2 IN 2 OUT CXDL2.5;

PNEUMATIC TERMINAL BLOCK



REVISION			Date	08-09-2023	ROBIS	Motherson Automotive & Technology engineering	PNEUMATIC TERMINAL BLOCK		=
			Ed.	MANORAJ.SELVARAJ					+ PP
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 2
Modification	Date	Name	Original		Replacement of	Replaced by			Page 29 / 38

REVISION			
Modification	Date	Name	Original
		Ed.	Date
		Appr.	08-09-2023
		MANORAJ.SELVARAJ	

Replacement of

Replaced by

ROBIS

SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4

Motherson Automotive & Technology engineering

CYLINDER INTERFACE

FMSPM00867

+ PP

=

+HV FIX/1

SHUT OFF VALVE

Y04
BMPNES2070
KMEB-1-24-2.5-LED

P0VDC8.1 BK/2 0.5 mm² → P0VDC8.1 / 2.1 -1X1

-Y0 x2 x1

Y04 BK/1 0.5 mm² → Y04 / 2.1 -1X1:1

CLAMP CYL 1 FWD SOL

Y12
BMPNES2070
KMEB-1-24-2.5-LED

P0VDC8.2 BK/2 0.5 mm² → P0VDC8.2 / 2.1 -1X1

-Y1 x2 x1

Y12 BK/1 0.5 mm² → Y12 / 2.1 -1X1:2

CLAMP CYL 1 REV SOL

Y13
BMPNES2070
KMEB-1-24-2.5-LED

P0VDC8.3 BK/2 0.5 mm² → P0VDC8.3 / 2.2 -1X1

-Y2 x2 x1

Y13 BK/1 0.5 mm² → Y13 / 2.2 -1X1:3

CLAMP CYL 2 FWD SOL

Y14
BMPNES2070
KMEB-1-24-2.5-LED

P0VDC8.4 BK/2 0.5 mm² → P0VDC8.4 / 2.2 -1X1

-Y3 x2 x1

Y14 BK/1 0.5 mm² → Y14 / 2.2 -1X1:4

CLAMP CYL 2 REV SOL

Y15
BMPNES2070
KMEB-1-24-2.5-LED

P0VDC8.5 BK/2 0.5 mm² → P0VDC8.5 / 2.3 -1X1

-Y4 x2 x1

Y15 BK/1 0.5 mm² → Y15 / 2.2 -1X1:5

SPARE VALVE

Y16
BMPNES2070
KMEB-1-24-2.5-LED

P0VDC8.6 BK/2 0.5 mm² → P0VDC8.6 / 2.3 -1X1

-Y5 x2 x1

Y16 BK/1 0.5 mm² → Y16 / 2.3 -1X1:6

SPARE VALVE

Y17
BMPNES2070
KMEB-1-24-2.5-LED

P0VDC8.7 BK/2 0.5 mm² → P0VDC8.7 / 2.3 -1X1

-Y6 x2 x1

Y17 BK/1 0.5 mm² → Y17 / 2.3 -1X1:7

SPARE VALVE

Y20
BMPNES2070
KMEB-1-24-2.5-LED

P0VDC8.8 BK/2 0.5 mm² → P0VDC8.8 / 2.4 -1X1

-Y7 x2 x1

Y20 BK/1 0.5 mm² → Y20 / 2.3 -1X1:8

SPARE VALVE

Y21
BMPNES2070
KMEB-1-24-2.5-LED


P0VDC8.9 BK/2 0.5 mm² → P0VDC8.9 / 2.4 -1X1

-Y8 x2 x1

Y21 BK/1 0.5 mm² → Y21 / 2.4 -1X1:9

CYLINDER INTERFACE

HV 24 PIN I/O INTERFACE




+PP/3

2

REVISION			Date	24-07-2023	ROBIS	Motherson Automotive & Technology engineering	HV 24 PIN I/O INTERFACE	=
			Ed.	MANORAJ.SELVARAJ				+ HV FIX
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867 Page 1
Modification	Date	Name	Original		Replacement of	Replaced by		Page 31 / 38


HV REED SWITCH INTERFACE




1 3

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	HV REED SWITCH INTERFACE		=
			Ed.	manoraj.selvaraj					+ HV FIX
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 2
Modification	Date	Name	Original		Replacement of	Replaced by			Page 32 / 38

HV LH SENSOR INTERFACE




HV LH MAIN PART PRESENCE SENOSR






HV LH CHILD PART PRESENCE SENOSR





HV LH PROXIMITY SENSOR 1







HV LH PROXIMITY SENSOR 2

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	HV LH SENSOR INTERFACE		=
			Ed.	manoraj.selvaraj					+ HV FIX
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 3
Modification	Date	Name	Original		Replacement of	Replaced by			Page 33 / 38


HV RH SENSOR INTERFACE




HV RH MAIN PART PRESENCE SENOSR



HV RH CHILD PART PRESENCE SENOSR




HV RH PROXIMITY SENSOR 1



HV RH PROXIMITY SENSOR 2

LV 24 PIN I/O INTERFACE




+HV FIX/4

2


REVISION			Date	24-07-2023	ROBIS	Motherson Automotive & Technology engineering	LV 24 PIN I/O INTERFACE	=
			Ed.	MANORAJ.SELVARAJ				+ LV FIX
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867 Page 1
Modification	Date	Name	Original		Replacement of	Replaced by		Page 35 / 38

LV REED SWITCH INTERFACE




REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	LV REED SWITCH INTERFACE		=
			Ed.	manoraj.selvaraj					+ LV FIX
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 2
Modification	Date	Name	Original		Replacement of	Replaced by			Page 36 / 38


LV LH SENSOR INTERFACE




LV LH MAIN PART PRESENCE SENOSR



LV LH CHILD PART PRESENCE SENOSR




LV LH PROXIMITY SENSOR 1




LV LH PROXIMITY SENSOR 2

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	LV LH SENSOR INTERFACE		=
			Ed.	manoraj.selvaraj					+ LV FIX
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 3
Modification	Date	Name	Original		Replacement of	Replaced by			Page 37 / 38


LV RH SENSOR INTERFACE




LV RH MAIN PART PRESENCE SENOSR



LV RH CHILD PART PRESENCE SENOSR



LV RH PROXIMITY SENSOR 1



LV RH PROXIMITY SENSOR 2

3

REVISION			Date	01-08-2023	ROBIS	Motherson Automotive & Technology engineering	LV RH SENSOR INTERFACE		=
			Ed.	manoraj.selvaraj					+ LV FIX
			Appr.		SS220 HL PCB SCREWING WITH LIGHT HOLDER OFFLINE 4			FMSPM00867	Page 4
Modification	Date	Name	Original		Replacement of	Replaced by			Page 38 / 38