


## **USER MANUAL**

### **STATION 1:REFLECTOR SUB ASSEMBLY 2**

### **STATION 2:LIGHT GUIDE CARRIER SUB ASSEMBLY 2**



CLIENT NAME:

**MARELLI MOTHERSON AUTOMOTIVE LIGHTING INDIA PRIVATE LIMITED**  
**Ambethan 165/1**

MACHINE MANUFACTURED BY:

**INFINITY AUTOMATION SYSTEMS PVT LTD.**  
**Unit 2:S. No. 80/2A, Mumbai Bangalore Bypass Highway**  
**Near JSPM Institute,**  
**Tathawade, Pune-411033.**

## Contents

|                                                                                          |    |
|------------------------------------------------------------------------------------------|----|
| 1. Introduction .....                                                                    | 3  |
| 2. Safety regulations .....                                                              | 4  |
| 2.1 Term definitions.....                                                                | 4  |
| 2.2 Significance of the safety regulations .....                                         | 4  |
| 2.3 Information and symbols .....                                                        | 4  |
| 2.3.1 Warning and safety notices .....                                                   | 4  |
| 2.3.2 Notes and symbols in the manual.....                                               | 5  |
| 2.4 Application limitations.....                                                         | 5  |
| 2.5 Do's and Don'ts for PCBA+Metal Plate +EMI Shield Assembly LH & RH Station .....      | 6  |
| 3. DESCRIPTION OF THE MACHINE.....                                                       | 7  |
| 3.1 Layout of Station: .....                                                             | 7  |
| 3.2 Description of Station: .....                                                        | 7  |
| 3.3 Assembly Drawings:.....                                                              | 8  |
| 3.4 Pneumatic Drawings: .....                                                            | 10 |
| 3.5 Operation .....                                                                      | 12 |
| 3.5.1 Safety regulations for PCBA +Metal Plate +EMI Shield Assembly LH & RH Station..... | 12 |
| 3.5.2 Steps for Operation Sequence .....                                                 | 12 |
| 4. LIFTING, TRANSPORTATION & PACKAGING: .....                                            | 13 |
| 4.1 Lifting Arrangement: .....                                                           | 13 |
| 4.2 Transportation: .....                                                                | 13 |
| 4.3 Packaging: .....                                                                     | 13 |
| 5. HMI SCREENS .....                                                                     | 14 |
| 6. SPARE LIST.....                                                                       | 22 |
| 7. FLOW CHART.....                                                                       | 26 |
| 8. TROUBLESHOOT.....                                                                     | 27 |
| 9. ELECTRICAL DRAWING.....                                                               | 28 |

---

# 1. INTRODUCTION

---

We are certain that you have made the right choice with our product and thank for your trust.

## **For your personal safety**

Before carrying out any activities on or with the PCBA+Metal Plate +EMI Shield Assembly LH & RH Station, please carefully read these operating instructions first, in particular the chapter on "Safety regulations".

## **Application area of these operating instructions**

These operating instructions describe the PCBA+Metal Plate +EMI Shield Assembly LH & RH Station and provide all information required for safe operation and maintenance of functionality. Please keep these operation instructions available at all times for all persons involved with the machine.

## **Questions or unclear points**

Please contact immediately if you have any questions or unclear points:  
Original language of assembly instructions is English.

© Copyright Infinity Automation Systems Pvt. Ltd.

---

## 2. SAFETY REGULATIONS

### 2.1 Term definitions

The following terms are used with regards to safety:

#### **Personnel qualification**

The work to be implemented with or on the product is described in the corresponding chapters in the operating instructions. The personnel qualifications listed in this chapter (in "Introduction") describes the minimum requirements for personnel regarding training and competences for implementing this work.

#### **Personnel**

Personnel are people who meet the personnel qualifications. Only such personnel are authorized to implement the work described in the applicable chapters.

#### **User**

Users are persons who cannot be identified as personnel but who still carry out activities with or on the product.

#### **Operator**

The operator is the owner of the product. This is irrespective of whether the product is:

- Operated as a stand-alone machine
- Operated as part of a system or
- Operated by a third party

#### **Product life phases**

The product life phases are the state or usage phases of the product. These range from leaving the assembly hall to disassembly and disposal, and are divided into correspondingly logical sections (chapters) in these operating instructions.

### 2.2 Significance of the safety regulations

These safety regulations contain all behavior regulations and generally applicable danger information. The safety of the user and the personnel can only be ensured when these safety regulations and the safety information listed in the individual chapters are strictly complied with and followed. The operator is responsible for the enforcement.

### 2.3 Information and symbols

#### 2.3.1 Warning and safety notices

The warning and safety notices used in these operating instructions have the following significance:

|  |                                                                                                                                                                                                              |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |  <b>CAUTION</b><br>Indicates a hazard with <b>low</b> risk which, if not avoided, could result in minor or moderate injury. |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                       |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |  <b>WARNING</b><br>Indicates a <b>possible</b> hazard with <b>medium</b> risk which, if not avoided, <b>could</b> result in death or serious injury. |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                     |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |  <b>DANGER</b><br>Indicates an <b>immediate</b> hazard with <b>high</b> risk which, if not avoided, <b>will</b> result in death or serious injury. |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                      |  |
|------------------------------------------------------------------------------------------------------|--|
| <b>NOTICE</b>                                                                                        |  |
| Indicates practical information and tips that permit the best use of machinery, system or equipment. |  |

|                             |
|-----------------------------|
| <b>CAUTION</b>              |
| To warn of material damage. |

### 2.3.2 Notes and symbols in the manual.

The following information and symbols are used in manual.

| Warning signs                                                                       | Mandatory sign                                                                      | Mandatory sign                                                                      |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Danger of hand injuries                                                             | Wear safety goggles                                                                 | Wear gloves                                                                         |
|  |  |  |

### 2.4 Application limitations

The following technical operating instructions and ambient conditions must be complied with for the operation of the PCBA+Metal Plate +EMI Shield Assembly LH & RH Station.


| <b>Environmental conditions</b>     |                          |
|-------------------------------------|--------------------------|
| Working temperature                 | +10 ... +50 °C           |
| Storage temperature                 | - 10 ... +70 °C          |
| Relative humidity                   | Max. 90%, non-condensing |
| <b>Mechanical power supply</b>      |                          |
| Operating pressure                  | 2-6 bar                  |
| <b>Mechanical</b>                   |                          |
| Machine Weight                      | 150kg Approx.            |
| <b>Electrical power supply</b>      |                          |
| Supply voltage                      | 230 VAC                  |
| Input Power                         | 8 kW                     |
| Full Load Current                   | 16 Amp                   |
| Primary Fuse                        | 32 Amp                   |
| Max. Short Circuit Interrupting Cap | 14 Amp                   |
| Control Voltage                     | 24 V                     |

## 2.5 Do's and Don'ts for PCBA+Metal Plate +EMI Shield Assembly LH & RH Station


- Regular checking of penumatics parts.
- Regular checking of drag chain.
- Regular checking 2/2 valve.

## 3. DESCRIPTION OF THE MACHINE

### 3.1 Layout of Station:




### 3.2 Description of Station:



### 3.3 Assembly Drawings:

**\*\* IF ANY DOUBT PLEASE ASK \*\***



**NOTES:-**


1. WHEREVER WELD, USE 2 DOWEL & 2 BOLT BEFORE WELDING.
2. DO NOT WELD ALUMINIUM MATERIAL WITHOUT SPECIAL NOTE.
3. PART SHALL BE FREE FROM ALL KINDS OF DEFECTS.
4. DRAWING DIMENSIONS SHALL BE 1845 ALL OVER.
5. REMOVE BUMP AFTER ASSEMBLY.
6. DIMENSION TOLERANCE FOR SLOT OR HOLE WILL BE WITHIN 0.1 TO 0.2 mm.
- 6.1 POSITION TOLERANCE FOR DOWEL HOLE WILL BE WITHIN 0.1 TO 0.2 mm.
- 6.2 WHEREVER SLOT OR HOLE IN OPEN TOLERANCE THICKNESS WILL BE CONSIDERED IN 0.1 TO 0.2 mm.
- 6.3 WHEREVER PIN / SHAFT (0.1 mm)

**USE BLUE COLOR FOR FORWARD AND BLACK COLOR FOR BACKWARD PNEUMATIC PIPE.**


**ALL dimensions are in "mm"**

| ZONE | REV. | DESCRIPTION          | DATE | APPROVED |
|------|------|----------------------|------|----------|
| 1    | 1    | CONTROL PANEL        |      |          |
| 2    | 1    | PSAME                |      |          |
| 3    | 1    | BOTTOM PLATE         |      |          |
| 4    | 1    | SEPARATOR PLATE      |      |          |
| 5    | 1    | GUIDE PLATE          |      |          |
| 6    | 1    | GUIDE PLATE 2        |      |          |
| 7    | 1    | WHEEL                |      |          |
| 8    | 1    | WHEEL MOUNTING PLATE |      |          |
| 9    | 1    | WHEEL MOUNTING PLATE |      |          |
| 10   | 1    | WHEEL MOUNTING PLATE |      |          |
| 11   | 1    | WHEEL MOUNTING PLATE |      |          |
| 12   | 1    | WHEEL MOUNTING PLATE |      |          |
| 13   | 1    | WHEEL MOUNTING PLATE |      |          |
| 14   | 1    | WHEEL MOUNTING PLATE |      |          |
| 15   | 1    | WHEEL MOUNTING PLATE |      |          |
| 16   | 1    | WHEEL MOUNTING PLATE |      |          |
| 17   | 1    | WHEEL MOUNTING PLATE |      |          |
| 18   | 1    | WHEEL MOUNTING PLATE |      |          |
| 19   | 1    | WHEEL MOUNTING PLATE |      |          |
| 20   | 1    | WHEEL MOUNTING PLATE |      |          |
| 21   | 1    | WHEEL MOUNTING PLATE |      |          |
| 22   | 1    | WHEEL MOUNTING PLATE |      |          |
| 23   | 1    | WHEEL MOUNTING PLATE |      |          |
| 24   | 1    | WHEEL MOUNTING PLATE |      |          |
| 25   | 1    | WHEEL MOUNTING PLATE |      |          |
| 26   | 1    | WHEEL MOUNTING PLATE |      |          |
| 27   | 1    | WHEEL MOUNTING PLATE |      |          |
| 28   | 1    | WHEEL MOUNTING PLATE |      |          |
| 29   | 1    | WHEEL MOUNTING PLATE |      |          |
| 30   | 1    | WHEEL MOUNTING PLATE |      |          |
| 31   | 1    | WHEEL MOUNTING PLATE |      |          |
| 32   | 1    | WHEEL MOUNTING PLATE |      |          |
| 33   | 1    | WHEEL MOUNTING PLATE |      |          |

**THIS DOCUMENT IS A PROPERTY OF IASPL AND SHOULD NOT BE REPRODUCE**



### 3.4 Pneumatic Drawings:





Screw Gun

---

## 3.5 Operation

### 3.5.1 Safety regulations for PCBA +Metal Plate +EMI Shield Assembly LH & RH Station

1. Any type of maintenance work done by authorized person.
2. Always turn off Machine switch while any type of maintenance work.

#### 3.5.1.1 Personal Safety Equipment

All users are obliged to wear the following personal safety equipment for all work:

- Tightly fitting working clothes
- Safety goggles
- Gloves

#### 3.5.2 Steps for Operation Sequence:

- Pick LH & RH reflector from bin.
- Place LH & RH reflector on fixture.
- Pick LH & RH side tail stop PCB from bin.
- Locate LH & RH tail stop PCB on LH & RH reflector.
- Do the lumber connection with LH & RH stop PCB.
- Press cycle start (If light guide presence & PCBs check ok then part clamped and screw driver enable)
- Pick screw 2 no's
- Pick screwdriver
- Do the screwing LH & RH PCB with LH & RH reflector (Screwing ok then clamp gets Declamp)
- Unload both reflector

---

## **4. LIFTING, TRANSPORTATION & PACKAGING:**

### **4.1 Lifting Arrangement:**

For lifting of machine, there is fork lift.

### **4.2 Transportation:**

Transfer the final test workstation and all of its separately packed associated components, in a closed vehicle or closed shipping container only. Each component of this machine should remain horizontal at all times during transport.

A fork truck should be used to load/offload the pallet holding this machine into/from vehicles.

### **4.3 Packaging:**

Put final test workstation at an appropriate transport pallet that corresponds to the weight, and secure it against sliding. Protect each table from dirt and moisture by foil. Then house it completely.

Remove all components and subassemblies that are not permanently attached to the final test workstation, wrap them in plastic foil, and pack them in separate shipping containers.

Secure Component groups at the final test workstation against uncontrolled movement.

## **5. HMI SCREEN:**

### **5.1. MAIN SCREEN:**



FIG.1.MAIN SCREEN

➤ The software has menu buttons as given below:

1. Program
2. Auto
3. Manual
4. Input
5. Output
6. Configuration
7. Alarm History

## 5.2. PROGRAM SCREEN:

- Click on '**PROGRAM**' button, below screen appears.




FIG.2.PROGRAM

- Here for program selection enter one or two in Program No. field
- Description is displayed in the fields below Program No.

### 5.3. AUTO:

- Click on 'AUTO' button, below screen appears.




FIG.3.AUTO

- This screen display live cycle status.
- This screen shows cycle time in second.
- Here also we display sensors, if it is present then it indicates with Green color and if it is not then indicates with Red color.
- It also indicates OK and NOK part count & screw count.

#### 5.4. MANUAL:

- Click on 'MANUAL' button, below screen will appear.




FIG.4.MANUAL OPERATION

- Here all the cylinders can be operated manually after switching the safety valve ON.
- Part Presence and Reed Switch feedback for indication.
- Screw gun can be enable & disable manually.
- Press **HOME** button to go back.

## 5.5. INPUT LIST:

- Click on 'INPUT' button, below screen will appear.




FIG.5.1.INPUT LIST




FIG.5.2.INPUT LIST

- For maintenance purpose all the inputs are displayed on the above screen.
- If input is ON, indicator turns GREEN. If it is OFF, indicator turns RED.
- Press forward arrow button to go for next window.
- Press backward arrow button to go back.
- Press HOME button to go on main screen.

## 5.6. OUTPUT LIST:

➤ Click on 'OUTPUT' button, below screen will appear.




FIG.6.1. OUTPUT LIST




FIG.6.2. OUTPUT LIST

- For maintenance purpose all the outputs are displayed on the below screen.
- If output is ON then indicator turns GREEN if it is OFF then indicator turns RED.
- Press forward arrow button for go to next window.
- Press backward arrow button for go back.
- Press **HOME** button to go on main screen.

## 5.7. CONFIGURATION:

- Click on 'CONFIGURATION' button, below screen will appear.

The screenshot shows the 'CONFIGURE' screen with a teal background. At the top, there are logos for 'infinity' and 'MARELLI' on both sides, and a date/time display 'mm/dd/yy' and 'HH:MM:SS'. The main title 'CONFIGURE' is centered at the top. Below it, there's a 'PROG NO.' field with '12' and a password field with 'ABCDEFGHIJKLMNO'. The screen is divided into two main sections: 'LH' (Left Hand) and 'RH' (Right Hand). Each section has a 'SCREW COUNT' field with '12' and a 'BARCODE SCAN' button with a red 'X'. Below these, there are two rows of 'CLAMP CYL' (1 and 2) with 'REED SW' buttons and numeric delay fields (all set to '12'). At the bottom of each section are 'TAIL PART PRESENSE 1' and 'DRIVER PART PRESENSE 2' buttons, all with red 'X' marks. A 'FIXTURE ID' field with '12' is at the bottom center. A home button is in the bottom left corner.

FIG.7. CONFIGURE

- To open this screen first we have to enter password.
- Here we can create a new program.
- Here we can enable or disable sensors and cylinder by pressing the button.
- Also we can enter screw count and REED SW Delay timing.
- Press **HOME** to go main menu.

## 5.8. ALARM SCREEN:

- Click on ‘**ALARM HISTORY**’ button, below screen will appear.




FIG.8.ALARM HISTORY

- Alarm history can be shown on the screen.

## 6. SPARE LIST:

### • ELECTRICAL BOM:

| Project No.: A21082 |                          |                                                                                           |     |             |
|---------------------|--------------------------|-------------------------------------------------------------------------------------------|-----|-------------|
| NO.                 | Part Number              | Name/Description                                                                          | Qty | Make        |
| 1                   | DOP-107EV                | HMI.HMI 7" Inbuild Ethernet                                                               | 1   | DELTA       |
| 2                   | FX5U-32MT/ES             | PLC.FX5U PLC 16I/P,16O/P Transistor                                                       | 1   | Mitsubhishi |
| 3                   | FX5-16EX/ES              | DIGITAL MODULE.Mitsubishi FX5 PLC I/O Module 16 Inputs                                    | 1   | Mitsubhishi |
| 4                   | FX5-16EYT/ES             | EXPANSION MODULE.Output Module 16 O/P Transistor(Source)                                  | 1   | Mitsubhishi |
| 5                   | 6GK5005-0BA00-1AB2       | 6GK5005-0BA00-1AB2.SCALANCE XB005 unmanaged Industrial Ethernet Switch for 10/100         | 1   | SIEMENS     |
| 6                   | XVGB3S                   | Tower lamp RAG with Buzzer 24V DC                                                         | 1   | SCHNEIDER   |
| 7                   | ONE WAY SIZE 90X80X52 MM | PENDANT                                                                                   | 4   | TEKNIC      |
| 8                   | 2AM2                     | PUSH BUTTON. METALLIC BLACK MUSHROOM TYPE PUSHBUTTON, 40MM, MOMENTARY (SPRING RETURN )    | 1   | TEKNIC      |
| 9                   | 2AMJ3                    | PUSH BUTTON. METALLIC GREEN MUSHROOM TYPE PUSHBUTTON, 60MM, MOMENTARY                     | 2   | TEKNIC      |
| 10                  | 2AML4                    | PUSH BUTTON. METALLIC RED MUSHROOM TYPE PUSHBUTTON, 40MM, LATCHING (ENERGENCY PUSHBUTTON) | 1   | TEKNIC      |
| 11                  | S2                       | NC CONTACT METALLIC RED NORMALLY CLOSED CONTACT ELEMENTS                                  | 1   | TEKNIC      |
| 12                  | S1                       | NO CONTACT METALLIC GREEN NORMALLY OPEN CONTACT ELEMENTS                                  | 3   | TEKNIC      |


|    |                                        |                                                                                                                                                                                          |    |           |
|----|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|
| 13 | M8                                     | QUICK RELEASE OPENING                                                                                                                                                                    | 1  | LOCAL     |
| 14 | 555234                                 | INDUSTRIAL PLUG.Straight plug P17 - IP44 - 200/250 V~ - 32 A - 2P+E                                                                                                                      | 1  | LEGRAND   |
| 15 | 555254                                 | INDUSTRIAL SOCKET.Surface mounting socket P17 - IP44 - 200/250 V~ - 32 A - 2P+E                                                                                                          | 1  | LEGRAND   |
| 16 | 6755 50                                | SERVICE SOCKET MYLINC 6 AMP SOCKET 2/3 PIN                                                                                                                                               | 3  | LEGRAND   |
| 17 | 6740 99                                | SERVICE SOCKET MYLINC SURFACE BOX - 9 MODULES                                                                                                                                            | 1  | LEGRAND   |
| 18 | 6755 69                                | SERVICE SOCKET - MYLINC PLATES - 9 MODULES                                                                                                                                               | 1  | LEGRAND   |
| 19 | GOLDEN-30W-T8 LED(2ft) 6500K DAY-LIGHT | GOLDEN-30W-T8 LED(2ft) 6500K DAY-LIGHT                                                                                                                                                   | 2  | OREVA     |
| 20 | CF-200                                 | Machine Fan. 200 MM Cabin Fan Blue Colour                                                                                                                                                | 1  | REMI      |
| 21 | 15X40MM(HXL) ENGRAVING                 | NAME PLATE. SQUARE ENGRAVING                                                                                                                                                             |    | LOCAL     |
| 22 | ROUND Dia 22.5MM                       | NAME PLATE. ROUND ENGRAVING                                                                                                                                                              |    | LOCAL     |
| 23 | 857-304                                | Slim Relay.Relay module; Nominal input voltage: 24 VDC; 1 changeover contact; Limiting continuous current: 6 A; Yellow status indicator; Module width: 6 mm; 2,50 mm <sup>2</sup> ; gray | 28 | WAGO      |
| 24 | 2946-859-410-ND                        | SHORT LINK.PUSH-IN TYPE JUMPER BAR; 10-WAY                                                                                                                                               | 3  | WAGO      |
| 25 | 98251                                  | MINI 32A DP 'C' MCB                                                                                                                                                                      |    | Anchor    |
| 26 | 30828S                                 | 20 & 10A Twin Socket (Heavy Duty) - Silver                                                                                                                                               |    |           |
| 27 | 20450                                  | 8 Module Rectangular Surface Box                                                                                                                                                         |    |           |
| 28 | 288208                                 | 8 Module Plate (Square)                                                                                                                                                                  |    |           |
| 29 | VCF1                                   | MAINS ON/OFF.Mains ON/OFF 32A                                                                                                                                                            | 1  | SCHNEIDER |
| 30 | A9N2P32C                               | MCB.2 Pole 32 Amp                                                                                                                                                                        | 1  | SCHNEIDER |
| 31 | A9N2P06C                               | MCB.2P,6AMP                                                                                                                                                                              | 1  | SCHNEIDER |

|    |                    |                                                                       |   |           |
|----|--------------------|-----------------------------------------------------------------------|---|-----------|
| 32 | A9N2P16C           | MCB.2 POLE MCB,16A                                                    | 1 | SCHNEIDER |
| 33 | XB7EV04MP          | INDICATION LAMP.POWER ON<br>INDICATOR. RED LED 230VAC                 | 1 | SCHNEIDER |
| 34 | T5 LED             | TUBELIGHT. 1 FT LED TUBE LIGHT                                        | 1 | PHILIPS   |
| 35 | 3SE3-020-OA        | LIMIT SWITCH.Siemens 1NO+1NC<br>Contact Type Limit Switch 3SE3 020-0A | 1 | SIEMENS   |
| 36 | 3" Fan Filter Jigo | Fan Filter.3" Fan Filter                                              | 2 | JIGO      |
| 37 | 3" Fan Grill       | Fan Grill.3" Fan Grill                                                | 2 | JIGO      |
| 38 | 3" Fan 230VAC      | Fan.3" Fan 230VAC                                                     | 2 | JIGO      |
| 39 | NHP-24VDC-5A       | SAMPS.SMPS 24VDC;5A                                                   | 1 | NHP       |
| 40 | 6755 62            | SERVICE SOCKET.MYLINC PLATES -2<br>MODULES                            | 1 | LEGRAND   |
| 41 | 673302             | SERVICE SOCKET.MYLINC SURFACE<br>BOX -2 MODULES                       | 1 | LEGRAND   |
| 42 | 6755 01            | SERVICE SOCKET MYLINC 6 AMP<br>SWITCH SP                              | 2 | LEGRAND   |
| 43 | 6755 50            | SERVICE SOCKET MYLINC 6 AMP<br>SOCKET 2/3 PIN                         | 1 | LEGRAND   |
| 44 | 6733 04            | SURFACE BOX.MYLINC SURFACE<br>BOX- 4 MODULES                          | 1 | LEGRAND   |
| 45 | 6755 64            | MODULE PLATE.MYLINC 4 MODULE<br>PLATE-WHITE                           | 1 | LEGRAND   |
| 46 | 675974             | MCB Switch.Mylic Modular SP MCB 16A                                   | 2 | Legrand   |

• **PNEUMATIC BOM:**

| <b>Project No.: A21082</b> |                                |                 |            |             |
|----------------------------|--------------------------------|-----------------|------------|-------------|
| <b>No</b>                  | <b>PART NAME</b>               | <b>PART NO.</b> | <b>QTY</b> | <b>MAKE</b> |
| 1                          | SPRING BALANCER                | HSB-3           | 1          | ENDO        |
| 2                          | LINEAR BEARING                 | SC16UU          | 3          | SAMIK       |
| 3                          | DRAG CHAIN                     |                 | 1          | IGUS        |
| 4                          | REJECTION BIN                  | FPO CRATE       | 1          | NILKAMAL    |
| 5                          | STRAIGHT FITTING               | KQ2H-08-U02A    | 1          | SMC         |
| 6                          | ON OFF VALVE                   | VHS20-02A       | 1          | SMC         |
| 7                          | SILENSOR                       | AN10-01         | 1          | SMC         |
| 8                          | BRACKET                        | Y200-A          | 2          | SMC         |
| 9                          | FRL                            | AW20-02BCG1-B   | 1          | SMC         |
| 10                         | L FITTING                      | KQ2L06-01A      | 1          | SMC         |
| 11                         | T-INTERFACE                    | Y210-02-A       | 2          | SMC         |
| 12                         | PRESSURE SWITCH                | ISE20A-T-01-JD  | 1          | SMC         |
| 13                         | SPACER WITH BRACKET<br>BRACKET | Y200T-A         | 1          | SMC         |
| 14                         | MODULAR ADAPTOR                | E210-U02        | 1          | SMC         |
| 15                         | 3/2 VALVE                      | VT317-5DZ-02F   | 1          | SMC         |
| 16                         | SILENSOR                       | AN15-02         | 1          | SMC         |
| 17                         | L FITTING                      | KQ2L06-02A      | 1          | SMC         |
| 18                         | DCV                            | SY5120-5LZ-01   | 2          | SMC         |
| 19                         | STRAIGHT FITTING               | KQ2H06-U01A     | 8          | SMC         |
| 20                         | MANIFOLD                       | SS5Y5-20-04     | 1          | SMC         |
| 21                         | STRAIGHT FITTING               | KQ2H06-U02A     | 3          | SMC         |
| 22                         | SILENSOR                       | AN15-02         | 3          | SMC         |
| 23                         | PLUG                           | PL-02           | 3          | SMC         |
| 24                         | BLANKING PLATE ASSEMBLY        | SY5000-26-20A   | 2          | SMC         |
| 25                         | KDM CONNECTOR                  | KDM10-06        | 1          | SMC         |

## 7. FLOW CHART:




---


## **8. TROUBLESHOOT:**

- **Emergency Button Pressed alarm:** Release the Emergency Button and Reset alarm from auto screen.
- **Air Pressure Alarm:** Check if air supply is in required range and reset the alarm from auto screen.
- **Clamp Reed Switch Alarm:** Reset alarm from auto screen. Check if the reed switch is glowing by operating the cylinder manually. If not, adjust the position of reed switch to sense the clamp position. Check if correct Reed Switch F/b is enabled in configuration.
- **Fixture selection is wrong alarm:** Check if the program selection is correct according to the model. Reset alarm from auto screen.
- **Part Presence Alarm:** This alarm occurs when a part is missing to start cycle. Reset alarm from auto screen. Check & place the part correctly, check if the sensor is sensing the part correctly. Check if the correct sensor is enabled in Configuration.
- **PCB Scan NOK:** This indicates that the scanned part is not correct. Reset alarm from auto screen. Scan the correct part. Check if correct part number is set in configuration.


## **9. ELECTRICAL & PNEUMATIC DRAWING:**




TOP VIEW



L.H.SIDE VIEW




FRONT VIEW




R.H.SIDE VIEW

| CHANGES VIA CAD ONLY          |                                |
|-------------------------------|--------------------------------|
| WIRE SIZE & COLOUR DETAILS :- |                                |
| 1. 230V AC                    | :- 2.5/1.5 SQ. MM RED          |
| 2. 0V/0C                      | :- 2.5/1.5 SQ. MM BLACK        |
| 3. PE                         | :- 2.5/1.5 SQ. MM YELLOW/GREEN |
| 4. 240V DC                    | :- 0.5 SQ. MM. BROWN           |
| 5. 0V/DC                      | :- 0.5 SQ. MM BLUE             |
| 6. DIGITAL INPUT              | :- 0.5 SQ. MM GRAY             |
| 7. DIGITAL OUTPUT             | :- 0.5 SQ. MM WHITE            |




|                                                                                                                                                                                                                                                                    |               |               |                   |          |          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------|-------------------|----------|----------|
| 00                                                                                                                                                                                                                                                                 | 11.04.2022    |               |                   |          | PW       |
| REV.                                                                                                                                                                                                                                                               | DATE          | CHANGES       | BY                | DC       | APPROVED |
| CLERK'S                                                                                                                                                                                                                                                            | DATE          |               | DRAWN             | CHECKED  |          |
| NAME                                                                                                                                                                                                                                                               |               |               |                   |          |          |
| PROJECT NO.                                                                                                                                                                                                                                                        |               |               |                   |          |          |
|  <b>INFINITY AUTOMATION SYSTEMS PVT.LTD.</b><br>WORK : S No. 802/24 UNDER INVESTIGATION OF HIGHWAY VEHICLE<br>SPILL OVER ON ROAD, LOCATED AT NH-47B, POORANPUR, RAIPUR - 492003 |               |               |                   |          |          |
| TITLE :                                                                                                                                                                                                                                                            |               |               |                   |          |          |
| Reflector + Trail Lamp PCB Assembly LH & RH Assembly (Vf6 Standard Turn)                                                                                                                                                                                           |               |               |                   |          |          |
| SCALE : A1/S                                                                                                                                                                                                                                                       | QTY. : 01 No. | SHEET : of 11 | DWG NO. : AD-1082 | REV. : 0 |          |
|                                                                                                                                                                                 |               |               |                   |          |          |

| WIRE SIZE & COLOUR DETAILS:- |                                |
|------------------------------|--------------------------------|
| 1. 230V AC                   | :- 2.5,1.5 SQ. MM RED          |
| 2. 0V AC                     | :- 2.5,1.5 SQ. MM BLACK        |
| 3. PE                        | :- 2.5,1.5 SQ. MM YELLOW/GREEN |
| 4. 24V DC                    | :- 0.5 SQ. MM BROWN            |
| 5. 0V DC                     | :- 0.5 SQ. MM BLUE             |
| 6. DIGITAL INPUT             | :- 0.5 SQ. MM GRAY             |
| 7. DIGITAL OUTPUT            | :- 0.5 SQ. MM WHITE            |




| PANEL BOX M5 PORTED CABLE        |      | MOUNTING PLATE                                    |     |
|----------------------------------|------|---------------------------------------------------|-----|
| SIZE:- 50(H) X 200(W) X 30(D) MM |      | SIZE:- 45(H) X 650(W)                             |     |
| COMPONENT DETAILS :-             |      | CABLE ENTRY TOP                                   |     |
| SR. NO                           | TYPE | DESCRIPTION                                       | QTY |
| 1                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 2                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 3                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 4                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 5                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 6                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 7                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 8                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 9                                | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 10                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 11                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 12                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 13                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 14                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 15                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 16                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 17                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 18                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 19                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 20                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 21                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 22                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 23                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 24                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 25                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 26                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 27                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 28                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 29                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 30                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 31                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 32                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 33                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 34                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 35                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 36                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 37                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 38                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 39                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 40                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 41                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 42                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 43                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 44                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 45                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 46                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 47                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 48                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 49                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 50                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 51                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 52                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 53                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 54                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 55                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 56                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 57                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 58                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 59                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 60                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 61                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 62                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 63                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 64                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 65                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 66                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 67                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 68                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 69                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 70                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 71                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 72                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 73                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 74                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 75                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 76                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 77                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 78                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 79                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 80                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 81                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 82                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 83                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 84                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 85                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 86                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 87                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 88                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 89                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 90                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 91                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 92                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 93                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 94                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 95                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 96                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 97                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 98                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 99                               | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |
| 100                              | GPU  | PROU 32BIT/LESS (GPU 32 1/8"SW/32mm/32 0"SW/32mm) | 01  |

|           |                                                                         |                                      |        |                                           |                                             |
|-----------|-------------------------------------------------------------------------|--------------------------------------|--------|-------------------------------------------|---------------------------------------------|
| 00        | 11.04.2022                                                              | CHANGES                              | MB     | DC                                        | PW                                          |
| REV       | DATE                                                                    | CHANGES                              | DRAWN  | CHECKED                                   | APPROVED                                    |
| CLIENT:-  | MM                                                                      | INFINITY AUTOMATION SYSTEMS PVT.LTD. | WORK:- | S NO.80/2A,MUMBAI BANGLORE HIGHWAY,MUMBAI | 50PM ENGS. COLLEGE,TATVAWADE, PUNE - 411083 |
| PROJECT:- | A21082                                                                  | INFINITY AUTOMATION SYSTEMS PVT.LTD. | WORK:- | S NO.80/2A,MUMBAI BANGLORE HIGHWAY,MUMBAI | 50PM ENGS. COLLEGE,TATVAWADE, PUNE - 411083 |
| TITLE :-  | Reflector +Tail stop PCB screwing LH & RH Assembly (YFG Standard Trunk) |                                      |        |                                           |                                             |
| SCALE :-  | NTS                                                                     | QTY :-                               | 01 No. | SHEET :-                                  | 2 of 11                                     |
| DRG NO :- | A21082                                                                  | REV :-                               | 00     |                                           |                                             |



|                |            |                                                                          |                 |                                                                                                    |              |
|----------------|------------|--------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------------------------------|--------------|
| 00             | 11.04.2022 | CHANGES                                                                  | KH              | DC                                                                                                 | PV           |
| REV.           | DATE       | CHANGES                                                                  | DRAWN           | CHECKED                                                                                            | APPROVED     |
| CLIENT:-       | NAME       | INFINITY AUTOMATION SYSTEMS PVT.LTD.                                     | WORK:-          | Unit 2/S. No. 80/2A, Mumbai Bangalore Bypass Highway near JSPM Institute, Tathawade, Pune - 411033 | PROJECT:-    |
| PROJECT:-      | AS1082     | Reflector + Tail stop PCB screwing LH & RH Assembly (YFG Standard Trunk) | SCALE:-         | NTS                                                                                                | QTY:- 01 No. |
| TITLE:-        |            |                                                                          | DRG NO :-A21082 |                                                                                                    |              |
| SHEET: 3 of 11 |            |                                                                          | REV:- 00        |                                                                                                    |              |









Diagram illustrating a 14-bit bus structure. The bus is represented by a horizontal line. Nodes are labeled CN1 through CN14. Nodes CN1, CN2, CN3, CN8, CN9, CN11, CN12, and CN13 are connected to the bus by vertical lines. Nodes CN4, CN5, CN6, CN7, CN10, and CN14 are connected to the bus by vertical lines with a small circle at the node end.




|                                                                                       |               |                                                                                                                                                                                                                                                |                  |         |                                                                                     |
|---------------------------------------------------------------------------------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------|-------------------------------------------------------------------------------------|
| 00                                                                                    | 11.04.2022    | CHANGES                                                                                                                                                                                                                                        | KH               | DC      | PV                                                                                  |
| REV.                                                                                  | DATE          |                                                                                                                                                                                                                                                | DRAWN            | CHECKED | APPROVED                                                                            |
| IDENTIFICATION NO.                                                                    |               |  <b>INFINITY</b><br>INFINITY AUTOMATION SYSTEMS PVT.LTD.<br>WORK : 5 MIDC, MUNIBAI BANGLORE HIGHWAY, NEAR<br>JSPM ENGINE COLLEGE, AT/TAHNAWE, DOME - 411033 |                  |         |                                                                                     |
| PROJECT                                                                               | A21082        |                                                                                                                                                                                                                                                |                  |         |                                                                                     |
| TITLE : -<br>Reflector + Ball stop PCB screwing LH & RH Assembly (VFG Standard Trunk) |               |                                                                                                                                                                                                                                                |                  |         |                                                                                     |
| SCALE : A1T5                                                                          | QTY. : 01 No. | SHEET : 6 of 11                                                                                                                                                                                                                                | DWG NO. : A21082 | REV: 00 |  |









|                                                                         |              |                 |                  |    |          |  |  |  |  |
|-------------------------------------------------------------------------|--------------|-----------------|------------------|----|----------|--|--|--|--|
| 00                                                                      | 11.04.2022   |                 |                  |    |          |  |  |  |  |
| REV.                                                                    | DATE         | CHANGES         | KH               | DC | PW       |  |  |  |  |
| CLIENT:                                                                 |              |                 |                  |    |          |  |  |  |  |
| NAME                                                                    |              |                 |                  |    |          |  |  |  |  |
| PROJECT:                                                                |              |                 |                  |    |          |  |  |  |  |
| A21082                                                                  |              |                 |                  |    |          |  |  |  |  |
| TITLE :-                                                                |              |                 |                  |    |          |  |  |  |  |
| Reflector +Tail stop PCB screwing LH & RH Assembly (YFG Standard Trunk) |              |                 |                  |    |          |  |  |  |  |
| SCALE : -MTS                                                            | QTY:- 01 No. | SHEET: 10 of 11 | DRG NO :- A21082 |    | REV:- 00 |  |  |  |  |

## TERMINALS DETAILS- TERMINALS DETAILS - POWER/CONTROL TERMINALS

| XPR      |           |
|----------|-----------|
| WIRE NO. | TERM. NO. |
| R        | 1         |
| Y        | 2         |
| B        | 3         |
| N        | 4         |
| PE       | 5         |

| TBX1      |          |
|-----------|----------|
| TERM. NO. | WIRE NO. |
| 1         | R8       |
| 2         | Y8       |
| 3         | B8       |

| TBX2     |           |
|----------|-----------|
| WIRE NO. | TERM. NO. |
| R10      | 1         |
| Y10      | 2         |

| TBXD1     |          |           |          |
|-----------|----------|-----------|----------|
| TERM. NO. | WIRE NO. | TERM. NO. | WIRE NO. |
| 1         | X0       | 2         | X1       |
| 3         | X2       | 4         | X3       |
| 5         | X4       | 6         | X5       |
| 7         | X6       | 8         | X7       |
| 9         | X10      | 10        | X11      |
| 11        | X12      | 12        | X13      |
| 13        | X14      | 14        | X15      |
| 15        | X16      | 16        | X17      |
| 17        | X20      | 18        | X21      |
| 19        | X22      | 20        | X23      |
| 21        | X24      | 22        | X25      |
| 23        | X26      | 24        | X27      |
| 25        | X30      | 26        | X31      |
| 27        | X32      | 28        | X33      |
| 29        | X34      | 30        | X35      |
| 31        | X36      | 32        | X37      |

| TBXDO     |      |      |
|-----------|------|------|
| TERM. NO. | 1    | Y0F  |
|           | 3    | Y2F  |
|           | 5    | Y4F  |
|           | 7    | Y6F  |
|           | 9    | Y10F |
|           | 11   | Y12F |
|           | 13   | Y14F |
|           | 15   | Y16F |
|           | 17   | Y20F |
|           | 19   | Y22F |
|           | 21   | Y24F |
|           | 23   | Y26F |
|           | 25   | Y30F |
|           | 27   | Y32F |
|           | 29   | Y34F |
|           | 31   | Y36F |
| WIRE NO.  | 2    |      |
|           | 4    |      |
|           | 6    |      |
|           | 8    |      |
|           | 10   |      |
|           | 12   |      |
|           | 14   |      |
|           | 16   |      |
|           | 18   |      |
|           | 20   |      |
|           | 22   |      |
|           | 24   |      |
|           | 26   |      |
|           | 28   |      |
|           | 30   |      |
|           | 32   |      |
| WIRE NO.  | Y1F  |      |
|           | Y3F  |      |
|           | Y5F  |      |
|           | Y7F  |      |
|           | Y11F |      |
|           | Y13F |      |
|           | Y15F |      |
|           | Y17F |      |
|           | Y21F |      |
|           | Y23F |      |
|           | Y25F |      |
|           | Y27F |      |
|           | Y31F |      |
|           | Y33F |      |
|           | Y35F |      |
|           | Y37F |      |

| 24V & OV DC TBX |           |    |    |
|-----------------|-----------|----|----|
| WIRE NO.        | TERM. NO. | 1  | 3  |
|                 | L1        | L1 | L1 |
|                 | L1        | L1 | L1 |
|                 | L1        | L1 | L1 |
|                 | L1        | L1 | L1 |
|                 | L1        | L1 | L1 |
|                 | L1        | L1 | L1 |
|                 | L1        | L1 | L1 |
| WIRE NO.        | TERM. NO. | 2  | 4  |
|                 | M1        | M1 | M1 |
|                 | M1        | M1 | M1 |
|                 | M1        | M1 | M1 |
|                 | M1        | M1 | M1 |
|                 | M1        | M1 | M1 |
|                 | M1        | M1 | M1 |
|                 | M1        | M1 | M1 |

|                                                                                                                                                                                                                         |            |            |           |    |        |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|-----------|----|--------|----|
| 00                                                                                                                                                                                                                      | 11/04/2022 |            |           |    |        |    |
| REV.                                                                                                                                                                                                                    | DATE       | CHANGES    | KH        | DC |        | PW |
| CUSTOMER:                                                                                                                                                                                                               | NAME       |            |           |    |        |    |
| PROJECT:                                                                                                                                                                                                                | ADDRESS    |            |           |    |        |    |
| <br><b>INFINITY SYSTEMS PVT. LTD.</b><br>WORKS : 5/60/2A, HUNDRABANGLORE HIGHWAY, NEAR<br>5TH EING. COLLEGE, RAJAHMADU PUNE - 410035 |            |            |           |    |        |    |
| TITLE :                                                                                                                                                                                                                 |            | PROJECTION |           |    |        |    |
| Reflector & Tail stop PCB screwing LH & RH Assembly (Y/G Standard Truck)                                                                                                                                                |            |            |           |    |        |    |
| SCALE :                                                                                                                                                                                                                 | QTY. :     | SHEET :    | DRG NO. : |    | REV. : |    |
| 1:15                                                                                                                                                                                                                    | 01 No.     | 11 of 11   | 421082    |    | 00     |    |