




New VPN Access – Cisco AnyConnect

- 1- You'll receive an e-mail with information about the new account.





- 2- Visit the SelfService site, log in with the information received (user ID and Password) and start the enrollment process







3- Select your authentication method (I've selected Google Authenticator)



4- Select a Pin Code (ex: 1234)





Access Manager

Self Service

[\[Log Out \]](#)

[Home](#) [Enrollment](#) [Self Service](#) [Download page](#) [Information](#) [About](#)

Google Authenticator Enrollment - 1. Personal PIN code

Account ID: ext_alvmar@ikeaindustry
Name: Marcelo Alves
Profile: IKEA INDUSTRY External
Select Personal PIN code:

PIN code


Please remember your PIN code.


The PIN code should be used by you, when you logon in combination with a logon password (a One Time Password).

If you forget your PIN code, you can request for a new.

Continue

© CGI Sverige AB





Access Manager

Self Service

[\[Log Out \]](#)

[Home](#) [Enrollment](#) [Self Service](#) [Download page](#) [Information](#) [About](#)

Google Authenticator Enrollment - 2. Download and install software

1. Turn on your mobile phone


2. Make sure that your mobile phone has Internet access

3. Use your mobile phone to install Google Authenticator:
iPhone - from App Store
Android - from Android Market

(On some devices, you also need to install a barcode scanner)

Google Authenticator

By Google, Inc.



Continue

© CGI Sverige AB


- 5- After installing the app on your phone, scan the QR code and insert the verification code, click verify and continue.


The screenshot shows the 'Access Manager Self Service' interface. The header includes the CGI logo, a network diagram, and a '[Log Out]' link. A navigation bar contains links for Home, Enrollment, Self Service, Download page, Information, and About. The main content area is titled 'Google Authenticator Enrollment - 3. Add a password generator'. It contains a red warning: 'If you already have a Google Authenticator for this account, please remove it before you add this new one.' Below this are three numbered steps: 1. Open the Google Authenticator app. 2. Create a new account by scanning the barcode shown at the right. 3. After the Google Authenticator account is created, generate a verification code / password and enter it in the box below. A text input field labeled 'Verification code / Password:' contains the value '135623'. Below the input is a 'Verify' button, with a red arrow pointing to it from the text 'Verified. Click on Continue to the next step.' At the bottom right of the main content area, there is a 'Continue' button with a red arrow pointing to it. The footer shows '© CGI Sverige AB'.

- 6- You can now download the application for your OS using these credentials (user ID and Password). After installing and opening the program, enter myvpn.cgi.se in the url field and click "Connect".

The screenshot shows the 'Access Manager Self Service' interface. The header includes the CGI logo, a network diagram, and a '[Log Out]' link. A navigation bar contains links for Home, Self Service, Resync OATH token, Download page, Information, and About. The main content area is titled 'Enrollment - Connect'. It contains a 'VPN Client' section with a 'Link to software site...' and the following credentials: User id: **lcfpcisco**, Password: **B0xar3**. Below this, there is instructional text: 'The final step in the process is to download your VPN client. You will see a link above to guide you to the client. Click on the link and install your VPN client. When the client is installed and started, you must configure your VPN client before you proceed with the next step in this enrollment. You will find the client in the lower right corner of your screen. You must enter the following address in the input field: **ra-eu.industry.ikea.com/externals**'. An inset image shows the 'Cisco AnyConnect Secure Mobility Client' window with a 'VPN: Ready to connect.' status and a 'Connect' button. At the bottom right of the main content area, there is a 'Continue' button with a red arrow pointing to it. The footer shows '© CGI Sverige AB'.

7 - The credentials you should use are listed below. Note that the “password” is the code generated by the authenticator





Access Manager

Self Service

[\[Log Out \]](#)

Home

Self Service

Resync OATH token

Download page

Information

About

Enrollment

Enrollment is done for **ext_alvmar@ikeaindustry**

Personal PIN Code: **1234**

Your enrollment is now completed.

Verify your account:

To use your VPN, just follow the steps below:

1. Start your VPN client.
It should be configured at this point.
2. Press "Connect"
3. Start your software/mobile token.
Not necessary for hardware token.
4. Generate a password.
5. Enter your VPN Account ID **ext_alvmar@ikeaindustry**
6. Enter the generated password + personal pin.
7. Wait for a positive response in VPN Client.

Example:

Cisco AnyConnect

Please enter your username and password.


Username:

Password:

OK

Cancel

Cisco AnyConnect Secure Mobility Client

**VPN:**
Please enter your username and password.

Connect

Password

Personal PIN code

© CGI Sverige AB