

```

<!DOCTYPE html>
<html>
<head>
  <title>Style Loading-1</title>
  <style type="text/css">
    body{background-color: red;}
  </style>
  <link rel="stylesheet" type="text/css" href="Style.css">
</head>
<body style="background-color:gray">
</body>
</html>
Style.css   : create own style.
body{
  background-color: blue;
}

```

```

<!DOCTYPE html>
<html>
<head>
  <title>Style Loading-2</title>
  <link rel="stylesheet" type="text/css" href="Style.css">
  <style type="text/css">
    body{background-color: red;}
  </style>
</head>
<body style="background-colour:gray">

</body>
</html>

```

CSS - Colors :

Colors are displayed combining RED, GREEN, and BLUE light

RGB Colors (0-255 range)

Color Values : red ,blue ,green,gray,black etc

Color HashValue : #000000, #FFFFFF, #FFFF00

CSS colors are defined using a hexadecimal (HEX) notation for the combination of Red, Green, and Blue color values (RGB).

The lowest value that can be given to one of the light sources is 0 (HEX 00). The

highest value is 255 (HEX FF).

HEX values are written as 3 double digit numbers, starting with a # sign.

color :#000000

color :rgb(0,0,0)

color:black

Note : color property will apply always for text

<https://www.webfx.com/web-design/color-picker/>

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Color</title>
```

```
</head>
```

```
<body>
```

```
<p style="color: red"> Hello CSS Iam HERE </p>
```

```
<p style="color: rgb(222,113,31);"> Hello CSS Iam HERE </p>
```

```
<p style="color: #2B1FDE"> Hello CSS Iam HERE </p>
```

```
</body>
```

```
</html>
```

CSS - background-color:

The background-color property sets the background color of an element.

The background of an element is the total size of the element, including padding and border

(but not the margin).

```
body {  
    background-color: yellow; background-color: #00ff00; background-color:  
    rgb(255,0,255);  
}
```

```
<!DOCTYPE html>  
<html>  
<head>  
<title>Color</title>  
<style type="text/css">p{ color: white; text-align: center; }  
</style>  
</head>  
<body>  
<p style="background-color: red"> Hello CSS Iam HERE </p>  
<p style="background-color: rgb(222,113,31);"> Hello CSS Iam HERE </p>  
<p style="background-color: #2B1FDE"> Hello CSS Iam HERE </p>  
</body>  
</html>
```

bg colors and colors for
headings, divs , listitems , tables and forms

fonts :

CSS -font-family:

The font-family property specifies the font for an element.

```
p {  
    font-family: "Times New Roman", Georgia, Serif;  
}
```

```

p {
    font-family : Tahoma;
}

p {
    font-family : verdana;
}

```

<https://developer.mozilla.org/en-US/docs/Web/CSS/font-family>

<https://www.w3.org/Style/Examples/007/fonts.en.html>

CSS -font-size: This property will set size of the font .

medium
 xx-small
 x-small
 small
 large
 x-large
 xx-large
 smaller
 larger

length 10px ,20px, 30px (pixels)
 % 30% ,60%

Sets the font-size to a percent of the parent element's font size

initial (browser default)

Sets this property to its default value.

inherit (inherit from super element)

Inherits this property from its parent element.

```

<!DOCTYPE html>
<html>
<head>
<title>font-family</title>
</head>
<body>
<p style="font-family: Times"> Hello CSS Iam HERE </p>
<p style="font-family: verdana"> Hello CSS Iam HERE </p>
<p style="font-family: tahoma"> Hello CSS Iam HERE </p>
</body>
</html>

```

```
<!DOCTYPE html>
<html>
<head>
<title>font-size</title>
</head>
<body>
<p style="font-size: 20px"> Hello CSS Iam HERE </p>
<p style="font-size: initial;"> Hello CSS Iam HERE </p>
<p style="font-size: small;"> Hello CSS Iam HERE </p>
<p style="font-size: 50%;"> Hello CSS Iam HERE </p>
</body>
</html>
```