



SMITH MOTORS

Future Of Industrial Electric Mobility
Transforming Industrial Mobility A Revolution Begins



PLATFORM TROLLEY

SPECIFICATION

Top speed	5 kms / Hr
Brakes	mechanical brake
Capacity	750 Kg
Overall dimension (LxWxH)	1750x1000x1100
Plate size	1600mm x 1000mm
Usable Plate size	1400mm x 1000mm
Range in a single charge	20 kms
Battery	Lithium Ion
Battery Charging Time	4 Hrs
Tyre Type	Solid Tyres
Movement	Reverse & Forward

BATTERY CHARGER INCLUDED

BODY PANEL POWDER COATED



WINCH TROLLEY

SPECIFICATION

Rate of lift	1"/ Hand wheel Revolution
Hand wheel height	1250mm
Galvanized steel wire rope	3/8"
Max lift height from floor (in Trolley)	1650mm
Reach	1000mm
Outrigger balancing arm (extensible)	350mm to 650mm
Cable travel	2.5mt
Load limit (in Trolley)	250kg
Winch lift weight	40kg
Base weights	18kg
Pivot rotation	360°
Overall height from floor	1800mm
Top speed	5 kms / Hr
Movement	Reverse & Forward
Capacity	750 KG
Range in a single charge	20 KMS
Battery	Lithium Ion
Battery Charging Time	4 hours
Tyre Type	Solid Tyres

BATTERY CHARGER INCLUDED

BODY PANEL POWDER COATED



TIPPER TROLLEY

SPECIFICATION

Loading capacity	750 Kg
Nett weight	250 Kg
Overall size(LxWxH)	2150mm x 1300mm x 1000mm
Cargo box size	1400mm x 1000mm x 350mm
Cargo box height from floor	440mm
Speed	5 kms / Hr
Brakes	Hydraulic automatic brakes with actuator
Battery	Lithium Ion
Rapid charging time	4 Hrs
Working time	10Hrs
Tyre Type	Solid Tyre
Wheel diameter	350mm
Turning radius	1.2mt
Movement	Reverse & Forward

BATTERY CHARGER INCLUDED

BODY PANEL POWDER COATED



PLATFORM WITH SIDE BARRIER

SPECIFICATION

Top speed	5 kms / Hr
Brakes	mechanical brake
Capacity	750 Kg
Overall dimension (LxWxH)	1750x1000x1100
Plate size	1600mm x 1000mm
Usable Plate size	1400mm x 1000mm
Range in a single charge	20 kms
Battery	Lithium Ion
Battery Charging Time	4 Hrs
Tyre Type	Solid Tyres
Movement	Reverse & Forward

BATTERY CHARGER INCLUDED

BODY PANEL POWDER COATED



ELECTRIC HYDRA CRANE

SPECIFICATION

Max capacity	2000 kg
Max Boom Extension	2000 mm
Max Boom Angle	55 deg
Min Boom Angle	-10 deg
Vehicle Weight	1400 kg
Speed	5 km
Movement	Reverse & Forward
Brakes	Hydraulic automatic brakes with actuator
Range in a single charge	Lithium Ion
Battery Charging Time	4 hours
Tyre Type	Solid Tyres

BATTERY CHARGER INCLUDED

BODY PANEL POWDER COATED







Our Other Products



Esteemed Clients



www.smithmotors.in | www.smithebike.com
Block A SF-203 Shilp Corporate Park, Rajpath Rangoli Rd,
Bodakdev, Ahmedabad, Gujarat 380054
info@smithmotors.in