```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Result Calculator</title>
<style>
 body {
  font-family: Arial, sans-serif;
  background: #f0f8ff;
  padding: 40px;
```

```
text-align: center;
input, button {
padding: 10px;
margin: 10px;
font-size: 1rem;
#result {
margin-top: 20px;
font-size: 1.2rem;
font-weight: bold;
```

```
</style>
</head>
<body>
<h1>Result Percentage Calculator</h1>
<input type="number" id="chemistry" placeholder="Chemistry Marks">
<input type="number" id="maths" placeholder="Mathematics Marks">
<input type="number" id="english" placeholder="English Marks">
<input type="number" id="bee" placeholder="BEE Marks">
<input type="number" id="eg" placeholder="Engineering Graphics Marks">
<br>
```

```
<button onclick="calculateTotal()">Calculate Total/button>
<div id="result"></div>
<script>
 function calculateTotal() {
  const C = parseFloat(document.getElementById("chemistry").value) || 0;
  const M = parseFloat(document.getElementById("maths").value) || 0;
  const E = parseFloat(document.getElementById("english").value) || 0;
  const B = parseFloat(document.getElementById("bee").value) || 0;
  const ed = parseFloat(document.getElementById("eg").value) || 0;
```

```
const total = ((C + M + E + B + ed) * 100) / 500;

document.getElementById("result").innerText = `Total Marks Percentage: ${total.toFixed(2)}%`;
}
</script>
</body>
</html>
```