

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester IV)
Enterprise Java

Practical – IV

Roll No.: TY18	Name: Sachin Ramesh Mehta
Class: TYIT	Batch: 1
Date of Assignment: 18/07/2026	Date/Time of Submission: 18/07/2026

Aim (A): Develop a simple JSP application to display values obtained from the use of intrinsic objects of various types.

Code :-

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<html><head><title> JSP Page</title></head>
<body>
<h1>Use of Intrinsic Objects in JSP</h1>
<h1>Request Object </h1>
Query String <%=request.getQueryString() %><br>
Context Path <%=request.getContextPath() %><br>
Remote Host <%=request.getRemoteHost() %><br>
<h1>Response Object </h1>
Character Encoding Type <%=response.getCharacterEncoding() %><br>
Content Type
<%=response.getContentType() %><br>
Locale <%=response.getLocale() %><br>
<h1>Session Object </h1>
ID <%=session.getId() %><br>
Creation Time <%=new java.util.Date(session.getCreationTime()) %><br>
Last Access Time<%=new java.util.Date(session.getLastAccessedTime()) %><br>
<h2> Sachin Ramesh Mehta </h2>
</body>
</html>
```

Output :-

Use of Intrinsic Objects in JSP

Request Object

Query String null
Context Path /WebApplication3
Remote Host 0:0:0:0:0:0:1

Response Object

Character Encoding Type UTF-8
Content Type text/html;charset=UTF-8
Locale en_IN

Session Object

ID 45eb76427a52686df119961729ae
Creation Time Sat Jul 18 14:06:32 IST 2026
Last Access Time Sat Jul 18 14:08:18 IST 2026

Sachin Ramesh Mehta

AIM(B): Develop a simple JSP application to pass values from one page to another with validations. (Name-txt, age-txt, hobbies-checkbox, email-txt, gender-radio button).

Code :-

index.jsp

```
<!DOCTYPE html>
<html>
<head>
<meta https-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>JSP Registration</title>
</head>
<body>
<h1>Registration Form</h1>
<form action="val.jsp" method="post">
<table style="width:50%">
<tr>
<td>Full Name</td>
<td><input type="text" name="fullname"/></td>
</tr><tr>
<td>Age</td>
<td><input type="text" name="age"/></td>
</tr><tr>
<td>E-Mail</td>
<td><input type="text" name="email" size="20"/></td>
</tr><tr>
<td>Gender</td>
<td><input type="radio" name="gender" value="Male">Male
<input type="radio" name="gender" value="Female">Female
</td>
</tr><tr>
<td>Hobbies</td>
<td><input type="checkbox" name="hb" value="Acting"/>Acting
<input type="checkbox" name="hb" value="Dancing"/>Dancing
<input type="checkbox" name="hb" value="Singing"/>Singing
<input type="checkbox" name="hb" value="Drawing"/>Drawing
</td>
</tr>
</table>
<input type="submit" value="Register"/>
</form>
</body>
</html>
```

val.jsp

```
<%@page language="java" contentType="text/html" pageEncoding="UTF-8" %>
<%!
int ageInNumbers;
private static final String EMAIL_REGEX="^[\\w-\\+](\\.[\\w]+)*@[\\w-]+(\\.[\\w]+)*([a-z]{2,})$";
%>
<%
String name=request.getParameter("fullname");
```

```

String age=request.getParameter("age");
String email=request.getParameter("email");
String gender=request.getParameter("gender");
String hb[]=request.getParameterValues("hb");
if (name == null || name.isEmpty() || age == null || age.isEmpty() || email == null || email.isEmpty() ||
gender ==
null || gender.isEmpty()) {
out.println("<font color=red>Please fill all the fields</font><br>");
}
if(!email.matches(EMAIL_REGEX)){
out.println("<font color=red>Correct Your Email Address</font><br>");
}
try {
ageInNumbers=Integer.parseInt(age.trim());
}
catch(NumberFormatException e){
out.println("<font color=red>Age must be numbers</font><br>");
}
if (ageInNumbers < 18 || ageInNumbers > 60) {
out.println("<font color=red>Age must be between 18 and 60</font><br>");
}
}
%>
Your Extended Information is as follows:<br><br>
Full Name<b>:<%=name%></b><br>
Age<b>:<%=age%></b><br>
EMail<b>:<%=email%></b><br>
Gender<b>:<%=gender%></b><br>

Hobbies<b>:
<%
if(hb!=null && hb.length!=0){
for(int i=0;i<hb.length;i++){
out.println(hb[i]);
}
}
}
%>

```

Web.xml:

```

<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns="http://xmlns.jcp.org/xml/ns/javaee"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee http://xmlns.jcp.org/xml/ns/javaee/web-
app_3_1.xsd"

version="3.1">
<welcome-file-list>
<welcome-file>index.jsp</welcome-file>
</welcome-file-list>
</web-app>

```

Output :-

Registration Form

Full Name	Sachin Ramesh Mehta
Age	20
E-Mail	sachmehtmvlu@gmail.cc
Gender	☒ Male ☐ Female
Hobbies	☒ Acting ☐ Dancing ☐ Singing ☒ Drawing
Register	

Your Extended Information is as follows:

Full Name:**Sachin Ramesh Mehta**
Age:**20**
EMail:**sachmehtmvlu@gmail.com**
Gender:**Male**
Hobbies: **Dancing**

Aim c. Create a registration and login JSP application to register and authenticate the user based on username and password using JDBC.

Code :-

MySQL :-

```
CREATE DATABASE userdb;
USE userdb;
CREATE TABLE users
(
    id INT PRIMARY KEY AUTO_INCREMENT,
    username VARCHAR(50) UNIQUE,
    password VARCHAR(50)
);
```

index.jsp

```
<!DOCTYPE html>
<html>
<head>
<title>Home</title>
</head>
<body>
<h2>Registration & Login System</h2>
<a href="register.jsp">Register</a>
<br><br>
<a href="login.jsp">Login</a>
</body>
</html>
```

register.jsp:

```
<%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8"%>
<%@ page import="java.sql.*" %>
<%@ page import="db.DBConnection" %>

<%
String msg = "";
if(request.getMethod().equalsIgnoreCase("POST"))
{
```

```

String username = request.getParameter("username");
String password = request.getParameter("password");
Connection con = DBConnection.getConnection();
if(con == null)
{
    msg = "Database Connection Failed";
}
else {
    try {
        PreparedStatement check = con.prepareStatement(
            "SELECT * FROM users WHERE username=?");
        check.setString(1, username);
        ResultSet rs = check.executeQuery();
        if(rs.next()){
            msg = "Username Already Exists";
        }
        else
        {
            PreparedStatement ps = con.prepareStatement(
                "INSERT INTO users(username,password) VALUES(?,?)");
            ps.setString(1, username);
            ps.setString(2, password);
            int i = ps.executeUpdate();
            if(i > 0)
            {
                msg = "Registration Successful";
            }
            else
            {
                +msg = "Registration Failed";
            }+
            ps.close();
        }

        rs.close();
        check.close();
        con.close();
    }
    catch(Exception e)
    {
        msg = e.getMessage();
    }
}
}
%>

```

```

<!DOCTYPE html>
<html>
<head>
    <title>User Registration</title>
</head>
<body>
<h2>User Registration</h2>
<form method="post">
<table>

```

```

<tr>
<td>Username</td>
<td><input type="text" name="username" required></td>
</tr>
<tr>
<td>Password</td>
<td><input type="password" name="password" required></td>
</tr>
<tr>
<td></td>
<td><input type="submit" value="Register"></td>
</tr>
</table>
</form>
<br>
<font color="red">
<%= msg %>
</font>
<br><br>
<a href="login.jsp">Go to Login</a>
</body>
</html>

```

login.jsp

```

<%@ page import="java.sql.*" %>
<%@ page import="db.DBConnection" %>

<%
String msg = "";
if(request.getMethod().equalsIgnoreCase("POST"))
{
    String username = request.getParameter("username");
    String password = request.getParameter("password");
    Connection con = DBConnection.getConnection();
    PreparedStatement ps = con.prepareStatement(
        "SELECT * FROM users WHERE username=? AND password=?");
    ps.setString(1, username);
    ps.setString(2, password);
    ResultSet rs = ps.executeQuery();
    if(rs.next())
    {
        session.setAttribute("username", username);
        response.sendRedirect("success.jsp");
    }
    else
    {
        msg = "Invalid Username or Password";
    }
}
%>
<!DOCTYPE html>
<html>
<head>
<title>Login</title>
</head>

```

```

<body>
<h2>Login</h2>
<form method="post">
Username :
<input type="text" name="username" required>
<br><br>
Password :
<input type="password" name="password" required>
<br><br>
<input type="submit" value="Login">
</form>
<br>
<%=msg%>
</body>
</html>

```

success.jsp

```

<%
String user = (String)session.getAttribute("username");
if(user == null)
{
    response.sendRedirect("login.jsp");
    return;
}
%>
<!DOCTYPE html>
<html>
<head>
<title>Success</title>
</head>
<body>
<h2>Login Successful</h2>
<h3>Welcome <%=user%></h3>
<a href="index.jsp">Logout</a>
</body>
</html>

```

DBConnection.java:

```

package db;

import java.sql.Connection;
import java.sql.DriverManager;

public class DBConnection {
    public static Connection getConnection() {
        Connection con = null;
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            String url =
"jdbc:mysql://localhost:3306/db?useSSL=false&allowPublicKeyRetrieval=true&serverTimezone=UTC";
            con = DriverManager.getConnection(url, "root", "Rajp@0103");
            System.out.println("Database Connected Successfully");
        } catch (Exception e) {
            e.printStackTrace();
        }
    }
}

```

```
}  
    return con;  
}  
}
```

Output :-

Login

Username :

Password : 

Login Successful

Welcome Sachin

[Logout](#)

User Registration

Username

Password

Registration Successful

[Go to Login](#)