

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
MERN Stack

Practical – III

Roll No.: T018	Name: Sachin Ramesh Mehta
Class: TYIT	Batch: 1
Date of Assignment: 10/07/2026	Date/Time of Submission: 10/07/2026

3.React Introduction and JSX

a. Create a React application using Vite/CRA and display “Welcome to MERN Stack Development”.

Code :-

```
function App() {  
  return(  
    <div>  
      <h1> Welcome to MERN STACK DEVELOPMENT </h1>  
      <h1>Sachin Ramesh Mehta</h1>  
    </div>  
  );  
}  
  
export default App
```

Output :-

Welcome to MERN STACK DEVELOPMENT

Sachin Ramesh Mehta

b. Display dynamic data using JSX.

Code :-

```
function App() {  
  const emp = "Sachin";  
  const dept = "IT";  
  const sal = 50000;
```

```
return(  
  <div>  
    <h1> Employee Details </h1>  
    <p>Name : {emp}</p>  
    <p>Department : {dept}</p>  
    <p>Salary : ${sal}</p>  
  
    <h1>Sachin Ramesh Mehta</h1>  
  </div>  
);  
}
```

export default App

Output :-




Code :-

```
function App() {  
  const studentName = "Sachin Mehta";  
  const totalClasses = 60;  
  const attendedClasses = 54;  
  
  const attendance = (attendedClasses/ totalClasses)* 100;  
  return(  
    <div>  
      <h1> Atttendance Dashboard </h1>  
      <p>Name : {studentName}</p>  
      <p>Total Classes : {totalClasses}</p>  
      <p>Classes Attended : {attendedClasses}</p>  
      <p>Attendance : {attendance.toFixed(2)}%</p>  
      <h2>  
        Status : { attendance >= 75? "Eligible for Exam" : "Not Eligible"}  
      </h2>  
      <h3>Sachin Ramesh Mehta</h3>  
    </div>  
  );  
}
```

```
</div>
);
}

export default App
```

Output :-

c. Declare variables and write a function to calculate the sum of two numbers and display the result.

Code :-

```
function App()
{
  const maths = 85;
  const sci = 90;

  function calculate(mark1, mark2) { return mark1 + mark2; }

  return(
    <div>
      <h1>Student Marks</h1>
      <hr />
      <p>Mathematics Marks : {maths}</p>
      <p>Science Marks : {sci}</p>
      <hr />
      <h2>Total Marks : {calculate(maths,sci)}</h2>
      <h3>Sachin Ramesh Mehta</h3>
    </div>
  );
}

export default App
```

Output :-

Student Marks
Mathematics Marks : 85 Science Marks : 90
Total Marks : 175
Sachin Ramesh Mehta

f. Create a React component that displays the current date and time dynamically using JavaScript.

Code :-

```
function App()
{
  const currentDate = new Date();

  return(
    <div>
      <h1>Current date and Time</h1>
      <hr />
      <p>Date : {currentDate.toLocaleDateString()}</p>
      <p>Time : {currentDate.toLocaleTimeString()}</p>
      <hr />
      <h2>Sachin Ramesh Mehta</h2>
    </div>
  );
}

export default App
```

Output :-

Current date and Time
Date : 7/10/2026 Time : 2:32:27 PM
Sachin Ramesh Mehta

d. Apply basic CSS styling to a React component.

Code :-

```
import './App.css';
function App() {
  return (
    <div className="container">
      <h1>Student Dashboard</h1>
      <hr />
      <p>Name : Sachin Ramesh Mehta </p>
      <p>Roll Number : 101</p>
      <p>Course : MCA</p>
      <p>Semester : III</p>
      <button>View Result</button>
    </div>
  );
}
export default App;
```

App.css


```
.container {
  width: 700px;
  margin: 50px auto;
  padding: 20px;
  border: 2px solid black;
  border-radius: 10px;
  background-color: whitesmoke;
  text-align: center;
}

h1 {
  color: darkblue;
}

p {
  font-size: 18px;
  color: black;
}

button {
  background-color: rgb(21, 194, 21);
  color: rgb(238, 241, 239);
  border: none;
  padding: 20px;
  font-size: 14px;
  border-radius: 30px;
}

button:hover {
  background-color: antiquewhite;
}
```

Output :-

e. Create a simple functional component and render it in App.js.

Code :-

```
import Student from "../components/Student";
function App() {
  return (
    <div>
      <h1>This is functional component practical</h1>
      <hr />
      <Student />
    </div>
  );
}
export default App;
```

App.jsx

```
function Student() {
  return (
    <div>
      <h2>Student Component</h2>
      <p> Name: Sachin Ramesh Mehta</p>
      <p>Course : MCA</p>
      <p>Semester : III</p>
    </div>
  );
}
export default Student;
```

Output :-