

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and
Commerce

Department of Information Technology (B.Sc.I.T Semester V)

EJ

(Module 2)

Practical – IX

Roll No.: T044	Name:Sachin Sing
Class:TYIT	Batch:2
Date of Assignment:	Date/Time of Submission:

1)Develop a simple Inventory Application Using JPA.

A)Inventory.java

Code:-

```
package myApp;
```

```
import javax.persistence.Column;  
import javax.persistence.Entity;  
import javax.persistence.GeneratedValue;  
import javax.persistence.GenerationType;  
import javax.persistence.Id;  
import javax.persistence.Table;
```

```
@Entity
```

```
@Table(name = "Inventory")
```

```
public class Inventory {
```

```
    @Id
```

```
    @GeneratedValue(strategy = GenerationType.IDENTITY)
```

```
    @Column(name = "itemid", unique = true, updatable = false)
```

```
    private Integer itemid;
```

```
    @Column(name = "itemName")
```

```
    private String itemName;
```

```
    @Column(name = "description")
```

```
    private String description;
```

```
    @Column(name = "quantity")
```

```
private Integer quantity;

@Column(name = "addedDate")
private String addedDate;

public Inventory() {
}

public Integer getItemID() {
    return itemid;
}

public void setItemID(Integer itemid) {
    this.itemid = itemid;
}

public String getItemName() {
    return itemName;
}

public void setItemName(String itemName) {
    this.itemName = itemName;
}

public String getDescription() {
    return description;
}

public void setDescription(String description) {
    this.description = description;
}

public Integer getQuantity() {
    return quantity;
}

public void setQuantity(Integer quantity) {
    this.quantity = quantity;
}

public String getAddedDate() {
    return addedDate;
}
```

```

    public void setAddedDate(String addedDate) {
        this.addedDate = addedDate;
    }
}

```

B)Persistence

Code:-

```

<?xml version="1.0" encoding="UTF-8"?>
<persistence version="2.1"
    xmlns="http://xmlns.jcp.org/xml/ns/persistence"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/persistence
    http://xmlns.jcp.org/xml/ns/persistence/persistence_2_1.xsd">

    <persistence-unit name="INVJPAPU" transaction-type="RESOURCE_LOCAL">

        <provider>org.eclipse.persistence.jpa.PersistenceProvider</provider>

        <class>myApp.Inventory</class>

        <properties>

            <property name="javax.persistence.jdbc.driver"
                value="com.mysql.jdbc.Driver"/>

            <property name="javax.persistence.jdbc.url"
                value="jdbc:mysql://localhost:3306/Inventory"/>

            <property name="javax.persistence.jdbc.user"
                value="root"/>

            <property name="javax.persistence.jdbc.password"
                value="root"/>

            <property name="eclipselink.ddl-generation"
                value="none"/>

        </properties>

    </persistence-unit>

</persistence>

```

C)Index.jsp

Code:-

```

<%@page contentType="text/html" pageEncoding="UTF-8"%>

```

```
<!DOCTYPE html>
<html>
<head>
  <meta http-equiv="Content-Type"
    content="text/html; charset=UTF-8">
  <title>Inventory</title>
</head>

<body>

<form action="checkInventory.jsp" method="post">

<table>

<tr>
<td colspan="2" align="center">
<b>Add the item in Inventory</b>
</td>
</tr>

<tr>
<td>Item Name:</td>
<td>
<input name="itemname" maxlength="25" size="50"/>
</td>
</tr>

<tr>
<td>Description:</td>
<td>
<textarea rows="5" cols="36"
name="description"></textarea>
</td>
</tr>

<tr>
<td>Quantity:</td>
<td>
<input name="quantity" maxlength="4" size="5"/>
</td>
</tr>
</table>
</form>
</body>
</html>
```

```
</tr>
```

```
<tr>
```

```
<td colspan="2">
```

```
<input type="submit"
```

```
name="AddToInventory"
```

```
value="AddToInventory"/>
```

```
</td>
```

```
</tr>
```

```
</table>
```

```
</form>
```

```
</body>
```

```
</html>
```

D)CheckInventory

Code:-

```
<%@page import="java.util.Iterator,
```

```
java.util.List,
```

```
myApp.Inventory,
```

```
javax.persistence.Persistence,
```

```
javax.persistence.EntityTransaction,
```

```
javax.persistence.EntityManager,
```

```
javax.persistence.EntityManagerFactory"%>
```

```
<%--
```

```
Document : checkInventory
```

```
Created on : 12 Sep, 2026, 10:42:54 AM
```

```
Author : IT-02
```

```
--%>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<title>JSP Page</title>
```

```
</head>
```

```
<body>
```

```
<h1>Hello World!</h1>
```

```
</body>
```

```
</html>
```

Output:-

Add the item in Inventory

Item Name:

Description:

Quantity:

Inventory Details

Item No	Item Name	Description	Quantity	Added Date & Time
6	Mobile	Nothing 3a light	40	Sat Sep 12 11:23:31 IST 2026
7	Mobile	iphone 18	18	Sat Sep 12 11:24:10 IST 2026
8	Mobile	Nokia 3310	20	Sat Sep 12 11:24:38 IST 2026
9	Mobile	mi	40	Sat Sep 12 11:44:28 IST 2026