DEVIXO SOLUTIONS

WEB DEVELOPMENT INTERNSHIP PROGRAM

Interactive Business Website

"Velvet Rose Salon"

Student Name	Sadaf Iqbal
Internship Domain	Web Development
Task Number	Task 02 - Interactive Business Website
Technologies	HTML5 | CSS3 | JavaScript (Vanilla)
Submission Date	October 18, 2026

Table of Contents

1. Objective 3

2. Problem Statement 4

3. Technologies Used 5

4. Implementation Steps 6

5. Code Screenshots 7

6. Output / Result Screenshots 13

7. Challenges Faced 25

8. Conclusion 26

9. GitHub Repository 27

1. Objective

The objective of this task was to build a fully responsive, multi-page business website using HTML5, CSS3 and Vanilla JavaScript, without any CSS framework or JavaScript library. The website represents **Velvet Rose**, a ladies' beauty salon.

The goals of the task were to:

- Design and develop five connected pages: Home, About, Services, Portfolio and Contact
- Implement at least six interactive JavaScript features
- Build a modern, professional UI/UX with a consistent colour scheme
- Make the site work well on desktop, tablet and mobile screens
- Keep an organised folder structure
- Deploy the website using GitHub Pages or Netlify (bonus)

2. Problem Statement

Many small salons rely on word of mouth and social media posts. Customers cannot easily see the full list of services and prices, check opening hours, view the quality of past work, or request an appointment at a time that suits them.

This project addresses that gap by creating a clean, fast and mobile-friendly website where a visitor can:

- Learn about the salon, its team and its values
- Browse services with clear prices and read answers to common questions
- View a filterable portfolio of the salon's work
- Send an appointment request through a validated booking form
- Use the site comfortably on a phone, and switch to dark mode if preferred

The website had to be built with core web technologies only, so that it is lightweight, easy to host for free and easy to maintain.

3. Technologies Used

Technology / Tool	Purpose
HTML5	Semantic page structure (header, nav, main, section, footer)
CSS3	Layout with Flexbox and Grid, animations, responsive design
CSS Custom Properties	Design tokens and the light / dark theme system
JavaScript (ES6, Vanilla)	All interactivity and DOM manipulation
IntersectionObserver API	Animated counters and scroll-reveal effects
localStorage API	Remembering the chosen theme (dark / light)
Google Fonts	Cormorant Garamond (headings) and Jost (body text)
Visual Studio Code	Code editor, with Live Server for previewing
Browser DevTools	Responsive testing and debugging
Git and GitHub	Version control and hosting the repository
Claude (AI assistant)	Used to help generate and explain the code and to prepare this report

Not used

- No Bootstrap, Tailwind CSS or any CSS framework
- No jQuery, React, Vue or Angular
- No build tools (Vite, Webpack, npm) and no downloaded templates

4. Implementation Steps

1. **Planning.** Chose a ladies' salon as the business, listed the five pages and the sections each page needs, and picked a rose, plum and gold colour palette.
2. **Folder structure.** Created *velvet-rose-salon/* with *css/style.css*, *js/main.js*, *images/*, *screenshots/*, five HTML files and a README.
3. **Design system.** Defined colours, fonts, spacing, radius and shadows as CSS custom properties, and a second set of values for dark mode (*body.dark-mode*).
4. **HTML pages.** Built the shared header (top bar, logo, navigation, dark-mode button, Book Now button) and footer, then the sections of each page using semantic elements and ARIA labels.
5. **Styling.** Used CSS Grid for page sections and Flexbox for the navbar and buttons, added a glass-effect sticky header, arch-shaped image frames, card hover effects and floating decorations.
6. **Responsive design.** Added breakpoints at 1024px and 768px, so grids become two columns and then one column, and the navigation becomes a full-screen menu on mobile.
7. **JavaScript features.** Wrote ten features in *main.js*, each in its own block: dark mode, mobile menu, typing animation, counters, two sliders, FAQ accordion, portfolio filter, booking form validation, scroll-to-top and scroll reveal.
8. **Testing.** Tested every page at 390px, 768px, 1024px and 1440px, in light and dark mode, and checked that every feature works and that no console errors appear.
9. **Documentation and screenshots.** Wrote the README, captured screenshots of the code and the output, and prepared this report.
10. **Publishing.** Pushed the project to a GitHub repository and enabled GitHub Pages (or Netlify) for the live link.

5. Code Screenshots

5.1 HTML: Hero section

index.html · Velvet Rose Salon

```
          <div class="hero-copy">
            <span class="badge"><i></i> Hair &middot; Skin &middot; Makeup &middot; Bridal</span>
            <h1>Look good.<span class="type grad-text" id="typed" aria-live="off">Feel beautiful.</span></h1>
            <p class="hero-lead">Velvet Rose is a friendly salon where every visit feels like a small escape. Expert
stylists, gentle products and a space made to relax.</p>
            <div class="hero-actions">
              <a href="contact.html" class="btn btn-primary">Book Appointment <span class="arrow">&rarr;</span></a>
              <a href="services.html" class="btn btn-outline">Our Services</a>
            </div>
            <ul class="hero-points"><li>Free consultation</li><li>Trained stylists</li><li>Hygienic &amp; safe</li>
</ul>
          </div>
```

Explanation: The hero section uses semantic markup. The headline has an empty *span* with the id *typed*, which the JavaScript fills in to create the typing effect. Two buttons link to the booking form and the services page.

5.2 CSS: Design tokens and dark theme

style.css · Velvet Rose Salon

```css
:root {
  --cream: #fdf6f0;
  --cream-2: #f8ece4;
  --card: #ffffff;
  --ink: #2a1a26;
  --ink-soft: #6a5562;
  --ink-mute: #9c8794;
  --line: #eadbd2;

  --plum: #6b2d5c;
  --plum-dark: #55234a;
  --rose: #d9667f;
  --rose-soft: #fbe3e8;
  --gold: #c9a24b;
  --gold-soft: #f6ecd2;

  --grad: linear-gradient(135deg, #6b2d5c 0%, #b84a7a 55%, #d9667f 100%);
  --grad-gold: linear-gradient(135deg, #c9a24b, #e6c777);

  --shadow-sm: 0 3px 10px rgba(107, 45, 92, .07);
  --shadow: 0 12px 30px rgba(107, 45, 92, .12);
  --shadow-lg: 0 24px 50px rgba(107, 45, 92, .18);

  --container: 1180px;
  --radius: 18px;
  --radius-sm: 12px;
  --font-head: 'Cormorant Garamond', Georgia, serif;
  --font-body: 'Jost', system-ui, sans-serif;
  --ease: .3s cubic-bezier(.4, 0, .2, 1);
}

body.dark-mode {
  --cream: #160e15;
  --cream-2: #1d131c;
  --card: #241923;
  --ink: #f8ece9;
  --ink-soft: #c9b5bf;
  --ink-mute: #8f7a88;
  --line: #36283a;
  --plum: #c984b8;
  --plum-dark: #b86fa7;
  --rose-soft: #3a2230;
  --gold-soft: #33291a;
  --shadow-sm: 0 3px 10px rgba(0, 0, 0, .35);
  --shadow: 0 12px 30px rgba(0, 0, 0, .45);
  --shadow-lg: 0 24px 50px rgba(0, 0, 0, .55);
}
```

Explanation: All colours, fonts, radius, shadows and spacing are defined once as CSS custom properties on *:root*. The *body.dark-mode* block only overrides the colour values, so the whole site changes theme instantly without extra rules.

5.3 CSS: Responsive media query

style.css · Velvet Rose Salon

```
@media (max-width: 768px) {
  .topbar .container { justify-content: center; text-align: center; }
  .hamburger { display: block; }
  .main-nav { position: fixed; inset: 0; z-index: 101; flex-direction: column; justify-content: center; gap: 18px;
background: var(--cream); opacity: 0; visibility: hidden; transform: translateY(-14px); transition: opacity var(--
ease), transform var(--ease), visibility var(--ease); }
  .main-nav.open { opacity: 1; visibility: visible; transform: none; }
  .nav-list { flex-direction: column; align-items: center; gap: 6px; }
  .nav-list a { font-family: var(--font-head); font-size: 32px; font-weight: 600; padding: 8px 28px; }
  .nav-cta { width: 78%; max-width: 280px; justify-content: center; }
  .counters-grid { grid-template-columns: repeat(2, 1fr); gap: 34px 16px; }
  .grid-3, .grid-4, .steps { grid-template-columns: 1fr; }
  .form-grid { grid-template-columns: 1fr; }
  .form-card { padding: 26px 20px; }
  .testi .slide { padding: 34px 22px; }
  .fc-1 { left: 4px; } .fc-2 { right: 4px; }
  .gallery-slider .slide .art { aspect-ratio: 4 / 3.2; }
  .footer-grid { grid-template-columns: 1fr; gap: 28px; }
  .footer-bottom { flex-direction: column; }
  .cta { padding: 52px 22px; }
}
```

Explanation: At 768px the grids become a single column, and the navigation is turned into a full-screen overlay that is hidden until the *open* class is added by JavaScript. The hamburger button is only shown at this size.

5.4 JavaScript: Dark mode toggle

main.js · Velvet Rose Salon

```
/* 1. DARK / LIGHT MODE ------------------------------------ */
(function darkMode() {
  var btn = document.getElementById('themeToggle');
  try {
    if (localStorage.getItem('vr-theme') === 'dark') document.body.classList.add('dark-mode');
  } catch (e) { /* storage blocked: ignore */ }
  if (!btn) return;
  btn.addEventListener('click', function () {
    document.body.classList.toggle('dark-mode');
    var mode = document.body.classList.contains('dark-mode') ? 'dark' : 'light';
    try { localStorage.setItem('vr-theme', mode); } catch (e) {}
  });
})();
```

Explanation: The saved theme is read from localStorage when the page loads. Clicking the toggle adds or removes the *dark-mode* class on the body and saves the choice, wrapped in try/catch so the site still works if storage is blocked.

5.5 JavaScript: Typing animation

main.js · Velvet Rose Salon

```
/* 3. TYPING ANIMATION ------------------------------------- */
(function typing() {
  var el = document.getElementById('typed');
  if (!el) return;
  var phrases = ['Feel beautiful.', 'Shine bright.', 'Glow with confidence.', 'Love your look.'];
  var p = 0, c = 0, deleting = false;

  function tick() {
    var word = phrases[p];
    c += deleting ? -1 : 1;
    el.textContent = word.substring(0, c);
    var delay = deleting ? 45 : 95;
    if (!deleting && c === word.length) { deleting = true; delay = 1700; }
    else if (deleting && c === 0) { deleting = false; p = (p + 1) % phrases.length; delay = 450; }
    setTimeout(tick, delay);
  }
  tick();
})();
```

Explanation: A list of phrases is typed one character at a time using *setTimeout*. After a pause, the text is deleted and the next phrase starts, so the headline keeps rotating.

5.6 JavaScript: Animated counters

main.js · Velvet Rose Salon

```
/* 4. ANIMATED COUNTERS ------------------------------------ */
(function counters() {
  var nums = document.querySelectorAll('[data-count]');
  if (!nums.length) return;

  function run(el) {
    var target = parseInt(el.dataset.count, 10);
    var suffix = el.dataset.suffix || '';
    var start = performance.now(), dur = 1900;
    function frame(now) {
      var t = Math.min((now - start) / dur, 1);
      var eased = 1 - Math.pow(1 - t, 3);
      el.textContent = Math.floor(target * eased).toLocaleString('en-US') + suffix;
      if (t < 1) requestAnimationFrame(frame);
      else el.textContent = target.toLocaleString('en-US') + suffix;
    }
    requestAnimationFrame(frame);
  }
  var io = new IntersectionObserver(function (entries) {
    entries.forEach(function (en) {
      if (en.isIntersecting) { run(en.target); io.unobserve(en.target); }
    });
  }, { threshold: 0.4 });
  nums.forEach(function (n) { io.observe(n); });
})();
```

Explanation: An IntersectionObserver starts the count-up animation only when a number enters the screen, and stops observing it after the first run. The number is eased from 0 to its target using *requestAnimationFrame*.

5.7 JavaScript: Slider

main.js · Velvet Rose Salon

```
/* 5. SLIDERS (image gallery slider + testimonial slider) ----- */
(function sliders() {
  document.querySelectorAll('[data-slider]').forEach(function (root) {
    var track = root.querySelector('.slider-track');
    var slides = root.querySelectorAll('.slide');
    var dotsBox = root.querySelector('.dots');
    var interval = parseInt(root.dataset.interval || '6000', 10);
    var index = 0, timer = null;

    slides.forEach(function (_, i) {
      var d = document.createElement('button');
      d.className = 'dot';
      d.setAttribute('aria-label', 'Go to slide ' + (i + 1));
      d.addEventListener('click', function () { go(i); restart(); });
      dotsBox.appendChild(d);
    });
    var dots = dotsBox.querySelectorAll('.dot');

    function go(i) {
      index = (i + slides.length) % slides.length;
      track.style.transform = 'translateX(-' + index * 100 + '%)';
      dots.forEach(function (d, n) { d.classList.toggle('active', n === index); });
      slides.forEach(function (s, n) { s.setAttribute('aria-hidden', String(n !== index)); });
    }
    function start() { timer = setInterval(function () { go(index + 1); }, interval); }
    function stop() { clearInterval(timer); }
    function restart() { stop(); start(); }

    root.querySelector('.prev').addEventListener('click', function () { go(index - 1); restart(); });
    root.querySelector('.next').addEventListener('click', function () { go(index + 1); restart(); });
    root.addEventListener('mouseenter', stop);
    root.addEventListener('mouseleave', start);
    root.addEventListener('keydown', function (e) {
      if (e.key === 'ArrowLeft') { go(index - 1); restart(); }
      if (e.key === 'ArrowRight') { go(index + 1); restart(); }
    });
    root.setAttribute('tabindex', '0');
    go(0);
    start();
  });
})();
```

Explanation: One reusable function powers both the gallery slider and the testimonial slider. It builds the dots, moves the track with *translateX*, auto-plays on a timer, pauses on hover and supports arrow keys.

5.8 JavaScript: Booking form validation

main.js · Velvet Rose Salon

```
/* 8. BOOKING FORM VALIDATION -------------------------------- */
(function formValidation() {
  var form = document.getElementById('bookingForm');
  if (!form) return;
  var success = document.getElementById('formSuccess');

  // set the earliest bookable date to today
  var dateInput = form.elements.date;
  if (dateInput) {
    var now = new Date();
    var iso = now.getFullYear() + '-' + String(now.getMonth() + 1).padStart(2, '0') + '-' +
String(now.getDate()).padStart(2, '0');
    dateInput.min = iso;
  }

  var rules = {
    name:    { required: true, test: function (v) { return v.length >= 3; }, msg: 'Please enter your full name (at
least 3 characters).' },
    email:   { required: true, test: function (v) { return /^[^\s@]+@[^\s@]+\.[^\s@]{2,}$/.test(v); }, msg:
'Please enter a valid email address.' },
    phone:   { required: true, test: function (v) { return /^[\d\s+\-()]{10,18}$/.test(v); }, msg: 'Please enter a
valid phone number (10 digits or more).' },
    service: { required: true, test: function (v) { return v !== ''; }, msg: 'Please choose a service.' },
    date:    { required: true, test: function (v) { return v !== '' && v >= dateInput.min; }, msg: 'Please pick
today or a future date.' },
    message: { required: false, test: function (v) { return v.length <= 500; }, msg: 'Message must be 500
characters or less.' }
  };

  function validate(name) {
    var field = form.elements[name], rule = rules[name];
    if (!field || !rule) return true;
    var value = field.value.trim();
    var box = field.closest('.field'), err = box.querySelector('.err');
    var ok = value === '' ? !rule.required : rule.test(value);
    box.classList.toggle('error', !ok);
    box.classList.toggle('ok', ok && value !== '');
    if (err) err.textContent = ok ? '' : rule.msg;
    return ok;
  }

  Object.keys(rules).forEach(function (name) {
    var f = form.elements[name];
    if (!f) return;
    f.addEventListener('blur', function () { validate(name); });
    f.addEventListener('input', function () { if (f.closest('.field').classList.contains('error')) validate(name);
});
    f.addEventListener('change', function () { validate(name); });
  });


  form.addEventListener('submit', function (e) {
    e.preventDefault();
    var results = Object.keys(rules).map(validate);
    if (results.every(Boolean)) {
      form.reset();
      form.querySelectorAll('.field').forEach(function (b) { b.classList.remove('ok', 'error'); });
      success.classList.add('show');
      success.focus();
      setTimeout(function () { success.classList.remove('show'); }, 7000);
    } else {
      var bad = form.querySelector('.field.error input, .field.error select, .field.error textarea');
      if (bad) bad.focus();
    }
  });
})();
```

Explanation: A rules object defines the check and error message for each field (name length, email and phone patterns, required service, a date that is not in the past). Fields are validated on blur, on input after an error and on submit.

6. Output / Result Screenshots


6.1 Desktop

Home page: hero section




Explanation: Welcome section with the typing headline, call-to-action buttons, an arch-shaped image frame and floating cards.

Animated counters




Explanation: Four statistics count up from zero when the strip scrolls into view.

Home page: services preview




Explanation: Six service cards with icons. Each card lifts and shows a gradient line at the bottom on hover.

Gallery slider




Explanation: An auto-playing image slider with previous and next buttons and clickable dots. The coloured panels are placeholders that can be replaced by photos.

Testimonial slider




Explanation: Client reviews rotate automatically every six seconds and can also be changed with the arrows, dots or keyboard.

About page: our story




Explanation: The salon story with an image frame, an experience badge and a checklist of what makes the salon different.

About page: team




Explanation: Four team member cards with role and a short description.

Services page: prices




Explanation: Detailed service cards with price lists for hair, colour, treatments, skin, bridal makeup, nails and spa.

Services page: FAQ accordion




Explanation: Clicking a question expands its answer with a smooth transition. Only one answer is open at a time.

Portfolio page: all work




Explanation: Nine work samples shown in a three-column grid, with filter buttons at the top.

Portfolio page: filtered




Explanation: The Bridal filter is active, so only the matching items are shown, without reloading the page.

Contact page: validation errors



Explanation: Submitting incomplete or wrong data highlights each field in red and shows a clear message under it.


Contact page: success



Explanation: After valid data is submitted, the form resets and a confirmation message appears. The form is front-end only and does not send email.


6.2 Mobile (390 x 844)

Mobile home




Explanation: Single-column layout with stacked hero content and buttons.

Mobile menu open




Explanation: Full-screen navigation with a hamburger-to-X button. It closes on a link click or the Esc key.

Mobile services



Explanation: Service cards stack into one column with readable price lists.


Mobile booking form



Explanation: The form fields stack vertically for easy typing on a phone.


6.3 Dark mode

Dark mode: home



Explanation: The dark theme applied with the toggle button. Colours switch through CSS variables and the choice is remembered.

Dark mode: services



Explanation: Services page in dark mode with adjusted card, text and border colours for good contrast.

7. Challenges Faced

The following problems came up while building and testing the website, along with how each was solved.

Full-screen mobile menu stuck inside the header

The glass (blur) effect on the header made the fixed mobile menu behave as if it were inside the header, so it did not cover the screen. The blur was moved to a separate pseudo-element of the header, which fixed the menu.

Typing cursor wrapping onto a new line

A separate cursor element sometimes dropped to its own line when the text was long. The cursor was changed to a blinking right border on the typed text, so it always stays with the last letter.

Sliders changing while being tested

The auto-play timer moved the slides while the tests were running, which made results look wrong. The tests were repeated on a fresh page, and the logic was confirmed to wrap correctly in both directions.

Validating the booking date

Past dates had to be rejected. The earliest date is set to today when the page loads, and the same rule is used in the validation function, so the browser picker and the script agree.

Images and placeholders

Real salon photos were not available, so decorative gradient panels with icons are used. They can be replaced by adding photos to the *images* folder and swapping the placeholder blocks for *img* tags.

Keeping the layout responsive

Grids with many columns became cramped on small screens. Breakpoints at 1024px and 768px were added and every page was checked at 390, 768, 1024 and 1440px to make sure there is no horizontal scrolling.

8. Conclusion

This task resulted in a complete, responsive five-page website for a salon, built with only HTML5, CSS3 and Vanilla JavaScript.

Key results

- Five connected pages with a consistent design in light and dark themes
- Ten interactive JavaScript features (the task required at least six)
- A responsive layout tested at mobile, tablet and desktop sizes
- Accessible markup with semantic HTML, ARIA labels and visible keyboard focus
- A clean folder structure, a README and screenshots for documentation

What was learned

- Structuring a multi-page site and sharing a design system through CSS variables
- DOM manipulation, events and timers with vanilla JavaScript
- Using IntersectionObserver for scroll-based effects
- Form validation and giving users clear feedback
- Using Git and GitHub to publish a project

9. GitHub Repository

Repository name	velvet-rose-salon
Repository URL	[Add your GitHub repository link here]
Live website URL	[Add your live website link here after deploying]

The repository contains

✓ 5 HTML files (index, about, services, portfolio, contact)
✓ css/style.css (stylesheet)
✓ js/main.js (10 interactive features, commented)
✓ images/ (assets and a guide for adding photos)
✓ screenshots/ (code and output screenshots used in this report)
✓ README.md (project description, features and how to run)
✓ This PDF report