

```
import ccxt
import pandas as pd
import requests
import time
import ta
import os
```

```
TOKEN = os.getenv("TOKEN")
CHAT_ID = os.getenv("CHAT_ID")
```

```
symbols = ['BTC/USDT','ETH/USDT','BNB/
            USDT']
```

```
timeframe = '1m'
cooldown = 300
```

```
last_signal = {}
```

```
exchange = ccxt.binance()
```

```
def send(msg):
url = f"https://api.telegram.org/
```

```
bot{TOKEN}/sendMessage"  
requests.post(url, data={"chat_id":  
    CHAT_ID, "text": msg})
```

```
def signal(symbol):  
    try:  
bars = exchange.fetch_ohlcv(symbol,  
    timeframe, limit=100)  
    except:  
        return None
```

```
df = pd.DataFrame(bars,  
columns=['time','open','high','low','close','volu  
me'])
```

```
bb =  
ta.volatility.BollingerBands(df['close'])  
df['up'] = bb.bollinger_hband()  
df['low'] = bb.bollinger_lband()
```

```
df['rsi'] =
```

```

ta.momentum.RSIIndicator(df['close']).rsi()
df['ema'] =
ta.trend.EMAIndicator(df['close'],
window=50).ema_indicator()

last = df.iloc[-1]

if last['close'] < last['low'] and last['rsi'] <
30 and last['close'] > last['ema']:
return "CALL"

if last['close'] > last['up'] and last['rsi'] >
70 and last['close'] < last['ema']:
return "PUT"

return None

while True:
for s in symbols:
sig = signal(s)
if sig:

```

```
now = time.time()
if s in last_signal and now -
    last_signal[s] < cooldown:
    continue
```

```
msg = f"🔥 {sig}\n💰 {s}\n🕒 1m\n🕒 2 min"
send(msg)
```

```
last_signal[s] = now
```

```
time.sleep(30)
```