

## Shahjalal University of Science and Technology, Sylhet

Department of Physics

B.Sc. Honours 2<sup>nd</sup> Year 1<sup>st</sup> Semester Examination, 2013 (Session 2011-2012) PHY 205B 2.0 Cr. Physics for Biologists

Full Marks: 60 Time 2:00 Hours

[Answer any four questions, The figure on the right margin indicate full marks]

	Jal.	Explain Coulomb's law in electrostatics.	4
	HD)	Defice a clockric field and electric potential.	4
	(c)	Draw the electric field lines surrounding two, (i) negative, and ii) positive electric charges a distance $\ell$ apart.	
	(d)	Two charged balls are 20.0 cm apart. They are moved, and the force on each of them is found to have been tripled. How far apart are they now?	4
	(d/)	Define lines of force. Sketch lines of force for (i) a positive point charge (ii) a negative point charge, (iii) an electric dipole, and (iv) two positive point	4
	(R)	How can uniform electric field be produced? A particle of mass m and charge q is placed at rest in a uniform electric field and released. Describe its motion.	6
	(4)	State Gauss's law for electrostatics. Show that the Coulomb's law can be deduced from the Gauss's law.	5
3.	(a)	Define electric potential. Find an expression for the electric potential due to a uniformly charged circular disk with charge density $\sigma$ , at a point P on the axis,	10
	(Ե)	where P is located at a distance r from the centre of the disk. A Define electric potential energy. What is the electric potential energy for the three charges $(q_1=+1.0\times10^{-7} \text{ C}, q_2=-4.0\times10^{-7} \text{ C}, q_3=+2.0\times10^{-7} \text{ C})$ located at the corners of a triangle with a=b=c=10 cm $-5$	5
4.	(z/	Define magnetic flux. Find an expression for the magnetic force, when a positive test charge is fired with velocity $\vec{V}$ and discuss when it is maximum and	4
		minimum.	1
	(R)	Compare electric and magnetic force. 6 S  Write short notes on (i) Lorentz relation, (ii) Ampere's law, (iii) Solenoid, (iv)  Biot-Savart law (v) Faraday's law and (vi) Lenz's law.	10
			3
5.	(a) (b)	What are coherent sources? Explain the importance of such sources in	3+2
	(c)	interference phenomenon. Show that the fringe width $\beta$ , in Young,s experiment is given by $\beta=D\lambda/d$ , where	7
		d is the distance between two coherent sources, D is the distance between source and screen and $\lambda$ is the wavelength of the source of light.	
6	. (a)	Define diffraction of light. Discuss the basic difference between Fresnel and Fraunhofer diffraction.	3
	(b)	Define transmission grating. Find an expression for the transmission grating.	6
•	(c)		6
		region 5000 Å.	

@@@@@@@@

 $\sqrt{}$ 

)

3