	Date:	Name:	Date:
Rx		Rx	
Surgiwear Eve Drape	1	Surgiwear Eve Drape	1
, ,	er Free Gloves (Size 7.5)2	, ,	er Free Gloves (Size 7.5)2
	exidine Handwash (500ml)1		exidine Handwash (500ml)1
Inj. Depomedrol 40 mg	1	Inj. Depomedrol 40 mg.	1
Inj. Tricort 40 mg	2	Inj. Tricort 40 mg	2
• •	1		1
	(AstraZenica)1 *) (AstraZenica)1 *
•	Pad2		Pad2
	3ud1		Bud1
	pwr -0.50) BCL1)1 *		pwr -0.50) BCL1)1 *
	1#	·	1 #
Chawla Chemist, Yusuf S		Chawla Chemist, Yusuf S	
*All India Medicos, Yusuf	Sarai Market	*All India Medicos, Yusuf	Sarai Market
#Chaturbhuj & Brothers, G-	-45,Connaught Place,Opp Madras Hotel	#Chaturbhuj & Brothers,G	-45,Connaught Place,Opp Madras Hotel
	ght to OT on the day of Surgery.		ght to OT on the day of Surgery.
Items below are to be k	kept with patient for use.	Items below are to be	kept with patient for use.
E/d Milflox 0.5%	1	•	1
	1	•	1
,	1	•	1
•	1	'	1
	1		1
•	1	•	1
•	1	•	1
	imolast 0.5%1		imolast 0.5%1
Tab Alprax 0.25mg	6	Tab Alprax 0.25mg	6
· ·	6		6
·	20	, ,	20
	14	_	14
iab Ciprobid 500 filg	14	Tab Ciprobid 500 mg	14
Name:	Date:	Name:	Date:
Rx	24.5.	Rx	2 4.6.
	1		4
	1 er Free Gloves (Size 7.5)2		1 er Free Gloves (Size 7.5)2
	exidine Handwash (500ml)1		exidine Handwash (500ml)1
	1		o,
		Inj. Depomedrol 40 mg.	1
Inj. Tricort 40 mg	2		2
-		Inj. Tricort 40 mg	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml)	2 1 (AstraZenica)1 *	Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml	2 1) (AstraZenica)1 *
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye R	2 1 I (AstraZenica)1 * Pad2	Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson EarE	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson EarE B & L PureVision (BC 8.6	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093)		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Eare B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093)		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Eare B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093) BBG Dye 0.05%		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Eare B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093 BBG Dye 0.05%	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (S 3093) BBG Dye 0.05%		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Earle B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093 BBG Dye 0.05%	
Inj. Hylase 1500 IU		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Earle B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093 BBG Dye 0.05%	
Inj. Hylase 1500 IU		Inj. Tricort 40 mg	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093) BBG Dye 0.05% Chawla Chemist, Yusuf S *All India Medicos, Yusuf #Chaturbhuj & Brothers, G- Items above are to be broug Items below are to be k E/d Milflox 0.5%		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Earle B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093 BBG Dye 0.05%	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093) BBG Dye 0.05% Chawla Chemist, Yusuf S *All India Medicos, Yusuf #Chaturbhuj & Brothers, G- Items above are to be broug Items below are to be k E/d Milflox 0.5%		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Earle B & L PureVision (BC 8.6 Labtician Sleeve (S 3093 BBG Dye 0.05%	
Inj. Hylase 1500 IU		Inj. Tricort 40 mg	
Inj. Hylase 1500 IU		Inj. Tricort 40 mg	
Inj. Hylase 1500 IU		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Earle B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093 BBG Dye 0.05%	
Inj. Hylase 1500 IU		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Earle B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093 BBG Dye 0.05% *All India Medicos, Yusuf *All India Medicos, Yusuf #Chaturbhuj & Brothers, G Items above are to be brou Items below are to be E/d Milflox 0.5% E/d Tropicamide 1% E/d Flur 0.03% E/d Tobacin 0.3% E/d Predforte 1%	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093) BBG Dye 0.05% Chawla Chemist, Yusuf S *All India Medicos, Yusuf ! #Chaturbhuj & Brothers, G- Items above are to be broug Items below are to be k E/d Milflox 0.5% E/d Flur 0.03% E/d Tobacin 0.3% E/d Predforte 1% E/d Paracain 0.5%		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Earle B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093 BBG Dye 0.05% Chawla Chemist, Yusuf *All India Medicos, Yusuf #Chaturbhuj & Brothers, G Items above are to be brow Items below are to be E/d Milflox 0.5% E/d Tropicamide 1% E/d Tobacin 0.3% E/d Predforte 1% E/d Paracain 0.5%	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$\mathbf{S}\) 3093 BBG Dye 0.05% Chawla Chemist, Yusuf S *All India Medicos, Yusuf #Chaturbhuj & Brothers, G- Items above are to be broug Items below are to be k E/d Milflox 0.5% E/d Tropicamide 1% E/d Flur 0.03% E/d Predforte 1% E/d Paracain 0.5% E/d Genteal 0.3% E/d Genteal Gel 0.3% E/d Combigan 0.2/0.5/T		Inj. Tricort 40 mg	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$\mathbf{S}\) 3093) BBG Dye 0.05% Chawla Chemist, Yusuf S *All India Medicos, Yusuf #Chaturbhuj & Brothers, G- Items above are to be broug Items below are to be k E/d Milflox 0.5% E/d Tropicamide 1% E/d Flur 0.03% E/d Predforte 1% E/d Paracain 0.5% E/d Genteal 0.3% E/d Genteal Gel 0.3% E/d Combigan 0.2/0.5/T Tab Alprax 0.25mg		Inj. Tricort 40 mg	
Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml) Johnson & Johnson Eye F Johnson & Johnson EarB B & L PureVision (BC 8.6 Labtician Sleeve (\$\mathbf{S}\ 3093) BBG Dye 0.05% Chawla Chemist, Yusuf S *All India Medicos, Yusuf. #Chaturbhuj & Brothers, G- Items above are to be broug Items below are to be k E/d Milflox 0.5% E/d Tropicamide 1% E/d Flur 0.03% E/d Tobacin 0.3% E/d Predforte 1% E/d Paracain 0.5% E/d Genteal 0.3% E/d Genteal Gel 0.3% E/d Combigan 0.2/0.5/T Tab Alprax 0.25mg Tab Dulcolax 10mg		Inj. Tricort 40 mg	
Inj. Hylase 1500 IU		Inj. Tricort 40 mg Inj. Hylase 1500 IU Inj Lignocaine 2% (30ml Johnson & Johnson Eye Johnson & Johnson Earle B & L PureVision (BC 8.6 Labtician Sleeve (\$ 3093 BBG Dye 0.05%	
Inj. Hylase 1500 IU		Inj. Tricort 40 mg	

Post-operative Advice:

Position:

Open P & B at 7:00 AM tomorrow. Clean R/L Eye twice daily with Betadine and Apply New Johnsons Eyepad after cleaning.

IV

IV Inj Ciplox 200 mg stat, HS & tomorrow 7:00AM.

IM Inj Diclofenac 1 amp stat

Tab Ciprobid 500 mg......2 times/d x 7 days Tab Kinetoforte 10mg......2 times/d x 7 days

Tab Wysolone ____mg ODABF and taper 10 mg every 4 days

Tab Pantop 40 mg.....once a day Tab Diamox 250 mg......3 times/d Tab Combiflam 1 tab......SOS

Resume and Continue medications in other eye and systemic disease treatment as before if any.

Post-operative Advice:

Position:

Open P & B at 7:00 AM tomorrow.

Clean R/L Eye twice daily with Betadine and Apply New Johnsons Eyepad after cleaning.

IV

IV Inj Ciplox 200 mg stat, HS & tomorrow 7:00AM. IM Inj Diclofenac 1 amp stat

Tab Ciprobid 500 mg......2 times/d x 7 days Tab Kinetoforte 10mg......2 times/d x 7 days

Tab Wysolone ____mg ODABF and taper 10 mg every 4 days

Tab Pantop 40 mg.....once a day
Tab Diamox 250 mg......3 times/d
Tab Combiflam 1 tab......SOS

Resume and Continue medications in other eye and systemic disease treatment as before if any.

Post-operative Advice:

Position:

Open P & B at 7:00 AM tomorrow. Clean R/L Eye twice daily with Betadine and Apply New Johnsons Eyepad after cleaning.

IV

IV Inj Ciplox 200 mg stat, HS & tomorrow 7:00AM.

IM Inj Diclofenac 1 amp stat

Tab Ciprobid 500 mg......2 times/d x 7 days Tab Kinetoforte 10mg......2 times/d x 7 days

Tab Wysolone mg ODABF and taper 10 mg every 4 days

Tab Pantop 40 mg.....once a day

Tab Diamox 250 mg......3 times/d

Tab Combiflam 1 tab......SOS

Post-operative Advice:

Position:

Open P & B at 7:00 AM tomorrow.

Clean R/L Eye twice daily with Betadine and Apply New Johnsons Eyepad after cleaning.

IV

IV Inj Ciplox 200 mg stat, HS & tomorrow 7:00AM.

IM Inj Diclofenac 1 amp stat

Tab Ciprobid 500 mg......2 times/d x 7 days

Tab Kinetoforte 10mg......2 times/d x 7 days

Tab Wysolone ____mg ODABF and taper 10 mg every 4 days

Tab Pantop 40 mg.....once a day

Tab Diamox 250 mg......3 times/d

Tab Combiflam 1 tab......SOS

Resume and Continue medications in other eye and systemic disease treatment as before if any.

Resume and Continue medications in other eye and systemic disease treatment as before if any.

Condition at Discharge: **Condition at Discharge:** Fundus: Fundus: VA: VA: Cornea: Cornea: AC: AC: Cells: Cells: Flare: Flare: Lens: Lens: IOP: IOP: Advice at Discharge: Advice at Discharge: Clean Eye twice daily & apply new eyepad. x 2 wks Clean Eye twice daily & apply new eyepad. x 2 wks Take Below Neck Bath & Clean Face using towel &Lukewarm Water. Take Below Neck Bath & Clean Face using towel &Lukewarm Water. x 2 wks x 2 wks Position: Position: Tab Ciprobid 500 mg......2 times/d x 7 days Tab Ciprobid 500 mg......2 times/d x 7 days Tab Kinetoforte 10 mg......2 times/d x 7 days Tab Kinetoforte 10 mg......2 times/d x 7 days Tab Wysolone ___mg ODABF x 4 days ----> ____mg x 4 days Tab Wysolone ___mg ODABF x 4 days ----> ___ _mg x 4 days ____mg x 4 days Tab Pantop 40 mg.....once a day ____mg x 4 days Tab Pantop 40 mg.....once a day ___mg x 4 days Tab Diamox 250 mg......3 times/d Tab Diamox 250 mg......3 times/d _mg x 4 days mg x 4 days mg x 4 days mg x 4 days mg x 4 days E/d Milflox.....6 times/d ___mg x 4 days E/d Milflox.....6 times/d mg x 4 days E/d Tropac.....4 times/d E/d Tropac.....4 times/d E/d Predforte......6 times/d x 2 wks--> E/d Lotepred 4 times/d E/d Predforte......6 times/d x 2 wks--> E/d Lotepred 4 times/d E/o Genteal Gel.....3 times/d E/o Genteal Gel.....3 times/d E/d Genteal.....4 times/d E/d Genteal.....4 times/d E/d Combigan/Timolast...2 times/d E/d Combigan/Timolast...2 times/d Follow Up: Follow Up: Follow up with #____ Wed/ Sat 9:00 AM x Follow up with _____ #___ Wed/ Sat 9:00 AM x **Condition at Discharge: Condition at Discharge:** Fundus: Fundus: VA: VA: Cornea: Cornea: AC: AC: Cells: Cells: Flare: Flare: Lens: Lens: IOP: IOP: **Advice at Discharge: Advice at Discharge:** Clean Eye twice daily & apply new eyepad. x 2 wks Clean Eye twice daily & apply new eyepad. x 2 wks Take Below Neck Bath & Clean Face using towel &Lukewarm Water. Take Below Neck Bath & Clean Face using towel &Lukewarm Water. x 2 wks x 2 wks Position: Position: Tab Ciprobid 500 mg......2 times/d x 7 days Tab Ciprobid 500 mg......2 times/d x 7 days Tab Kinetoforte 10 mg......2 times/d x 7 days Tab Kinetoforte 10 mg......2 times/d x 7 days Tab Wysolone ___mg ODABF x 4 days ----> ___mg x 4 days Tab Wysolone ___mg ODABF x 4 days ----> ___mg x 4 days Tab Pantop 40 mg.....once a day __mg x 4 days Tab Pantop 40 mg.....once a day __mg x 4 days Tab Diamox 250 mg......3 times/d _mg x 4 days Tab Diamox 250 mg......3 times/d _mg x 4 days _mg x 4 days _mg x 4 days _mg x 4 days mg x 4 days ___mg x 4 days E/d Milflox.....6 times/d ____mg x 4 days E/d Milflox.....6 times/d E/d Tropac.....4 times/d E/d Tropac.....4 times/d E/d Predforte......6 times/d x 2 wks--> E/d Lotepred 4 times/d E/d Predforte......6 times/d x 2 wks--> E/d Lotepred 4 times/d E/o Genteal Gel.....3 times/d E/o Genteal Gel.....3 times/d E/d Genteal.....4 times/d E/d Genteal.....4 times/d E/d Combigan/Timolast...2 times/d E/d Combigan/Timolast...2 times/d **Follow Up: Follow Up:** _____ #___ Wed/ Sat 9:00 AM x_ # Wed/ Sat 9:00 AM x Follow up with Follow up with

Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.
Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).
Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.
Pre Operative Advice: Clean Eye with 5% Betadine. Dilate Eye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.
Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).
Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.
Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.
Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).
Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.
Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.
Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).
Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.
Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.	Pre Operative Advice: CleanEye with 5% Betadine. DilateEye with 1% Tropicamide. Tab Dulcolax 2 tab HS. Tab Alprax 1 tab HS & tomorrow 7 AM. Give patient Light Breakfast tomorrow 7 AM. Check Morning BP & Send Patient to OT on call.
Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).	Please Omit morning dose of anti-diabetics & Keep 2 sachets of Sugar with our patient. Please Check morning FBS(Glucometer).
Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.	Continue anti-hypertensives & other systemic medications as before.

<u>Laser Photo Coagulation</u> R / L	<u>Laser Photo Coagulation</u> R / L	<u>Laser Photo Coagulation</u> R / L
Date:	Date:	Date:
Spots:Power:	Spots:Power:	Spots:Power:
Spot Size:Time:	Spot Size:Time:	Spot Size:Time:
Advice: R / L	Advice: R / L	Advice: R / L
E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days
E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d
E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d
F/Up	F/Up	F/Up
<u>Laser Photo Coagulation</u> R / L	Laser Photo Coagulation R / L	Laser Photo Coagulation R / L
Date: Spots:Power:	Date: Spots:Power:	Date: Spots:Power:
Spots: Power:	Spots: Power:	Spots: Power:
Spot Size:Time:	Spot Size:Time:	Spot Size:Time:
Advices B / L	Advisor B / I	Advice: R / L
Advice: R / L	Advice: R / L	
E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days
E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d
E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d
F/Up	F/Up	F/Up
Laser Photo Coagulation R / L	Laser Photo Coagulation R / L	Laser Photo Coagulation R / L
Datos	Date	Date
Date:	Date:	Date:
Spots:Power:	Spots:Power:	Spots:Power:
Spot Size:Time:	Spot Size:Time:	Spot Size:Time:
Advice: R / L	Advice: R / L	Advice: R / L
E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days
E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d
E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d
E/Un	F/Up	F/Up
F/Up	-7-ορ	-γορ
<u>Laser Photo Coagulation</u> R / L	Laser Photo Coagulation R / L	Laser Photo Coagulation R / L
Date:	Date:	Date:
Spots:Power:	Spots:Power:	Spots:Power:
Spot Size:Time:	Spot Size:Time:	Spot Size:Time:
3pot 3ize1iiie	Spot Sizenine	3pot 3ize1iiie
Advice: R / L	Advice: R / L	Advice: R / L
E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days
E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d
E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d
F/Up	F/Up	F/Up
<u>Laser Photo Coagulation</u> R / L	Laser Photo Coagulation R / L	Laser Photo Coagulation R / L
Data	Date	Data
Date:	Date:	Date:
Spots:Power:	Spots:Power:	Spots:Power:
Spot Size:Time:	Spot Size:Time:	Spot Size:Time:
Advice: R / L	Advice: R / L	Advice: R / L
E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days	E/d Milflox4 times/d x 3 days
E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d	E/d Tear Drops/Soft4 times/d
E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d	E/d Alphagan P/Combigan2 times/d
F/Un	F/Un	F/Un