

# Secure Coding | Lab 10

by prof. Sibi Chakkaravarthy

Sk Saddam Hossain

18BCN7143

## Task

- Download Frigate3\_Pro\_v36 from teams (check folder named 19.04.2021).
- Deploy a virtual windows 7 instance and copy the Frigate3\_Pro\_v36 into it.
- Install Immunity debugger or ollydbg in windows7 •
- Install Frigate3\_Pro\_v36 and Run the same
- Download and install python 2.7.\* or 3.5.\*
- Run the exploit script II (exploit2.py- check today's folder) to generate the payload

## Analysis


- Try to crash the Frigate3\_Pro\_v36 and exploit it.
- Change the default trigger from cmd.exe to calc.exe (Use msfvenom in Kali linux).

Example:


```
msfvenom -a x86 --platform windows -p windows/exec  
CMD=calc -e x86/alpha_mixed -b "\x00\x14\x09\x0a\x0d" -f  
python
```

- Attach the debugger (immunity debugger or ollydbg) and analyse the address of various registers listed below
  - Check for EIP address
  - Verify the starting and ending addresses of stack frame • Verify the SEH chain and report the dll loaded along with the addresses.
- For viewing SEH chain, goto view à SEH


## 1) Install Frigate on your Windows 7 VM



## 2) Execute exploit2 for generating a text payload




3) Paste the payload in the frigate software



4) App crashes and the calc.exe is triggered



5) Analyse the debugging and registers using immunity debugger



6) Find eip address and overflowing A's

```
EDI 00000000
EIP 00401000 Frigate3.<ModuleEntryPoint>

EBX 00000001
ESP 0018F3F8
EBP 0018F404
```

And note the ESP (stack pointer) and EBP (base pointer) registers