



Expt 7: Inter Process Communication Using Semaphores:



The screenshot shows a terminal window titled "ssadha@localhost:~ — vi sender.c" with a search icon, a menu icon, and a close button. The code is written in a dark-themed editor. The code defines a shared memory segment and a semaphore, then prompts the user to enter a message and writes it to the shared memory. The status bar at the bottom indicates "sender.c" 13L, 302B.

```
#include<stdio.h>
#include<sys/ipc.h>
#include<sys/shm.h>
#include<string.h>
int main(){
    key_t key=1234;
    int shmid;
    shmid=shmget(key,1024,0666 | IPC_CREAT);
    char *str=(char*) shmatt(shmid, (void*)0,0);
    printf("Enter message:");
    scanf("%s",str);
    printf("Data written to shared memory: %s\n",str);
}
```

"sender.c" 13L, 302B



The screenshot shows a terminal window titled "ssadha@localhost:~ — vi receiver.c" with a search icon, a menu icon, and a close button. The code is written in a dark-themed editor. The code defines a shared memory segment and a semaphore, then reads the message from the shared memory and prints it. The status bar at the bottom indicates "receiver.c" 11L, 235B.

```
#include<stdio.h>
#include<sys/ipc.h>
#include<sys/shm.h>
int main(){
    key_t key=1234;
    int shmid;
    shmid=shmget(key,1024,0666);
    char *str=(char*) shmatt(shmid, (void*)0, 0);
    printf("Data read from shared memory: %s\n",str);
    shmdt(str);
}
```

"receiver.c" 11L, 235B

