

NAME:Sadha Yuvarani Y

ROLL NO: 241801237

Banker's Deadlock Avoidance Algorithm

Write a C program to implement the Banker's Deadlock Avoidance Algorithm. The program should accept the number of processes and resource types, the Maximum Demand matrix, the currently Allocated resources matrix, and the Available resources vector. Calculate the 'Need' matrix and determine if the system is in a 'Safe State'. If it is safe, display the Safe Sequence; otherwise, indicate that a deadlock may occur.

Input Format

1. The first line of input contains an integer representing the number of processes.

2. The second line contains an integer representing the number of resource types.

3. The next lines contain the Allocation matrix, where each row corresponds to a process and each column corresponds to a resource type.

4. This is followed by the Maximum Demand (Max) matrix with the same dimensions.

5. The final line contains the Available resources vector, where each value represents the number of currently available instances of each resource type.

Output Format

Select Language: C (GCC 9.2.0)

1#include<stdio.h>

2int main()

3{

4int p, r, i, j, k;

5int alloc[10][10], max[10][10], need[10][10];

6int avail[10], finish[10] = {0}, safeSeq[10];

7int work[10];

8int count = 0;

9

10printf("Enter number of processes: \n");

11scanf("%d", &p);

12

13printf("Enter number of resource types: \n");

14scanf("%d", &r);

15

16printf("Enter Allocation Matrix:\n");

17for(i=0; i<p; i++)

18{

19for(j=0; j<r; j++)

20{

21scanf("%d", &alloc[i][j]);

22}

23}

Banker's Deadlock Avoidance Algorithm

Write a C program to implement the Banker's Deadlock Avoidance Algorithm. The program should accept the number of processes and resource types, the Maximum Demand matrix, the currently Allocated resources matrix, and the Available resources vector. Calculate the 'Need' matrix and determine if the system is in a 'Safe State'. If it is safe, display the Safe Sequence; otherwise, indicate that a deadlock may occur.

Input Format

1. The first line of input contains an integer representing the number of processes.

2. The second line contains an integer representing the number of resource types.

3. The next lines contain the Allocation matrix, where each row corresponds to a process and each column corresponds to a resource type.

4. This is followed by the Maximum Demand (Max) matrix with the same dimensions.

5. The final line contains the Available resources vector, where each value represents the number of currently available instances of each resource type.

Output Format

Select Language: C (GCC 9.2.0)

70}

71safeSeq[count++] = i;

72finish[i] = 1;

73found = 1;

74}

75}

76}

77

78if(found == 0)

79{

80printf("\nSystem is NOT in a safe state (Deadlock may occur).\n");

81return 0;

82}

83}

84

85printf("\nSystem is in a SAFE STATE.\n");

86printf("Safe Sequence: ");

87for(i=0; i<p; i++)

88{

89printf("P%d ", safeSeq[i]);

90}

91return 0;

92}

Input :

3

3

0 1 0

2 0 0

3 0 3

3 2 2

2 1 1

4 3 3

0 0 0

Expected Output :

Enter number of processes:

Enter number of resource types:

Enter Allocation Matrix:

Enter Max Matrix:

Enter Available Resources:

System is NOT in a safe state (Deadlock may occur).

Output :

Enter number of processes:

Enter number of resource types:

Enter Allocation Matrix:

Enter Max Matrix:

Enter Available Resources:

System is NOT in a safe state (Deadlock may occur).