



sadha237@localhost:~



```
[sadha237@localhost ~]$ vi marks.dat
[sadha237@localhost ~]$ vi marks.awk
[sadha237@localhost ~]$ gawk -f marks.awk marks.dat
NAME SUB1 SUB2 SUB3 SUB4 SUB5 SUB6 STATUS
-----
BEN 40 55 66 77 55 77 FAIL
TOM 60 67 84 92 90 60 PASS
RAM 90 95 84 87 56 70 PASS
JIM 60 70 65 78 90 87 PASS
-----
[sadha237@localhost ~]$
```




sadha237@localhost:~ — vi marks.dat



```
BEN 40 55 66 77 55 77
TOM 60 67 84 92 90 60
RAM 90 95 84 87 56 70
JIM 60 70 65 78 90 87
```

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

:wq



sadha237@localhost:~ — vi marks.awk



```
print "NAME SUB1 SUB2 SUB3 SUB4 SUB5 SUB6 STATUS"
print "-----"
}

{
fail=0
for(i=2;i<=7;i++)
{
if($i<45)
fail=1
}

if(fail==1)
status="FAIL"
else
status="PASS"

print $1,$2,$3,$4,$5,$6,$7,status
}

END{
print "-----"
}
-- INSERT --
```



```
Activities Terminal Mar 11 14:33 sadha237@localhost:~ — vi emp.awk
BEGIN{
print "EMPLOYEES DETAILS"
count=0
total=0
}

{
if($2>6000 && $3>4)
{
pay=$2+$3
print $1, pay
count++
total = total + pay
}
}
END
print "no of employees are=",count
print "total pay=",total
avg=total/count
print="average pay=",avg
}

-- INSERT --
```


Q ≡ x

~~~~~

"empl.dat" 6L, 56B