

```
auser@localhost:~/sadha/shell_lab

[auser@localhost ~]$ cd sadha
[auser@localhost sadha]$ mkdir shell_lab
[auser@localhost sadha]$ cd shell_lab
[auser@localhost shell_lab]$ vi calculator.sh
[auser@localhost shell_lab]$ chmod
chmod: missing operand
Try 'chmod --help' for more information.
[auser@localhost shell_lab]$ chmod +x calculator.sh
[auser@localhost shell_lab]$ ./calculator.sh
Enter first number:
12
Enter second number:
4
1.Add 2.Subtract 3.Multiply 4.Divide
2
Result = 8
[auser@localhost shell_lab]$ chmod +x calculator.sh
[auser@localhost shell_lab]$ ./calculator.sh
Enter first number:
75
Enter second number:
5
1.Add 2.Subtract 3.Multiply 4.Divide
4
Result = 15
[auser@localhost shell_lab]$
```


auser@localhost:~/sadha/shell_lab — /usr/bin/vim calculator.sh

```
echo "Enter first number:"  
read a  
echo "Enter second number:"  
read b  
echo "1.Add 2.Subtract 3.Multiply 4.Divide"  
read ch  
case $ch in  
  1) echo "Result = $(expr $a + $b)" ;;  
  2) echo "Result = $(expr $a - $b)" ;;  
  3) echo "Result = $(expr $a \* $b)" ;;  
  4) echo "Result = $(expr $a / $b)";;  
  *) echo "Invalid choice" ;;  
esac
```

-- INSERT --

13,5

All



auser@localhost:~/sadha/shell_lab



Result = 15

[auser@localhost shell_lab]\$ vi leapyear.sh

[auser@localhost shell_lab]\$ chmod +x leapyear.sh

[auser@localhost shell_lab]\$./leapyear.sh

Enter a Year:

2024

./leapyear.sh: line 3: [: missing `']

Leap year

[auser@localhost shell_lab]\$ 2019

bash: 2019: command not found...

[auser@localhost shell_lab]\$ vi leapyear.sh

[auser@localhost shell_lab]\$ chmod +x leapyear.sh

[auser@localhost shell_lab]\$./leapyear.sh

Enter a Year:

2019

./leapyear.sh: line 3: [: missing `']

Not a leap year

[auser@localhost shell_lab]\$ 12

bash: 12: command not found...

[auser@localhost shell_lab]\$ chmod +x leapyear.sh

[auser@localhost shell_lab]\$./leapyear.sh

Enter a Year:

12

./leapyear.sh: line 3: [: missing `']

Leap year

[auser@localhost shell_lab]\$



```
echo "Enter a Year:"  
read y  
if [  $$(y\%400)$  -eq 0 ] || [  $$(y\%4)$  -eq 0 -a  $$(y\%100)$  -ne 0 ]  
then  
    echo "Leap year"  
else  
    echo "Not a leap year"  
fi
```

-- INSERT --

8,3

All

```
sadha237@localhost:~  
[sadha237@localhost ~]$ vi fib.sh  
[sadha237@localhost ~]$ sh fib.sh  
enter number  
12  
fibonacci series  
0  
1  
1  
2  
3  
5  
8  
13  
21  
34  
55  
89  
[sadha237@localhost ~]$ s
```

done ~~~~~~

```
"fib.sh" 15L, 142B
```