


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login in Android App	1.794 s	1	0	1	0	3	0	1	2	
Check Internet Web page	10.480 s	1	1	0	0	2	2	0	0	
Create User ID	4.982 s	1	1	0	0	5	5	0	0	
<u>Login</u>	19.767 s	2	2	0	0	7	7	0	0	


Tag		Scenario			Feature			
Name		P	F	S	T	P	F	S
@SANITY	5	4	1	0	4	3	1	0
@арр	1	0	1	0	1	0	1	0
@internetpage	1	1	0	0	1	1	0	0
@products	1	1	0	0	1	1	0	0
@login	1	1	0	0	1	1	0	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Login in Android App	1	0	1	0	1.794 s
2	Check Internet Web page	1	1	0	0	10.480 s
3	<u>Create User ID</u>	1	1	0	0	4.982 s
4	<u>Login</u>	2	2	0	0	19.767 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login in Android App	Login into Homepage-scn_id:s6	3	0	1	2	1.784 s
2	Check Internet Web page	Check Internet Web page and running-scn_id:s7	2	2	0	0	10.480 s
3	Create User ID	Successful creation of UserId-scn_id:s2	5	5	0	0	4.982 s
4	<u>Login</u>	Login into Homepage and check products -scn_id:s5	4	4	0	0	19.716 s
5	<u>Login</u>	Login into Homepage-scn_id:s5	3	3	0	0	19.763 s

DETAILED SECTION -- 6 --

# **Login in Android App**

FAILED	DURATION - 1.794 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 7:08:31.682 PM //	'/ 7:08:33.476 PM /	Pass - 0	1	Pass - 0	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	
				· ·	

### **Login into Homepage-scn\_id:s6**



#	Step / Hook Details	Status	Duration
1	Given launch the app and check login page is displayed:"Android"	FAILED	1.430 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure.		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:585)		
	at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:224)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:164)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:79)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:87)</init>		
	at com.example.demo.App.AppiumSetUp.initalizeDriver(AppiumSetUp.java:35)		
	at com.example.demo.App.AppStepDefs.launchTheAppAndCheckLoginPageIsDisplayed(AppStepDefs.java:39)		
	at ?.launch the app and check login page is displayed:"Android"(file:///Users/sadhishkumar.thiagarajan/IdeaProjects/Api/src/test/resources/features/Login_SauceLabs_AndroidApp.feature:5)		
	Caused by: org.openqa.selenium.WebDriverException: Connection refused Build info: version: '4.1.4', revision: '535d840ee2' System info: host:		
	'FVFH83HDQ05N', ip: '2401:4900:1ce1:730b:d79:fda6:dec2:5da0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '11.4', java. version: '11.0.12' Driver info: driver.version: AppiumDriver		
	at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$execute\$4(AppiumCommandExecutor.java:192) at java.base/java.util.Optional.orElseGet(Optional.java:369)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:191)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)		
	at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:224)		
	at org.openga.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:164)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:79)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:87)</init>		
	at com.example.demo.App.AppiumSetUp.initalizeDriver(AppiumSetUp.java:35)		
	at com.example.demo.App.AppStepDefs.launchTheAppAndCheckLoginPageIsDisplayed(AppStepDefs.java:39)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	$at\ org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 80)$		
	$at\ org. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 17)$		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628)		
	at java.base/java.lang.Thread.run(Thread.java:834)		
	Caused by: java.net.ConnectException: Connection refused		
	at java.base/sun.nio.ch.SocketChannelImpl.checkConnect(Native Method)		
	at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:779)		
	at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337)		
	at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496)		
	at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
	* Not displayable characters are replaced by '?'.		
2	When user enters login credentials	SKIPPED	0.006 s
3	Then Homepage should be displayed in app	SKIPPED	0.003 s

# **Check Internet Web page**

PASSED	DURATION - 10.480 s	Scenarios Total - 1		Steps Total - 2	
/ 7:08:31.717 F	PM // 7:08:42.197 PM /	Pass - 1 Fail - 0	1	Pass - 2	2
		Skip - 0		Skip - 0	

### **Check Internet Web page and running-scn\_id:s7**




DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
1	Given navigate to loginpage	PASSED	9.370 s
2	And Homepage should be displayed with title	PASSED	0.648 s

#### **Create User ID**

PASSED	DURATION - 4.982 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 7:08:31.725 PM // 1	7:08:36.707 PM /	Pass - 1	1	Pass - 5	5
		Fail - 0	- /	Fail - 0	
		Skip - 0		Skip - 0	

#### **Successful creation of UserId-scn\_id:s2**




#	Step / Hook Details	Status	Duration
1	Given testdata	PASSED	0.169 s
2	And BaseURI	PASSED	0.562 s
3	Given valid userid	PASSED	0.673 s
4	When post method is called	PASSED	3.113 s
5	Then response code should be 201	PASSED	0.025 s

# Login

DETAILED SECTION -- 10 --

PASSED	DURATION - 19.767 s	Scenarios		Steps		
		Total - 2		Total - 7		
/ 7:08:31.731 PM //	7:08:51.498 PM /	Pass - 2	2	Pass - 7		7
		Fail - 0	- /	Fail - 0	_	. 1 <b></b>
		Skip - 0		Skip - 0	_	
					1	

# **Login into Homepage and check products -scn\_id:s5**



#	Step / Hook Details	Status	Duration
1	Given navigate to loginpage	PASSED	8.461 s
2	When user logged in using with proper credentials	PASSED	10.687 s
3	Then Homepage should be displayed	PASSED	0.062 s
4	And verify products is displayed	PASSED	0.090 s

### **Login into Homepage-scn\_id:s5**

PASSED DURATION - 19.763 s	10-	
/ 7:08:31.735 PM // 7:08:51.498 PM /	8 Total - 3	
7 7.56.61.766 7 W // 7.66.61.456 7 W //	6 Pass - 3	
Login	4   Fail - 0	3
@SANITY @login	Skip - 0	
	1 2 3	

#	Step / Hook Details	Status	Duration
1	Given navigate to loginpage	PASSED	8.344 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
2	When user logged in using with proper credentials	PASSED	10.489 s
3	Then Homepage should be displayed	PASSED	0.512 s