

SQL Code

```
1  mysql> use nit database;
2  Database changed
3  mysql> show tables;
4  +-----+
5  | Tables_in_nit |
6  +-----+
7  | customer      |
8  | customers      |
9  | student        |
10 +-----+
11 3 rows in set (0.03 sec)
12
13 mysql> select * from customer;
14 +-----+-----+-----+-----+-----+
15 | NAME      | ID | ADDRESS | AGE | SALARY |
16 +-----+-----+-----+-----+-----+
17 | jyothi    | 12 | hyd     | 32  | 2000   |
18 | Lakshmi   | 13 | vizag   | 25  | 3000   |
19 | lavanya   | 16 | ban     | 25  | 4500   |
20 | srivalli  | 17 | cheenai | 23  | 5000   |
21 | Gandhi    | 21 | gnt     | 22  | 10000  |
22 | dhana     | 23 | vij     | 24  | 1500   |
23 +-----+-----+-----+-----+-----+
24 6 rows in set (0.00 sec)
25 SQL AND and OR Operators :-
26 mysql> SELECT ID, NAME, SALARY FROM CUSTOMER WHERE SALARY > 2000 AND age < 25;
27 +-----+-----+-----+
28 | ID | NAME      | SALARY |
29 +-----+-----+-----+
30 | 17 | srivalli  | 5000   |
31 | 21 | Gandhi    | 10000  |
32 +-----+-----+-----+
33 2 rows in set (0.00 sec)
34
35 mysql> SELECT ID, NAME, SALARY FROM CUSTOMER WHERE SALARY > 2000 OR age < 25;
36 +-----+-----+-----+
37 | ID | NAME      | SALARY |
38 +-----+-----+-----+
39 | 13 | Lakshmi   | 3000   |
40 | 16 | lavanya   | 4500   |
41 | 17 | srivalli  | 5000   |
42 | 21 | Gandhi    | 10000  |
43 | 23 | dhana     | 1500   |
44 +-----+-----+-----+
45 5 rows in set (0.00 sec)
46
47 mysql> UPDATE CUSTOMER SET ADDRESS = 'Pune' WHERE ID = 17;
48 Query OK, 1 row affected (0.02 sec)
49 Rows matched: 1  Changed: 1  Warnings: 0
50
```

```

51 mysql> select * from customer;
52 +-----+-----+-----+-----+
53 | NAME      | ID | ADDRESS | AGE | SALARY |
54 +-----+-----+-----+-----+
55 | jyothi    | 12 | hyd     | 32 | 2000 |
56 | Lakshmi   | 13 | vizag   | 25 | 3000 |
57 | lavanya   | 16 | ban     | 25 | 4500 |
58 | srivalli  | 17 | Pune    | 23 | 5000 |
59 | Gandhi    | 21 | gnt     | 22 | 10000 |
60 | dhana     | 23 | vij     | 24 | 1500 |
61 +-----+-----+-----+-----+
62 6 rows in set (0.00 sec)
63 SQL UPDATE Query :-
64 mysql> UPDATE CUSTOMER SET ADDRESS = 'Pune', SALARY = 1000.00;
65 Query OK, 6 rows affected (0.02 sec)
66 Rows matched: 6 Changed: 6 Warnings: 0
67
68 mysql> select * from customer;
69 +-----+-----+-----+-----+
70 | NAME      | ID | ADDRESS | AGE | SALARY |
71 +-----+-----+-----+-----+
72 | jyothi    | 12 | Pune    | 32 | 1000 |
73 | Lakshmi   | 13 | Pune    | 25 | 1000 |
74 | lavanya   | 16 | Pune    | 25 | 1000 |
75 | srivalli  | 17 | Pune    | 23 | 1000 |
76 | Gandhi    | 21 | Pune    | 22 | 1000 |
77 | dhana     | 23 | Pune    | 24 | 1000 |
78 +-----+-----+-----+-----+
79 6 rows in set (0.00 sec)
80 SQL DELETE Query :-
81 mysql> DELETE CUSTOMER SET ADDRESS = 'Pune', SALARY = 1000.00;
82 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'SET ADDRESS
= 'Pune', SALARY = 1000.00' at line 1
83 mysql> DELETE FROM CUSTOMER WHERE ID = 17;
84 Query OK, 1 row affected (0.02 sec)
85
86 mysql> select * from customer;
87 +-----+-----+-----+-----+
88 | NAME      | ID | ADDRESS | AGE | SALARY |
89 +-----+-----+-----+-----+
90 | jyothi    | 12 | Pune    | 32 | 1000 |
91 | Lakshmi   | 13 | Pune    | 25 | 1000 |
92 | lavanya   | 16 | Pune    | 25 | 1000 |
93 | Gandhi    | 21 | Pune    | 22 | 1000 |
94 | dhana     | 23 | Pune    | 24 | 1000 |
95 +-----+-----+-----+-----+
96 5 rows in set (0.00 sec)
97
98 mysql> select * from customer;
99 +-----+-----+-----+-----+
100 | NAME      | ID | ADDRESS | AGE | SALARY |
101 +-----+-----+-----+-----+
102 | jyothi    | 12 | hyd     | 32 | 2000 |

```

```

103 | Lakshmi | 13 | vizag | 25 | 3000 |
104 | lavanya | 16 | ban | 25 | 4500 |
105 | srivalli | 17 | cheenai | 23 | 5000 |
106 | Gandhi | 21 | gnt | 22 | 10000 |
107 | dhana | 23 | vij | 24 | 1500 |
108 +-----+-----+-----+-----+
109 6 rows in set (0.00 sec)
110
111 mysql> DELETE FROM CUSTOMER WHERE ID = 17;
112 Query OK, 1 row affected (0.02 sec)
113
114 mysql> select * from customer;
115 +-----+-----+-----+-----+
116 | NAME | ID | ADDRESS | AGE | SALARY |
117 +-----+-----+-----+-----+
118 | jyothi | 12 | hyd | 32 | 2000 |
119 | Lakshmi | 13 | vizag | 25 | 3000 |
120 | lavanya | 16 | ban | 25 | 4500 |
121 | Gandhi | 21 | gnt | 22 | 10000 |
122 | dhana | 23 | vij | 24 | 1500 |
123 +-----+-----+-----+-----+
124 5 rows in set (0.00 sec)
125 SQL LIKE Clause :-
126 mysql> SELECT * FROM CUSTOMER WHERE SALARY LIKE '2000%';
127 +-----+-----+-----+-----+
128 | NAME | ID | ADDRESS | AGE | SALARY |
129 +-----+-----+-----+-----+
130 | jyothi | 12 | hyd | 32 | 2000 |
131 +-----+-----+-----+-----+
132 1 row in set (0.00 sec)
133
134 mysql> select * from customer;
135 +-----+-----+-----+-----+
136 | NAME | ID | ADDRESS | AGE | SALARY |
137 +-----+-----+-----+-----+
138 | jyothi | 12 | hyd | 32 | 2000 |
139 | Lakshmi | 13 | vizag | 25 | 3000 |
140 | lavanya | 16 | ban | 25 | 4500 |
141 | srivalli | 17 | cheenai | 23 | 5000 |
142 | Gandhi | 21 | gnt | 22 | 10000 |
143 | dhana | 23 | vij | 24 | 1500 |
144 +-----+-----+-----+-----+
145 6 rows in set (0.00 sec)
146
147 mysql> SELECT TOP 3 * FROM CUSTOMER;
148 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '3 * FROM
CUSTOMER' at line 1
149 mysql> SELECT TOP '3 * FROM CUSTOMER';
150 ERROR 1054 (42S22): Unknown column 'TOP' in 'field list'
151 mysql> SELECT 'TOP 3 * FROM CUSTOMER';
152 +-----+
153 | TOP 3 * FROM CUSTOMER |
154 +-----+

```

```

155 | TOP 3 * FROM CUSTOMER |
156 +-----+
157 1 row in set (0.00 sec)
158
159 mysql> select * from customer;
160 +-----+-----+-----+-----+-----+
161 | NAME      | ID | ADDRESS | AGE | SALARY |
162 +-----+-----+-----+-----+-----+
163 | jyothi    | 12 | hyd     | 32 | 2000 |
164 | Lakshmi   | 13 | vizag   | 25 | 3000 |
165 | lavanya   | 16 | ban     | 25 | 4500 |
166 | srivalli   | 17 | cheenai | 23 | 5000 |
167 | Gandhi    | 21 | gnt     | 22 | 10000 |
168 | dhana     | 23 | vij     | 24 | 1500 |
169 +-----+-----+-----+-----+-----+
170 6 rows in set (0.00 sec)
171 SQL ORDER BY Clause :-
172 mysql> SELECT * FROM CUSTOMER ORDER BY NAME, SALARY;
173 +-----+-----+-----+-----+-----+
174 | NAME      | ID | ADDRESS | AGE | SALARY |
175 +-----+-----+-----+-----+-----+
176 | dhana     | 23 | vij     | 24 | 1500 |
177 | Gandhi    | 21 | gnt     | 22 | 10000 |
178 | jyothi    | 12 | hyd     | 32 | 2000 |
179 | Lakshmi   | 13 | vizag   | 25 | 3000 |
180 | lavanya   | 16 | ban     | 25 | 4500 |
181 | srivalli   | 17 | cheenai | 23 | 5000 |
182 +-----+-----+-----+-----+-----+
183 6 rows in set (0.00 sec)
184
185 mysql> SELECT * FROM CUSTOMER ORDER BY NAME DESC;
186 +-----+-----+-----+-----+-----+
187 | NAME      | ID | ADDRESS | AGE | SALARY |
188 +-----+-----+-----+-----+-----+
189 | srivalli   | 17 | cheenai | 23 | 5000 |
190 | lavanya   | 16 | ban     | 25 | 4500 |
191 | Lakshmi   | 13 | vizag   | 25 | 3000 |
192 | jyothi    | 12 | hyd     | 32 | 2000 |
193 | Gandhi    | 21 | gnt     | 22 | 10000 |
194 | dhana     | 23 | vij     | 24 | 1500 |
195 +-----+-----+-----+-----+-----+
196 6 rows in set (0.00 sec)
197 SQL Group By :-
198 mysql> SELECT NAME, SUM(SALARY) FROM CUSTOMER GROUP BY NAME;
199 +-----+-----+
200 | NAME      | SUM(SALARY) |
201 +-----+-----+
202 | jyothi    | 2000 |
203 | Lakshmi   | 3000 |
204 | lavanya   | 4500 |
205 | srivalli   | 5000 |
206 | Gandhi    | 10000 |
207 | dhana     | 1500 |
208 +-----+-----+

```

```

209 6 rows in set (0.01 sec)
210
211 mysql> SELECT NAME, SUM(SALARY) FROM CUSTOMER GROUP BY NAME;
212 +-----+-----+
213 | NAME      | SUM(SALARY) |
214 +-----+-----+
215 | jyothi    | 2000        |
216 | Lakshmi   | 3000        |
217 | lavanya   | 4500        |
218 | srivalli  | 5000        |
219 | Gandhi    | 10000       |
220 | dhana     | 1500        |
221 +-----+-----+
222 6 rows in set (0.00 sec)
223
224 mysql> SELECT SALARY FROM CUSTOMER ORDER BY SALARY;
225 +-----+
226 | SALARY |
227 +-----+
228 | 1500   |
229 | 2000   |
230 | 3000   |
231 | 4500   |
232 | 5000   |
233 | 10000  |
234 +-----+
235 6 rows in set (0.00 sec)
236 SQL Distinct Keyword:-
237 mysql> SELECT DISTINCT SALARY FROM CUSTOMER ORDER BY SALARY;
238 +-----+
239 | SALARY |
240 +-----+
241 | 1500   |
242 | 2000   |
243 | 3000   |
244 | 4500   |
245 | 5000   |
246 | 10000  |
247 +-----+
248 6 rows in set (0.00 sec)
249
250 mysql> SELECT * FROM CUSTOMER ORDER BY NAME, SALARY;
251 +-----+-----+-----+-----+-----+
252 | NAME      | ID | ADDRESS | AGE | SALARY |
253 +-----+-----+-----+-----+-----+
254 | dhana     | 23 | vij     | 24 | 1500   |
255 | Gandhi    | 21 | gnt     | 22 | 10000  |
256 | jyothi    | 12 | hyd     | 32 | 2000   |
257 | Lakshmi   | 13 | vizag   | 25 | 3000   |
258 | lavanya   | 16 | ban     | 25 | 4500   |
259 | srivalli  | 17 | cheenai | 23 | 5000   |
260 +-----+-----+-----+-----+-----+
261 6 rows in set (0.00 sec)
262 SQL SORTING Results:-

```

```

263 mysql> SELECT * FROM CUSTOMER ORDER BY NAME DESC;
264 +-----+-----+-----+-----+-----+
265 | NAME      | ID | ADDRESS | AGE | SALARY |
266 +-----+-----+-----+-----+-----+
267 | srivalli  | 17 | cheenai | 23 | 5000 |
268 | lavanya  | 16 | ban     | 25 | 4500 |
269 | Lakshmi   | 13 | vizag   | 25 | 3000 |
270 | jyothi    | 12 | hyd     | 32 | 2000 |
271 | Gandhi    | 21 | gnt     | 22 | 10000 |
272 | dhana     | 23 | vij     | 24 | 1500 |
273 +-----+-----+-----+-----+-----+
274 6 rows in set (0.00 sec)
275
276 mysql> SELECT * FROM CUSTOMER ORDER BY (CASE ADDRESS WHEN 'DELHI' THEN 1
277     -> WHEN 'BHOPAL' THEN 2
278     -> WHEN 'KOTA' THEN 3
279     -> WHEN 'AHMADABAD' THEN 4
280     -> WHEN 'MP' THEN 5
281     -> ELSE 100 END) ASC, ADDRESS DESC;
282 +-----+-----+-----+-----+-----+
283 | NAME      | ID | ADDRESS | AGE | SALARY |
284 +-----+-----+-----+-----+-----+
285 | Lakshmi   | 13 | vizag   | 25 | 3000 |
286 | dhana     | 23 | vij     | 24 | 1500 |
287 | jyothi    | 12 | hyd     | 32 | 2000 |
288 | Gandhi    | 21 | gnt     | 22 | 10000 |
289 | srivalli  | 17 | cheenai | 23 | 5000 |
290 | lavanya  | 16 | ban     | 25 | 4500 |
291 +-----+-----+-----+-----+-----+
292 6 rows in set (0.00 sec)
293
294

```