

SQL Code

```
1  mysql> show tables;
2  ERROR 1046 (3D000): No database selected
3  mysql> use nit database;
4  Database changed
5  mysql> show tables;
6  +-----+
7  | Tables_in_nit |
8  +-----+
9  | customers      |
10 | student         |
11 +-----+
12 2 rows in set (0.11 sec)
13
14 mysql> select * from student;
15 +-----+-----+-----+-----+
16 | Name      | ID | Address | Marks |
17 +-----+-----+-----+-----+
18 | jyothi    | 12 | hyd     | 70    |
19 | lavanya   | 14 | Ban     | 40    |
20 | prasanna  | 17 | cheenai | 30    |
21 | gandhi    | 19 | gnt     | 39    |
22 | dhana     | 20 | nrt     | 23    |
23 | srivalli  | 24 | vij     | 45    |
24 +-----+-----+-----+-----+
25 6 rows in set (0.02 sec)
26
27 mysql> select name from student;
28 +-----+
29 | name      |
30 +-----+
31 | jyothi    |
32 | lavanya   |
33 | prasanna  |
34 | gandhi    |
35 | dhana     |
36 | srivalli  |
37 +-----+
38 6 rows in set (0.00 sec)
39
40 mysql> select name,id from student;
41 +-----+-----+
42 | name      | id |
43 +-----+-----+
44 | jyothi    | 12 |
45 | lavanya   | 14 |
46 | prasanna  | 17 |
47 | gandhi    | 19 |
48 | dhana     | 20 |
49 | srivalli  | 24 |
50 +-----+-----+
```

```

51 6 rows in set (0.00 sec)
52
53 mysql> select * from student where id=12;
54 +-----+-----+-----+-----+
55 | Name   | ID | Address | Marks |
56 +-----+-----+-----+-----+
57 | jyothi | 12 | hyd     | 70    |
58 +-----+-----+-----+-----+
59 1 row in set (0.01 sec)
60
61 mysql> select * from student;
62 +-----+-----+-----+-----+
63 | Name   | ID | Address | Marks |
64 +-----+-----+-----+-----+
65 | jyothi | 12 | hyd     | 70    |
66 | lavanya | 14 | Ban     | 40    |
67 | prasanna | 17 | cheenai | 30    |
68 | gandhi  | 19 | gnt     | 39    |
69 | dhana   | 20 | nrt     | 23    |
70 | srivalli | 24 | vij     | 45    |
71 +-----+-----+-----+-----+
72 6 rows in set (0.00 sec)
73
74 mysql> insert into student values ('sam',12,'hyd',14);
75 ERROR 1062 (23000): Duplicate entry '12' for key 'student.PRIMARY'
76 mysql> update student set address='cheenai' where id = 45;
77 Query OK, 0 rows affected (0.00 sec)
78 Rows matched: 0 Changed: 0 Warnings: 0
79
80 mysql> update student set address='cheenai' where id = 20;
81 Query OK, 1 row affected (0.06 sec)
82 Rows matched: 1 Changed: 1 Warnings: 0
83
84 mysql> select * from student;
85 +-----+-----+-----+-----+
86 | Name   | ID | Address | Marks |
87 +-----+-----+-----+-----+
88 | jyothi | 12 | hyd     | 70    |
89 | lavanya | 14 | Ban     | 40    |
90 | prasanna | 17 | cheenai | 30    |
91 | gandhi  | 19 | gnt     | 39    |
92 | dhana   | 20 | cheenai | 23    |
93 | srivalli | 24 | vij     | 45    |
94 +-----+-----+-----+-----+
95 6 rows in set (0.00 sec)
96
97 mysql> alter table student add phoneNo int;
98 Query OK, 0 rows affected (0.11 sec)
99 Records: 0 Duplicates: 0 Warnings: 0
100
101 mysql> select * from student;
102 +-----+-----+-----+-----+-----+
103 | Name   | ID | Address | Marks | phoneNo |
104 +-----+-----+-----+-----+-----+

```

```

105 | jyothi | 12 | hyd | 70 | NULL |
106 | lavanya | 14 | Ban | 40 | NULL |
107 | prasanna | 17 | cheenai | 30 | NULL |
108 | gandhi | 19 | gnt | 39 | NULL |
109 | dhana | 20 | cheenai | 23 | NULL |
110 | srivalli | 24 | vij | 45 | NULL |
111 +-----+-----+-----+-----+
112 6 rows in set (0.00 sec)
113
114 mysql> update student set phoneNo=123;
115 Query OK, 6 rows affected (0.01 sec)
116 Rows matched: 6 Changed: 6 Warnings: 0
117
118 mysql> select * from student;
119 +-----+-----+-----+-----+
120 | Name | ID | Address | Marks | phoneNo |
121 +-----+-----+-----+-----+
122 | jyothi | 12 | hyd | 70 | 123 |
123 | lavanya | 14 | Ban | 40 | 123 |
124 | prasanna | 17 | cheenai | 30 | 123 |
125 | gandhi | 19 | gnt | 39 | 123 |
126 | dhana | 20 | cheenai | 23 | 123 |
127 | srivalli | 24 | vij | 45 | 123 |
128 +-----+-----+-----+-----+
129 6 rows in set (0.00 sec)
130
131 mysql> update student set phoneNo=456 where id=12;
132 Query OK, 1 row affected (0.04 sec)
133 Rows matched: 1 Changed: 1 Warnings: 0
134
135 mysql> select * from student;
136 +-----+-----+-----+-----+
137 | Name | ID | Address | Marks | phoneNo |
138 +-----+-----+-----+-----+
139 | jyothi | 12 | hyd | 70 | 456 |
140 | lavanya | 14 | Ban | 40 | 123 |
141 | prasanna | 17 | cheenai | 30 | 123 |
142 | gandhi | 19 | gnt | 39 | 123 |
143 | dhana | 20 | cheenai | 23 | 123 |
144 | srivalli | 24 | vij | 45 | 123 |
145 +-----+-----+-----+-----+
146 6 rows in set (0.00 sec)
147
148 mysql> desc student;
149 +-----+-----+-----+-----+
150 | Field | Type | Null | Key | Default | Extra |
151 +-----+-----+-----+-----+
152 | Name | varchar(30) | YES | | NULL | |
153 | ID | int | NO | PRI | NULL | |
154 | Address | varchar(45) | YES | | NULL | |
155 | Marks | int | YES | | NULL | |
156 | phoneNo | int | YES | | NULL | |
157 +-----+-----+-----+-----+
158 5 rows in set (0.02 sec)

```

```

159
160 mysql> alter table student modify column name varchar(60);
161 Query OK, 0 rows affected (0.02 sec)
162 Records: 0 Duplicates: 0 Warnings: 0
163
164 mysql> desc student;
165 +-----+-----+-----+-----+-----+
166 | Field | Type          | Null | Key | Default | Extra |
167 +-----+-----+-----+-----+-----+
168 | name  | varchar(60)   | YES  |     | NULL    |       |
169 | ID    | int           | NO   | PRI | NULL    |       |
170 | Address | varchar(45)  | YES  |     | NULL    |       |
171 | Marks  | int           | YES  |     | NULL    |       |
172 | phoneNo | int          | YES  |     | NULL    |       |
173 +-----+-----+-----+-----+-----+
174 5 rows in set (0.00 sec)
175
176 mysql> alter table student drop column phoneNo;
177 Query OK, 0 rows affected (0.05 sec)
178 Records: 0 Duplicates: 0 Warnings: 0
179
180 mysql> select * from student;
181 +-----+-----+-----+-----+
182 | name  | ID | Address | Marks |
183 +-----+-----+-----+-----+
184 | jyothi | 12 | hyd     | 70    |
185 | lavanya | 14 | Ban     | 40    |
186 | prasanna | 17 | cheenai | 30    |
187 | gandhi | 19 | gnt     | 39    |
188 | dhana  | 20 | cheenai | 23    |
189 | srivalli | 24 | vij     | 45    |
190 +-----+-----+-----+-----+
191 6 rows in set (0.00 sec)
192
193 mysql> delete from student where name= 'prasanna';
194 Query OK, 1 row affected (0.02 sec)
195
196 mysql> select * from student;
197 +-----+-----+-----+-----+
198 | name  | ID | Address | Marks |
199 +-----+-----+-----+-----+
200 | jyothi | 12 | hyd     | 70    |
201 | lavanya | 14 | Ban     | 40    |
202 | gandhi | 19 | gnt     | 39    |
203 | dhana  | 20 | cheenai | 23    |
204 | srivalli | 24 | vij     | 45    |
205 +-----+-----+-----+-----+
206 5 rows in set (0.00 sec)
207
208 mysql> select sum(marks) from student;
209 +-----+
210 | sum(marks) |
211 +-----+
212 | 217 |

```

```

213 +-----+
214 1 row in set (0.02 sec)
215
216 mysql> select avg(marks) from student;
217 +-----+
218 | avg(marks) |
219 +-----+
220 |    43.4000 |
221 +-----+
222 1 row in set (0.00 sec)
223
224 mysql> select count(marks) from student;
225 +-----+
226 | count(marks) |
227 +-----+
228 |           5 |
229 +-----+
230 1 row in set (0.00 sec)
231
232 mysql> select max(marks) from student;
233 +-----+
234 | max(marks) |
235 +-----+
236 |          70 |
237 +-----+
238 1 row in set (0.02 sec)
239
240 mysql> select min(marks) from student;
241 +-----+
242 | min(marks) |
243 +-----+
244 |          23 |
245 +-----+
246 1 row in set (0.00 sec)
247
248 mysql> select * from student order by marks;
249 +-----+-----+-----+-----+
250 | name    | ID | Address | Marks |
251 +-----+-----+-----+-----+
252 | dhana   | 20 | cheenai | 23    |
253 | gandhi  | 19 | gnt     | 39    |
254 | lavanya | 14 | Ban     | 40    |
255 | srivalli | 24 | vij     | 45    |
256 | jyothi  | 12 | hyd     | 70    |
257 +-----+-----+-----+-----+
258 5 rows in set (0.00 sec)
259
260 mysql> select * from student order by desc;
261 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'desc' at
line 1
262 mysql> select * from student order by marks desc;
263 +-----+-----+-----+-----+
264 | name    | ID | Address | Marks |

```

```

265 +-----+-----+-----+-----+
266 | jyothi | 12 | hyd | 70 |
267 | srivalli | 24 | vij | 45 |
268 | lavanya | 14 | Ban | 40 |
269 | gandhi | 19 | gnt | 39 |
270 | dhana | 20 | cheenai | 23 |
271 +-----+-----+-----+-----+
272 5 rows in set (0.00 sec)
273
274 mysql> select * from student where name like 'p%';
275 Empty set (0.02 sec)
276
277 mysql> select * from student where name like 's%';
278 +-----+-----+-----+-----+
279 | name | ID | Address | Marks |
280 +-----+-----+-----+-----+
281 | srivalli | 24 | vij | 45 |
282 +-----+-----+-----+-----+
283 1 row in set (0.00 sec)
284
285 mysql> select * from student where name like 'i%';
286 Empty set (0.00 sec)
287
288 mysql> select * from student where name like '%i';
289 +-----+-----+-----+-----+
290 | name | ID | Address | Marks |
291 +-----+-----+-----+-----+
292 | jyothi | 12 | hyd | 70 |
293 | gandhi | 19 | gnt | 39 |
294 | srivalli | 24 | vij | 45 |
295 +-----+-----+-----+-----+
296 3 rows in set (0.00 sec)
297
298 mysql> select * from student where name like '%_a%';
299 +-----+-----+-----+-----+
300 | name | ID | Address | Marks |
301 +-----+-----+-----+-----+
302 | lavanya | 14 | Ban | 40 |
303 | dhana | 20 | cheenai | 23 |
304 +-----+-----+-----+-----+
305 2 rows in set (0.00 sec)
306
307 mysql> select * from student where name like '_a%';
308 +-----+-----+-----+-----+
309 | name | ID | Address | Marks |
310 +-----+-----+-----+-----+
311 | lavanya | 14 | Ban | 40 |
312 | gandhi | 19 | gnt | 39 |
313 +-----+-----+-----+-----+
314 2 rows in set (0.00 sec)
315
316 mysql>

```