

MAS
ter objects
1
jyothi
nit
Tables
▼ customers
▶ Columns
▶ Indexes
▶ Foreign Keys
▶ Triggers
▼ student
▶ Columns
▶ Indexes
▶ Foreign Keys
▶ Triggers
Views
Stored Procedures
Functions
akila
rs
orld
ration Schemas

Limit to 1000 rows

1 • `SELECT * FROM nit.customers;`

Result Grid

	Int	Name	Age	Salary	Address
▶	1	prasanna	22	2000	hyd
	2	lavanya	21	4000	ban
	3	jyothi	23	6000	cheenai
	4	dhana	43	1500	nrt
	5	Gandhi	41	4500	gnt
	6	srivalli	70	10000	vij
	7	lakshmi	43	3000	mdk
•	NULL	NULL	NULL	NULL	NULL

Filter Rows: Edit: Export/Import: Wrap Cell Content:

Limit to 1000 rows

Edit:    | Export/Import:   | Wrap Cell Content: 

SQL File 3*

Limit to 1000 rows

```
1 select 10+20;  
2 • select 20-10;  
3 • select 100*20;  
4 • select 6/2;
```

5

6

Result Grid

Export: Wrap Cell Content:

SQL File 3*

Limit to 1000 rows

```
1 select 10>20;  
2 • select 20=20;  
3 • select 20<>23;  
4 • select 50!=20;  
5  
6
```

Result Grid

50!=20

Filter Rows: Export: Wrap Cell Content:

SQL File 3*

Limit to 1000 rows

```
1 • select * from customers where salary > 3000;
2
```

ables

- customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- Views
- Stored Procedures
- Functions

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Content:

	Int	Name	Age	Salary	Address
▶	2	lavanya	21	4000	ban
	3	jyothi	23	6000	cheenai
	5	Gandhi	41	4500	gnt
	6	srivalli	70	10000	vij
•	NULL	NULL	NULL	NULL	NULL



2 Execute the selected portion of the script or everything, if there is no selection

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	Int	Name	Age	Salary	Address
▶	1	prasanna	22	2000	hyd
•	NULL	NULL	NULL	NULL	NULL

HEMAS

Filter objects

- 1
- jyothi
- nit
- Tables
 - customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- Views
- Stored Procedures
- Functions
- sakila
- sys
- world

SQL File 3

Limit to 1000 rows

```
1 select * from customers where salary != 2000;
2
```

Result Grid

	Int	Name	Age	Salary	Address
▶	2	lavanya	21	4000	ban
	3	jyothi	23	6000	cheenai
	4	dhana	43	1500	nrt
	5	Gandhi	41	4500	gnt
	6	srivalli	70	10000	vij
	7	lakshmi	43	3000	mdk
•	NULL	NULL	NULL	NULL	NULL

Edit: Export/Import: Wrap Cell Contents:

SQL File 3*

Limit to 1000 rows

```
1 • select * from customers where salary1 <>2000;
2 |
```

Result Grid

	Int	Name	Age	Salary1	Address
▶	2	lavanya	21	4000	ban
	3	jyothi	23	6000	cheenai
	4	dhana	43	1500	nrt
	5	Gandhi	41	4500	gnt
	6	srivalli	70	10000	vij
	7	lakshmi	43	3000	mdk
•	HULL	HULL	HULL	HULL	HULL

SQL File 3*

Limit to 1000 rows

```
1 • select * from customers where salary1 >=2500;  
2
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content: 1A

	Int	Name	Age	Salary1	Address
▶	2	lavanya	21	4000	ban
	3	jyothi	23	6000	cheenai
	5	Gandhi	41	4500	gnt
	6	srivalli	70	10000	vij
	7	lakshmi	43	3000	mdk
•	NULL	NULL	NULL	NULL	NULL

Schemas

[illegible]

2

- customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- views
- stored Procedures
- functions

	Int	Name	Age	Salary	Address
▶	6	srivalli	70	10000	vij
•	NULL	NULL	NULL	NULL	NULL

EMAS

Filter objects

1
jyothi
nit

Tables

- customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers

Views

Stored Procedures

Functions

sakila

sys

world

Administration Schemas

Limit to 1000 rows

```
1  
2 select * from customers where age>=12 and salary>=2500;  
3
```

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Content:

	Int	Name	Age	Salary	Address
▶	2	lavanya	21	4000	ban
	3	jyothi	23	6000	cheenai
	5	Gandhi	41	4500	gnt
	6	srivalli	70	10000	vij
	7	lakshmi	43	3000	mdk
•	NULL	NULL	NULL	NULL	NULL

Filter objects

nit

▼ Tables

▼ customers

▶ Columns

►  Indexes

▶ Foreign Keys

▶ Triggers

▼ student

▶ Columns

►  Indexes

► Foreign Keys

▶  Triggers

 Views

Stored Procedures

Functions

sakila

sys

world

Administration Schemas

```
1 • select * from customers where age is not null;
```


2

T

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	Int	Name	Age	Salary	Address
▶	1	prasanna	22	2000	hyd
	2	lavanya	21	4000	ban
	3	jyothi	23	6000	cheerai
	4	dhana	43	1500	nrt
	5	Gandhi	41	4500	gnt
	6	srivalli	70	10000	vij
	7	lakshmi	43	3000	mdk
	NULL	NULL	NULL	NULL	NULL

customers 28 ✓



Navigator

SCHEMAS

Filter objects

- 1
- jyothi
- nit
 - Tables
 - customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

SQL File 3*

Limit to 1000 rows

```
1 • select * from customers where name like 'p%';
2
```

Result Grid Filter Rows:

Edit: Export/Import: Wrap Cell Content:

	Int	Name	Age	Salary	Address
▶	1	prasanna	22	2000	hyd
•	NULL	NULL	NULL	NULL	NULL

customers 39 x

Navigator

SQL File 3*

Limit to 1000 rows

```
1 select * from customers where Age in (23,44);
2
```

SCHEMAS

Filter objects

- 1
- jyothi
- nit
 - Tables
 - customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Content:

	Int	Name	Age	Salary	Address
▶	3	jyothi	23	6000	cheenai
•	NULL	NULL	NULL	NULL	NULL

Administration Schemas

Information

Int	Name	Age	Salary	Address
3	jyothi	23	6000	cheenai
4	dhana	43	1500	nrt
5	Gandhi	41	4500	gnt
7	lakshmi	43	3000	mdk

SQL File 3*

Limit to 1000 rows

```
1 • select * from customers where exists (select age from customers where salary > 4000);
2
```

Tables

- customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- views
- Stored Procedures
- Functions

on Schemas

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Content:

	Int	Name	Age	Salary	Address
▶	1	prasanna	22	2000	hyd
	2	lavanya	21	4000	ban
	3	jyothi	23	6000	cheenai
	4	dhana	43	1500	nrt
	5	Gandhi	41	4500	gnt
	6	srivalli	70	10000	vij
	7	lakshmi	43	3000	mdk
*	NULL	NULL	NULL	NULL	NULL

EMAS

Filter objects

1

jyothi

nit

Tables

- customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers

Views

Stored Procedures

Functions

sakila

sys

world

Administration Schemas

Limit to 1000 rows

1 select * from customers where salary1 = 2000;

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Content:

	Int	Name	Age	Salary1	Address
▶	1	prasanna	22	2000	hyd
•	NULL	NULL	NULL	NULL	NULL

Navigation icons: Save, Undo, Redo, Find, etc.

SQL File 3* customers

Limit to 1000 rows

1 `select (15+14) ;`

SCHEMAS

Filter objects

- 1
- jothi
- nit
 - Tables
 - customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

Result Grid

(15+14)
29

Filter Rows: Export: Wrap Cell Content:

Result 3 x

SQL File 3* customers

Limit to 1000 rows

```
1 select count(*) as "records" from customers;
```

Result Grid

records
7

Filter Rows: Export: Wrap Cell Content:

File View Query Database Server Tools Scripting Help

SQL File 3* customers

Limit to 1000 rows

```
1 select current_timestamp();
```

Tables

- customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
- student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers

Views

Stored Procedures

Functions

Result Grid

current_timestamp()
2026-06-09 19:39:25

Navigator

SCHEMAS

Filter objects

- 1
- jyothi
- nit
 - Tables
 - customers
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - student
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
- sakila
- sys
- world

Administration Schemas

Information

SQL File 3*

customers

Limit to 1000 rows

```
1 create database dummydb;  
2 show databases;  
3
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Database
1
dummydb
dummydb
information_schema
jyothi
mysql
nit
performance_schema
sakila
sys

```
MySQL 8.0 Command Line Cli x + v
mysql> ^C
mysql> create database dummydb;
ERROR 1007 (HY000): Can't create database 'dummydb'; database exists
mysql> show databases;
+-----+
| Database |
+-----+
| 1        |
| dummydb  |
| dummydb  |
| information_schema |
| jyothi   |
| mysql    |
| nit      |
| performance_schema |
| sakila   |
| sys      |
| world    |
+-----+
11 rows in set (0.04 sec)

mysql> drop database dummydb;
Query OK, 0 rows affected (0.07 sec)

mysql> show databases;
+-----+
| Database |
```

```
mysql> show databases;
```

Database
1
dummydb
information_schema
jothi
mysql
nit
performance_schema
sakila
sys
world

```
10 rows in set (0.00 sec)
```

```
mysql> drop database dummynb;
```

```
ERROR 1008 (HY000): Can't drop database 'dummynb'; database doesn't exist
```

```
mysql> drop database dummydb;
```

```
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> DROP DATABASE DUMMYDB;
```

Settings

```
+-----+  
10 rows in set (0.00 sec)
```

```
mysql> drop database dummynb;  
ERROR 1008 (HY000): Can't drop database 'dummynb'; database doesn't exist  
mysql> drop database dummydb;  
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> show databases;
```

Database
1
information_schema
jyothi
mysql
nit
performance_schema
sakila
sys
world

```
+-----+  
9 rows in set (0.00 sec)
```

```
mysql>
```