

SQL Code

```
1  mysql> use nit database;
2  Database changed
3  mysql> show tables;
4  +-----+
5  | Tables_in_nit |
6  +-----+
7  | customer      |
8  | customers     |
9  | emp           |
10 | student       |
11 +-----+
12 4 rows in set (0.11 sec)
13
14 mysql> select * from customer;
15 +-----+-----+-----+-----+-----+
16 | NAME      | ID | ADDRESS | AGE | SALARY |
17 +-----+-----+-----+-----+-----+
18 | jyothi    | 12 | hyd     | 32 | 2000   |
19 | Lakshmi   | 13 | vizag   | 25 | 3000   |
20 | lavanya   | 16 | ban     | 25 | 4500   |
21 | srivalli  | 17 | cheenai | 23 | 5000   |
22 | Gandhi    | 21 | gnt     | 22 | 10000  |
23 | dhana     | 23 | vij     | 24 | 1500   |
24 +-----+-----+-----+-----+-----+
25 6 rows in set (0.04 sec)
26
27 mysql> select * from orders;
28 +-----+-----+-----+-----+
29 | OID | DATE       | CUSTOMER_ID | AMOUNT |
30 +-----+-----+-----+-----+
31 | 100 | 2009-10-08 | 3           | 1500   |
32 | 101 | 2009-11-20 | 2           | 1560   |
33 | 102 | 2009-10-08 | 3           | 3000   |
34 | 103 | 2008-05-20 | 4           | 2060   |
35 +-----+-----+-----+-----+
36 4 rows in set (0.01 sec)
37
38 mysql> SELECT ID, NAME, AGE, AMOUNT FROM CUSTOMER, ORDERS WHERE CUSTOMER.ID =
39 ORDERS.CUSTOMER_ID;
40 Empty set (0.00 sec)
41
42 mysql> SELECT ID, NAME, AGE, AMOUNT FROM CUSTOMER, ORDERS WHERE CUSTOMER.ID =
43 ORDERS.CUSTOMER_ID;
44 Empty set (0.00 sec)
45
46 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER INNER JOIN ORDERS ON CUSTOMER.ID =
47 ORDERS.CUSTOMER_ID;
48 Empty set (0.00 sec)
```

```

48 +-----+-----+-----+-----+
49 | NAME      | ID | ADDRESS | AGE | SALARY |
50 +-----+-----+-----+-----+
51 | jyothi    | 1 | hyd     | 32 | 2000 |
52 | Lakshmi   | 2 | vizag   | 25 | 3000 |
53 | lavanya   | 3 | ban     | 25 | 4500 |
54 | srivalli  | 4 | cheenai | 23 | 5000 |
55 | Gandhi    | 5 | gnt     | 22 | 10000 |
56 | dhana     | 6 | vij     | 24 | 1500 |
57 +-----+-----+-----+-----+
58 6 rows in set (0.00 sec)
59
60 mysql> SELECT ID, NAME, AGE, AMOUNT FROM CUSTOMER, ORDERS WHERE CUSTOMER.ID =
ORDERS.CUSTOMER_ID;
61 +-----+-----+-----+-----+
62 | ID | NAME      | AGE | AMOUNT |
63 +-----+-----+-----+-----+
64 | 3 | lavanya   | 25 | 1500 |
65 | 2 | Lakshmi   | 25 | 1560 |
66 | 3 | lavanya   | 25 | 3000 |
67 | 4 | srivalli  | 23 | 2060 |
68 +-----+-----+-----+-----+
69 4 rows in set (0.00 sec)
70
71 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER INNER JOIN ORDERS ON CUSTOMER.ID =
ORDERS.CUSTOMER_ID;
72 +-----+-----+-----+-----+
73 | ID | NAME      | AMOUNT | DATE      |
74 +-----+-----+-----+-----+
75 | 3 | lavanya   | 1500 | 2009-10-08 |
76 | 2 | Lakshmi   | 1560 | 2009-11-20 |
77 | 3 | lavanya   | 3000 | 2009-10-08 |
78 | 4 | srivalli  | 2060 | 2008-05-20 |
79 +-----+-----+-----+-----+
80 4 rows in set (0.00 sec)
81
82 mysql> select * from customer;
83 +-----+-----+-----+-----+
84 | NAME      | ID | ADDRESS | AGE | SALARY |
85 +-----+-----+-----+-----+
86 | jyothi    | 1 | hyd     | 32 | 2000 |
87 | Lakshmi   | 2 | vizag   | 25 | 3000 |
88 | lavanya   | 3 | ban     | 25 | 4500 |
89 | srivalli  | 4 | cheenai | 23 | 5000 |
90 | Gandhi    | 5 | gnt     | 22 | 10000 |
91 | dhana     | 6 | vij     | 24 | 1500 |
92 +-----+-----+-----+-----+
93 6 rows in set (0.00 sec)
94
95 mysql> select * from orders;
96 +-----+-----+-----+-----+
97 | OID | DATE      | CUSTOMER_ID | AMOUNT |
98 +-----+-----+-----+-----+
99 | 100 | 2009-10-08 | 3 | 1500 |

```

```

100 | 101 | 2009-11-20 | 2 | 1560 |
101 | 102 | 2009-10-08 | 3 | 3000 |
102 | 103 | 2008-05-20 | 4 | 2060 |

```

```

103 +-----+-----+-----+-----+

```

```

104 4 rows in set (0.00 sec)

```

```

105

```

```

106 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER LEFT JOIN ORDERS ON CUSTOMER.ID =
ORDERS.CUSTOMER_ID;

```

```

107 +-----+-----+-----+-----+

```

```

108 | ID | NAME | AMOUNT | DATE |

```

```

109 +-----+-----+-----+-----+

```

```

110 | 1 | jyothi | NULL | NULL |

```

```

111 | 2 | Lakshmi | 1560 | 2009-11-20 |

```

```

112 | 3 | lavanya | 3000 | 2009-10-08 |

```

```

113 | 3 | lavanya | 1500 | 2009-10-08 |

```

```

114 | 4 | srivalli | 2060 | 2008-05-20 |

```

```

115 | 5 | Gandhi | NULL | NULL |

```

```

116 | 6 | dhana | NULL | NULL |

```

```

117 +-----+-----+-----+-----+

```

```

118 7 rows in set (0.02 sec)

```

```

119

```

```

120 mysql> select * from customer;

```

```

121 +-----+-----+-----+-----+

```

```

122 | NAME | ID | ADDRESS | AGE | SALARY |

```

```

123 +-----+-----+-----+-----+

```

```

124 | jyothi | 1 | hyd | 32 | 2000 |

```

```

125 | Lakshmi | 2 | vizag | 25 | 3000 |

```

```

126 | lavanya | 3 | ban | 25 | 4500 |

```

```

127 | srivalli | 4 | cheenai | 23 | 5000 |

```

```

128 | Gandhi | 5 | gnt | 22 | 10000 |

```

```

129 | dhana | 6 | vij | 24 | 1500 |

```

```

130 +-----+-----+-----+-----+

```

```

131 6 rows in set (0.00 sec)

```

```

132

```

```

133 mysql> select * from orders;

```

```

134 +-----+-----+-----+-----+

```

```

135 | OID | DATE | CUSTOMER_ID | AMOUNT |

```

```

136 +-----+-----+-----+-----+

```

```

137 | 100 | 2009-10-08 | 3 | 1500 |

```

```

138 | 101 | 2009-11-20 | 2 | 1560 |

```

```

139 | 102 | 2009-10-08 | 3 | 3000 |

```

```

140 | 103 | 2008-05-20 | 4 | 2060 |

```

```

141 +-----+-----+-----+-----+

```

```

142 4 rows in set (0.00 sec)

```

```

143

```

```

144 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER RIGHT JOIN ORDERS ON CUSTOMER.ID =
ORDERS.CUSTOMER_ID;

```

```

145 +-----+-----+-----+-----+

```

```

146 | ID | NAME | AMOUNT | DATE |

```

```

147 +-----+-----+-----+-----+

```

```

148 | 3 | lavanya | 1500 | 2009-10-08 |

```

```

149 | 2 | Lakshmi | 1560 | 2009-11-20 |

```

```

150 | 3 | lavanya | 3000 | 2009-10-08 |

```

```

151 | 4 | srivalli | 2060 | 2008-05-20 |

```

```

152 +-----+-----+-----+-----+
153 4 rows in set (0.00 sec)
154
155 mysql> select * from customer;
156 +-----+-----+-----+-----+
157 | NAME      | ID | ADDRESS | AGE | SALARY |
158 +-----+-----+-----+-----+
159 | jyothi    | 1 | hyd     | 32 | 2000 |
160 | Lakshmi   | 2 | vizag   | 25 | 3000 |
161 | lavanya   | 3 | ban     | 25 | 4500 |
162 | srivalli  | 4 | cheenai | 23 | 5000 |
163 | Gandhi    | 5 | gnt     | 22 | 10000 |
164 | dhana     | 6 | vij     | 24 | 1500 |
165 +-----+-----+-----+-----+
166 6 rows in set (0.00 sec)
167
168 mysql> select * from orders;
169 +-----+-----+-----+-----+
170 | OID | DATE          | CUSTOMER_ID | AMOUNT |
171 +-----+-----+-----+-----+
172 | 100 | 2009-10-08 | 3 | 1500 |
173 | 101 | 2009-11-20 | 2 | 1560 |
174 | 102 | 2009-10-08 | 3 | 3000 |
175 | 103 | 2008-05-20 | 4 | 2060 |
176 +-----+-----+-----+-----+
177 4 rows in set (0.00 sec)
178
179 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER FULL JOIN ORDERS ON CUSTOMER.ID =
180 ORDERS.CUSTOMER_ID;
181 ERROR 1054 (42S22): Unknown column 'CUSTOMER.ID' in 'on clause'
182 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER FULL JOIN ORDERS ON 'CUSTOMER.ID'
183 = ORDERS.CUSTOMER_ID;
184 Empty set, 2 warnings (0.02 sec)
185
186 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER FULL JOIN ORDERS ON 'CUSTOMER.ID'
187 = ORDERS.'CUSTOMER_ID';
188 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
189 corresponds to your MySQL server version for the right syntax to use near
190 ''CUSTOMER_ID'' at line 1
191 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER FULL JOIN ORDERS ON CUSTOMER.ID =
192 ORDERS.CUSTOMER_ID;
193 ERROR 1054 (42S22): Unknown column 'CUSTOMER.ID' in 'on clause'
194 mysql> SELECT a.ID, b.NAME, a.SALARY FROM CUSTOMER a, CUSTOMER b WHERE a.SALARY <
195 b.SALARY;
196 +-----+-----+-----+
197 | ID | NAME      | SALARY |
198 +-----+-----+-----+
199 | 6 | jyothi    | 1500 |
200 | 6 | Lakshmi   | 1500 |
201 | 1 | Lakshmi   | 2000 |
202 | 6 | lavanya   | 1500 |
203 | 2 | lavanya   | 3000 |
204 | 1 | lavanya   | 2000 |
205 | 6 | srivalli  | 1500 |

```

```

199 | 3 | srivalli | 4500 |
200 | 2 | srivalli | 3000 |
201 | 1 | srivalli | 2000 |
202 | 6 | Gandhi | 1500 |
203 | 4 | Gandhi | 5000 |
204 | 3 | Gandhi | 4500 |
205 | 2 | Gandhi | 3000 |
206 | 1 | Gandhi | 2000 |
207 +-----+
208 15 rows in set (0.02 sec)
209
210 mysql> select * from orders;
211 +-----+-----+-----+-----+
212 | OID | DATE | CUSTOMER_ID | AMOUNT |
213 +-----+-----+-----+-----+
214 | 100 | 2009-10-08 | 3 | 1500 |
215 | 101 | 2009-11-20 | 2 | 1560 |
216 | 102 | 2009-10-08 | 3 | 3000 |
217 | 103 | 2008-05-20 | 4 | 2060 |
218 +-----+-----+-----+-----+
219 4 rows in set (0.00 sec)
220
221 mysql> select * from customer;
222 +-----+-----+-----+-----+
223 | NAME | ID | ADDRESS | AGE | SALARY |
224 +-----+-----+-----+-----+
225 | jyothi | 1 | hyd | 32 | 2000 |
226 | Lakshmi | 2 | vizag | 25 | 3000 |
227 | lavanya | 3 | ban | 25 | 4500 |
228 | srivalli | 4 | cheenai | 23 | 5000 |
229 | Gandhi | 5 | gnt | 22 | 10000 |
230 | dhana | 6 | vij | 24 | 1500 |
231 +-----+-----+-----+-----+
232 6 rows in set (0.00 sec)
233
234 mysql> SELECT ID, NAME, AMOUNT, DATE FROM CUSTOMER, ORDERS;
235 +-----+-----+-----+-----+
236 | ID | NAME | AMOUNT | DATE |
237 +-----+-----+-----+-----+
238 | 1 | jyothi | 2060 | 2008-05-20 |
239 | 1 | jyothi | 3000 | 2009-10-08 |
240 | 1 | jyothi | 1560 | 2009-11-20 |
241 | 1 | jyothi | 1500 | 2009-10-08 |
242 | 2 | Lakshmi | 2060 | 2008-05-20 |
243 | 2 | Lakshmi | 3000 | 2009-10-08 |
244 | 2 | Lakshmi | 1560 | 2009-11-20 |
245 | 2 | Lakshmi | 1500 | 2009-10-08 |
246 | 3 | lavanya | 2060 | 2008-05-20 |
247 | 3 | lavanya | 3000 | 2009-10-08 |
248 | 3 | lavanya | 1560 | 2009-11-20 |
249 | 3 | lavanya | 1500 | 2009-10-08 |
250 | 4 | srivalli | 2060 | 2008-05-20 |
251 | 4 | srivalli | 3000 | 2009-10-08 |
252 | 4 | srivalli | 1560 | 2009-11-20 |

```

```

253 | 4 | srivalli | 1500 | 2009-10-08 |
254 | 5 | Gandhi | 2060 | 2008-05-20 |
255 | 5 | Gandhi | 3000 | 2009-10-08 |
256 | 5 | Gandhi | 1560 | 2009-11-20 |
257 | 5 | Gandhi | 1500 | 2009-10-08 |
258 | 6 | dhana | 2060 | 2008-05-20 |
259 | 6 | dhana | 3000 | 2009-10-08 |
260 | 6 | dhana | 1560 | 2009-11-20 |
261 | 6 | dhana | 1500 | 2009-10-08 |
262 +-----+
263 24 rows in set (0.01 sec)
264
265 mysql> select * from customer;
266 +-----+-----+-----+-----+-----+
267 | NAME | ID | ADDRESS | AGE | SALARY |
268 +-----+-----+-----+-----+-----+
269 | jyothi | 1 | hyd | 32 | 2000 |
270 | Lakshmi | 2 | vizag | 25 | 3000 |
271 | lavanya | 3 | ban | 25 | 4500 |
272 | srivalli | 4 | cheenai | 23 | 5000 |
273 | Gandhi | 5 | gnt | 22 | 10000 |
274 | dhana | 6 | vij | 24 | 1500 |
275 +-----+-----+-----+-----+-----+
276 6 rows in set (0.00 sec)
277
278 mysql> select * from orders;
279 +-----+-----+-----+-----+
280 | OID | DATE | CUSTOMER_ID | AMOUNT |
281 +-----+-----+-----+-----+
282 | 100 | 2009-10-08 | 3 | 1500 |
283 | 101 | 2009-11-20 | 2 | 1560 |
284 | 102 | 2009-10-08 | 3 | 3000 |
285 | 103 | 2008-05-20 | 4 | 2060 |
286 +-----+-----+-----+-----+
287 4 rows in set (0.00 sec)
288
289 mysql> SELECT ID, NAME, AMOUNT, DATE
290 -> FROM CUSTOMERS
291 -> LEFT JOIN ORDERS
292 -> ON CUSTOMERS.ID = ORDERS.CUSTOMER_ID
293 -> UNION
294 -> SELECT ID, NAME, AMOUNT, DATE
295 -> FROM CUSTOMERS
296 -> RIGHT JOIN ORDERS
297 -> ON CUSTOMERS.ID = ORDERS.CUSTOMER_ID;
298 ERROR 1054 (42S22): Unknown column 'ID' in 'field list'
299 mysql> SELECT ID, NAME, AMOUNT, DATE
300 -> FROM CUSTOMER
301 -> LEFT JOIN ORDERS
302 -> ON CUSTOMER.ID = ORDERS.CUSTOMER_ID
303 -> UNION
304 -> SELECT ID, NAME, AMOUNT, DATE
305 -> FROM CUSTOMER
306 -> RIGHT JOIN ORDERS

```

```

307         ->         ON CUSTOMER.ID = ORDERS.CUSTOMER_ID;
308
309 +-----+-----+-----+-----+
310 | ID | NAME | AMOUNT | DATE |
311 +-----+-----+-----+-----+
312 | 1 | jyothi | NULL | NULL |
313 | 2 | Lakshmi | 1560 | 2009-11-20 |
314 | 3 | lavanya | 3000 | 2009-10-08 |
315 | 3 | lavanya | 1500 | 2009-10-08 |
316 | 4 | srivalli | 2060 | 2008-05-20 |
317 | 5 | Gandhi | NULL | NULL |
318 | 6 | dhana | NULL | NULL |
319 +-----+-----+-----+-----+
320
321 7 rows in set (0.01 sec)
322
323 mysql> SELECT ID, NAME, AMOUNT, DATE
324         ->         FROM CUSTOMER
325         ->         LEFT JOIN ORDERS
326         ->         ON CUSTOMER.ID = ORDERS.CUSTOMER_ID
327         -> UNION ALL
328         ->         SELECT ID, NAME, AMOUNT, DATE
329         ->         FROM CUSTOMER
330         ->         RIGHT JOIN ORDERS
331         ->         ON CUSTOMER.ID = ORDERS.CUSTOMER_ID;
332
333 +-----+-----+-----+-----+
334 | ID | NAME | AMOUNT | DATE |
335 +-----+-----+-----+-----+
336 | 1 | jyothi | NULL | NULL |
337 | 2 | Lakshmi | 1560 | 2009-11-20 |
338 | 3 | lavanya | 3000 | 2009-10-08 |
339 | 3 | lavanya | 1500 | 2009-10-08 |
340 | 4 | srivalli | 2060 | 2008-05-20 |
341 | 5 | Gandhi | NULL | NULL |
342 | 6 | dhana | NULL | NULL |
343 | 3 | lavanya | 1500 | 2009-10-08 |
344 | 2 | Lakshmi | 1560 | 2009-11-20 |
345 | 3 | lavanya | 3000 | 2009-10-08 |
346 | 4 | srivalli | 2060 | 2008-05-20 |
347 +-----+-----+-----+-----+
348
349 11 rows in set (0.04 sec)
350
351 mysql> select * from customer;
352
353 +-----+-----+-----+-----+-----+
354 | NAME | ID | ADDRESS | AGE | SALARY |
355 +-----+-----+-----+-----+-----+
356 | jyothi | 1 | hyd | 32 | 2000 |
357 | Lakshmi | 2 | vizag | 25 | 3000 |
358 | lavanya | 3 | ban | 25 | 4500 |
359 | srivalli | 4 | cheenai | 23 | 5000 |
360 | Gandhi | 5 | gnt | 22 | 10000 |
361 | dhana | 6 | vij | 24 | 1500 |
362 +-----+-----+-----+-----+-----+
363
364 6 rows in set (0.02 sec)
365
366 mysql> select * from orders;

```

```

361 +-----+-----+-----+-----+
362 | OID | DATE       | CUSTOMER_ID | AMOUNT |
363 +-----+-----+-----+-----+
364 | 100 | 2009-10-08 |           3 |   1500 |
365 | 101 | 2009-11-20 |           2 |   1560 |
366 | 102 | 2009-10-08 |           3 |   3000 |
367 | 103 | 2008-05-20 |           4 |   2060 |
368 +-----+-----+-----+-----+
369 4 rows in set (0.00 sec)
370
371 mysql> SELECT ID, NAME, AMOUNT, DATE
372         FROM CUSTOMER
373        LEFT JOIN ORDERS
374        ON CUSTOMER.ID = ORDERS.CUSTOMER_ID
375       INTERSECT
376       SELECT ID, NAME, AMOUNT, DATE
377        FROM CUSTOMER
378       RIGHT JOIN ORDERS
379        ON CUSTOMER.ID = ORDERS.CUSTOMER_ID;
380 +-----+-----+-----+-----+
381 | ID | NAME      | AMOUNT | DATE       |
382 +-----+-----+-----+-----+
383 |  2 | Lakshmi  |   1560 | 2009-11-20 |
384 |  3 | lavanya  |   3000 | 2009-10-08 |
385 |  3 | lavanya  |   1500 | 2009-10-08 |
386 |  4 | srivalli |   2060 | 2008-05-20 |
387 +-----+-----+-----+-----+
388 4 rows in set (0.01 sec)
389
390 mysql> SELECT ID, NAME, AMOUNT, DATE
391         FROM CUSTOMER
392        LEFT JOIN ORDERS
393        ON CUSTOMER.ID = ORDERS.CUSTOMER_ID
394       EXCEPT
395       SELECT ID, NAME, AMOUNT, DATE
396        FROM CUSTOMER
397       RIGHT JOIN ORDERS
398        ON CUSTOMER.ID = ORDERS.CUSTOMER_ID;
399 +-----+-----+-----+-----+
400 | ID | NAME      | AMOUNT | DATE       |
401 +-----+-----+-----+-----+
402 |  1 | jyothi   |    NULL | NULL       |
403 |  5 | Gandhi   |    NULL | NULL       |
404 |  6 | dhana    |    NULL | NULL       |
405 +-----+-----+-----+-----+
406 3 rows in set (0.00 sec)
407
408 mysql> select * from customer;
409 +-----+-----+-----+-----+
410 | NAME      | ID | ADDRESS | AGE | SALARY |
411 +-----+-----+-----+-----+
412 | jyothi    |  1 | hyd     |  32 |   2000 |
413 | Lakshmi   |  2 | vizag   |  25 |   3000 |
414 | lavanya   |  3 | ban     |  25 |   4500 |

```



```

415 | srivalli | 4 | cheenai | 23 | 5000 |
416 | Gandhi | 5 | gnt | 22 | 10000 |
417 | dhana | 6 | vij | 24 | 1500 |
418 +-----+-----+-----+-----+
419 6 rows in set (0.00 sec)
420
421 mysql> select * from orderes;
422 ERROR 1146 (42S02): Table 'nit.orderes' doesn't exist
423 mysql> select * from orders
424 -> select * from orders;
425 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'select *
from orders' at line 2
426 mysql> select * from orders;
427 +-----+-----+-----+-----+
428 | OID | DATE | CUSTOMER_ID | AMOUNT |
429 +-----+-----+-----+-----+
430 | 100 | 2009-10-08 | 3 | 1500 |
431 | 101 | 2009-11-20 | 2 | 1560 |
432 | 102 | 2009-10-08 | 3 | 3000 |
433 | 103 | 2008-05-20 | 4 | 2060 |
434 +-----+-----+-----+-----+
435 4 rows in set (0.00 sec)
436
437 mysql> SELECT ID, NAME, AGE, ADDRESS, SALARY FROM CUSTOMER WHERE SALARY IS NOT NULL;
438 +-----+-----+-----+-----+
439 | ID | NAME | AGE | ADDRESS | SALARY |
440 +-----+-----+-----+-----+
441 | 1 | jyothi | 32 | hyd | 2000 |
442 | 2 | Lakshmi | 25 | vizag | 3000 |
443 | 3 | lavanya | 25 | ban | 4500 |
444 | 4 | srivalli | 23 | cheenai | 5000 |
445 | 5 | Gandhi | 22 | gnt | 10000 |
446 | 6 | dhana | 24 | vij | 1500 |
447 +-----+-----+-----+-----+
448 6 rows in set (0.01 sec)
449
450 mysql> select * from orders;
451 +-----+-----+-----+-----+
452 | OID | DATE | CUSTOMER_ID | AMOUNT |
453 +-----+-----+-----+-----+
454 | 100 | 2009-10-08 | 3 | 1500 |
455 | 101 | 2009-11-20 | 2 | 1560 |
456 | 102 | 2009-10-08 | 3 | 3000 |
457 | 103 | 2008-05-20 | 4 | 2060 |
458 +-----+-----+-----+-----+
459 4 rows in set (0.00 sec)
460
461 mysql> select * from customer;
462 +-----+-----+-----+-----+
463 | NAME | ID | ADDRESS | AGE | SALARY |
464 +-----+-----+-----+-----+
465 | jyothi | 1 | hyd | 32 | 2000 |
466 | Lakshmi | 2 | vizag | 25 | 3000 |

```

```

467 | lavanya | 3 | ban | 25 | 4500 |
468 | srivalli | 4 | cheenai | 23 | 5000 |
469 | Gandhi | 5 | gnt | 22 | 10000 |
470 | dhana | 6 | vij | 24 | 1500 |
471 +-----+-----+-----+-----+
472 6 rows in set (0.00 sec)
473
474 mysql> SELECT ID, NAME, AGE, ADDRESS, SALARY FROM CUSTOMER WHERE SALARY IS NULL;
475 Empty set (0.00 sec)
476
477 mysql> SELECT C.ID, C.NAME, C.AGE, O.AMOUNT
478 -> FROM CUSTOMER AS C, ORDERS AS O
479 -> WHERE C.ID = O.CUSTOMER_ID;
480 +-----+-----+-----+-----+
481 | ID | NAME | AGE | AMOUNT |
482 +-----+-----+-----+-----+
483 | 3 | lavanya | 25 | 1500 |
484 | 2 | Lakshmi | 25 | 1560 |
485 | 3 | lavanya | 25 | 3000 |
486 | 4 | srivalli | 23 | 2060 |
487 +-----+-----+-----+-----+
488 4 rows in set (0.01 sec)
489
490 mysql> select * from orders;
491 +-----+-----+-----+-----+
492 | OID | DATE | CUSTOMER_ID | AMOUNT |
493 +-----+-----+-----+-----+
494 | 100 | 2009-10-08 | 3 | 1500 |
495 | 101 | 2009-11-20 | 2 | 1560 |
496 | 102 | 2009-10-08 | 3 | 3000 |
497 | 103 | 2008-05-20 | 4 | 2060 |
498 +-----+-----+-----+-----+
499 4 rows in set (0.00 sec)
500
501 mysql> select * from customer;
502 +-----+-----+-----+-----+
503 | NAME | ID | ADDRESS | AGE | SALARY |
504 +-----+-----+-----+-----+
505 | jyothi | 1 | hyd | 32 | 2000 |
506 | Lakshmi | 2 | vizag | 25 | 3000 |
507 | lavanya | 3 | ban | 25 | 4500 |
508 | srivalli | 4 | cheenai | 23 | 5000 |
509 | Gandhi | 5 | gnt | 22 | 10000 |
510 | dhana | 6 | vij | 24 | 1500 |
511 +-----+-----+-----+-----+
512 6 rows in set (0.00 sec)
513
514 mysql> SELECT ID AS CUSTOMER_ID, NAME AS CUSTOMER_NAME FROM CUSTOMER WHERE SALARY IS
515 NOT NULL;
516 +-----+-----+
517 | CUSTOMER_ID | CUSTOMER_NAME |
518 +-----+-----+
518 | 1 | jyothi |
519 | 2 | Lakshmi |

```

```

520 |          3 | lavanya |
521 |          4 | srivalli |
522 |          5 | Gandhi |
523 |          6 | dhana |
524 +-----+
525 6 rows in set (0.00 sec)
526
527 mysql> ALTER TABLE CUSTOMER ADD SEX char(1);
528 Query OK, 0 rows affected (0.14 sec)
529 Records: 0 Duplicates: 0 Warnings: 0
530
531 mysql> select * from customer;
532 +-----+-----+-----+-----+-----+-----+
533 | NAME | ID | ADDRESS | AGE | SALARY | SEX |
534 +-----+-----+-----+-----+-----+-----+
535 | jyothi | 1 | hyd | 32 | 2000 | NULL |
536 | Lakshmi | 2 | vizag | 25 | 3000 | NULL |
537 | lavanya | 3 | ban | 25 | 4500 | NULL |
538 | srivalli | 4 | cheenai | 23 | 5000 | NULL |
539 | Gandhi | 5 | gnt | 22 | 10000 | NULL |
540 | dhana | 6 | vij | 24 | 1500 | NULL |
541 +-----+-----+-----+-----+-----+-----+
542 6 rows in set (0.00 sec)
543
544 mysql> ALTER TABLE CUSTOMER DROP SEX;
545 Query OK, 0 rows affected (0.03 sec)
546 Records: 0 Duplicates: 0 Warnings: 0
547
548 mysql> select * from customer;
549 +-----+-----+-----+-----+-----+
550 | NAME | ID | ADDRESS | AGE | SALARY |
551 +-----+-----+-----+-----+-----+
552 | jyothi | 1 | hyd | 32 | 2000 |
553 | Lakshmi | 2 | vizag | 25 | 3000 |
554 | lavanya | 3 | ban | 25 | 4500 |
555 | srivalli | 4 | cheenai | 23 | 5000 |
556 | Gandhi | 5 | gnt | 22 | 10000 |
557 | dhana | 6 | vij | 24 | 1500 |
558 +-----+-----+-----+-----+-----+
559 6 rows in set (0.00 sec)
560
561 mysql> TRUNCATE TABLE CUSTOMER;
562 Query OK, 0 rows affected (0.07 sec)
563
564 mysql> select * from customer;
565 Empty set (0.00 sec)
566
567 mysql> select * from customer;
568 Empty set (0.00 sec)
569
570 mysql> delect truncate table customer;
571 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'delect
truncate table customer' at line 1

```

```

572 mysql> delect truncate table customer;
573 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'delect
truncate table customer' at line 1
574 mysql> select * from customer;
575 Empty set (0.00 sec)
576
577 mysql>
578 mysql> select * from customer;
579 +-----+-----+-----+-----+-----+
580 | NAME      | ID | ADDRESS | AGE  | SALARY |
581 +-----+-----+-----+-----+-----+
582 | jyothi    | 1  | hyd     | 32   | 2000   |
583 | lakshmi   | 2  | vizag   | 25   | 3000   |
584 | lavanya   | 3  | ban     | 25   | 4500   |
585 | srivalli  | 4  | cheenai | 23   | 5000   |
586 | Gandhi    | 5  | gnt     | 22   | 10000  |
587 | dhana     | 6  | vij     | 24   | 1500   |
588 +-----+-----+-----+-----+-----+
589 6 rows in set (0.00 sec)
590
591 mysql> CREATE VIEW CUSTOMER_VIEW AS SELECT name, age FROM CUSTOMER;
592 Query OK, 0 rows affected (0.03 sec)
593
594 mysql> SELECT * FROM CUSTOMER_VIEW;
595 +-----+-----+
596 | name      | age |
597 +-----+-----+
598 | jyothi    | 32  |
599 | lakshmi   | 25  |
600 | lavanya   | 25  |
601 | srivalli  | 23  |
602 | Gandhi    | 22  |
603 | dhana     | 24  |
604 +-----+-----+
605 6 rows in set (0.00 sec)
606
607 mysql> UPDATE CUSTOMER_VIEW SET AGE =32 WHERE name='srivalli';
608 Query OK, 1 row affected (0.02 sec)
609 Rows matched: 1 Changed: 1 Warnings: 0
610
611 mysql> UPDATE CUSTOMER_VIEW SET AGE =32 WHERE name='jyothi';
612 Query OK, 0 rows affected (0.00 sec)
613 Rows matched: 1 Changed: 0 Warnings: 0
614
615 mysql> select * from customer_view;
616 +-----+-----+
617 | name      | age |
618 +-----+-----+
619 | jyothi    | 32  |
620 | lakshmi   | 25  |
621 | lavanya   | 25  |
622 | srivalli  | 32  |
623 | Gandhi    | 22  |

```

```

624 | dhana | 24 |
625 +-----+-----+
626 6 rows in set (0.00 sec)
627
628 mysql> DROP VIEW CUSTOMERS_VIEW;
629 ERROR 1051 (42S02): Unknown table 'nit.customers_view'
630 mysql> DROP VIEW CUSTOMER_VIEW;
631 Query OK, 0 rows affected (0.01 sec)
632
633 mysql> SELECT * FROM CUSTOMER GROUP BY age HAVING COUNT(age) >= 2;
634 ERROR 1055 (42000): Expression #1 of SELECT list is not in GROUP BY clause and
contains nonaggregated column 'nit.CUSTOMER.NAME' which is not functionally dependent
on columns in GROUP BY clause; this is incompatible with sql_mode=only_full_group_by
635 mysql> select * from customer;
636 +-----+-----+-----+-----+-----+
637 | NAME | ID | ADDRESS | AGE | SALARY |
638 +-----+-----+-----+-----+-----+
639 | jyothi | 1 | hyd | 32 | 2000 |
640 | lakshmi | 2 | vizag | 25 | 3000 |
641 | lavanya | 3 | ban | 25 | 4500 |
642 | srivalli | 4 | cheenai | 32 | 5000 |
643 | Gandhi | 5 | gnt | 22 | 10000 |
644 | dhana | 6 | vij | 24 | 1500 |
645 +-----+-----+-----+-----+-----+
646 6 rows in set (0.00 sec)
647
648 mysql> SELECT * FROM CUSTOMER GROUP BY age HAVING COUNT(age) >= 32;
649 ERROR 1055 (42000): Expression #1 of SELECT list is not in GROUP BY clause and
contains nonaggregated column 'nit.CUSTOMER.NAME' which is not functionally dependent
on columns in GROUP BY clause; this is incompatible with sql_mode=only_full_group_by
650 mysql> DELETE FROM CUSTOMER WHERE AGE = 25;
651 Query OK, 2 rows affected (0.02 sec)
652
653 mysql> COMMIT;
654 Query OK, 0 rows affected (0.00 sec)
655
656 mysql> ^C
657 mysql> ROLLBACK;
658 Query OK, 0 rows affected (0.00 sec)
659
660 mysql> select * from customer;
661 +-----+-----+-----+-----+-----+
662 | NAME | ID | ADDRESS | AGE | SALARY |
663 +-----+-----+-----+-----+-----+
664 | jyothi | 1 | hyd | 32 | 2000 |
665 | srivalli | 4 | cheenai | 32 | 5000 |
666 | Gandhi | 5 | gnt | 22 | 10000 |
667 | dhana | 6 | vij | 24 | 1500 |
668 +-----+-----+-----+-----+-----+
669 4 rows in set (0.00 sec)
670
671 mysql> DELETE FROM CUSTOMERS
672 -> WHERE AGE = 25;
673 Query OK, 0 rows affected (0.03 sec)

```

```

674
675 mysql> DELETE FROM CUSTOMER WHERE AGE = 25;
676 Query OK, 0 rows affected (0.00 sec)
677
678 mysql> ROLLBACK;
679 Query OK, 0 rows affected (0.00 sec)
680
681 mysql> select * from customer;
682 +-----+-----+-----+-----+-----+
683 | NAME      | ID | ADDRESS | AGE  | SALARY |
684 +-----+-----+-----+-----+-----+
685 | jyothi    | 1  | hyd     | 32   | 2000   |
686 | srivalli  | 4  | cheenai | 32   | 5000   |
687 | Gandhi    | 5  | gnt     | 22   | 10000  |
688 | dhana     | 6  | vij     | 24   | 1500   |
689 +-----+-----+-----+-----+-----+
690 4 rows in set (0.00 sec)
691
692 mysql> rollback;
693 Query OK, 0 rows affected (0.00 sec)
694
695 mysql> select * from customer;
696 +-----+-----+-----+-----+-----+
697 | NAME      | ID | ADDRESS | AGE  | SALARY |
698 +-----+-----+-----+-----+-----+
699 | jyothi    | 1  | hyd     | 32   | 2000   |
700 | srivalli  | 4  | cheenai | 32   | 5000   |
701 | Gandhi    | 5  | gnt     | 22   | 10000  |
702 | dhana     | 6  | vij     | 24   | 1500   |
703 +-----+-----+-----+-----+-----+
704 4 rows in set (0.00 sec)
705
706 mysql> select * from customer;
707 +-----+-----+-----+-----+-----+
708 | NAME      | ID | ADDRESS | AGE  | SALARY |
709 +-----+-----+-----+-----+-----+
710 | jyothi    | 1  | HYd     | 32   | 2000   |
711 | srivalli  | 4  | cheenai | 32   | 5000   |
712 | Gandhi    | 5  | gnt     | 22   | 10000  |
713 | dhana     | 6  | vij     | 24   | 1500   |
714 +-----+-----+-----+-----+-----+
715 4 rows in set (0.00 sec)
716
717 mysql> select * from customer;
718 +-----+-----+-----+-----+-----+
719 | NAME      | ID | ADDRESS | AGE  | SALARY |
720 +-----+-----+-----+-----+-----+
721 | jyothi    | 1  | hyd     | 32   | 2000   |
722 | lakshmi   | 2  | vizag   | 25   | 3000   |
723 | lavanya   | 3  | ban     | 25   | 4500   |
724 | srivalli  | 4  | cheenai | 23   | 5000   |
725 | Gandhi    | 5  | gnt     | 22   | 10000  |
726 | dhana     | 6  | vij     | 24   | 1500   |
727 +-----+-----+-----+-----+-----+

```

```

728 6 rows in set (0.00 sec)
729
730 mysql> SELECT * FROM CUSTOMER WHERE SALARY LIKE '2000%';
731 +-----+-----+-----+-----+-----+
732 | NAME   | ID | ADDRESS | AGE  | SALARY |
733 +-----+-----+-----+-----+-----+
734 | jyothi | 1  | hyd     | 32   | 2000   |
735 +-----+-----+-----+-----+-----+
736 1 row in set (0.01 sec)
737
738 mysql> SELECT DATE_ADD('1998-01-02', INTERVAL 31 DAY);
739 +-----+
740 | DATE_ADD('1998-01-02', INTERVAL 31 DAY) |
741 +-----+
742 | 1998-02-02                               |
743 +-----+
744 1 row in set (0.00 sec)
745
746 mysql> SELECT ADDDATE('1998-01-02', INTERVAL 31 DAY);
747 +-----+
748 | ADDDATE('1998-01-02', INTERVAL 31 DAY) |
749 +-----+
750 | 1998-02-02                               |
751 +-----+
752 1 row in set (0.00 sec)
753
754 mysql> SELECT ADDDATE('1998-01-02', 31);
755 +-----+
756 | ADDDATE('1998-01-02', 31) |
757 +-----+
758 | 1998-02-02                 |
759 +-----+
760 1 row in set (0.00 sec)
761
762 mysql> SELECT ADDTIME('1997-12-31 23:59:59.999999', '1 1:1:1.000002');
763 +-----+
764 | ADDTIME('1997-12-31 23:59:59.999999', '1 1:1:1.000002') |
765 +-----+
766 | 1998-01-02 01:01:01.000001                               |
767 +-----+
768 1 row in set (0.02 sec)
769
770 mysql> SELECT CONVERT_TZ('2004-01-01 12:00:00', 'GMT', 'MET');
771 +-----+
772 | CONVERT_TZ('2004-01-01 12:00:00', 'GMT', 'MET') |
773 +-----+
774 | NULL                                             |
775 +-----+
776 1 row in set (0.01 sec)
777
778 mysql> SELECT CONVERT_TZ('2004-01-01 12:00:00', '+00:00', '+10:00');
779 +-----+
780 | CONVERT_TZ('2004-01-01 12:00:00', '+00:00', '+10:00') |
781 +-----+

```

```

782 | 2004-01-01 22:00:00 |
783 +-----+
784 1 row in set (0.00 sec)
785
786 mysql> SELECT CURDATE();
787 +-----+
788 | CURDATE() |
789 +-----+
790 | 2026-06-11 |
791 +-----+
792 1 row in set (0.00 sec)
793
794 mysql> ^C
795 mysql> SELECT CURDATE() + 0;
796 +-----+
797 | CURDATE() + 0 |
798 +-----+
799 | 20260611 |
800 +-----+
801 1 row in set (0.01 sec)
802
803 mysql> SELECT CURTIME();
804 +-----+
805 | CURTIME() |
806 +-----+
807 | 19:07:33 |
808 +-----+
809 1 row in set (0.00 sec)
810
811 mysql> SELECT CURTIME() + 0;
812 +-----+
813 | CURTIME() + 0 |
814 +-----+
815 | 190742 |
816 +-----+
817 1 row in set (0.00 sec)
818
819 mysql> SELECT DATE('2003-12-31 01:02:03');
820 +-----+
821 | DATE('2003-12-31 01:02:03') |
822 +-----+
823 | 2003-12-31 |
824 +-----+
825 1 row in set (0.00 sec)
826
827 mysql> SELECT DATEDIFF('1997-12-31 23:59:59', '1997-12-30');
828 +-----+
829 | DATEDIFF('1997-12-31 23:59:59', '1997-12-30') |
830 +-----+
831 | 1 |
832 +-----+
833 1 row in set (0.00 sec)
834
835 mysql> SELECT DATE_ADD('1997-12-31 23:59:59', INTERVAL '1:1' MINUTE_SECOND);

```



```

836 +-----+
837 | DATE_ADD('1997-12-31 23:59:59', INTERVAL '1:1' MINUTE_SECOND) |
838 +-----+
839 | 1998-01-01 00:01:00 |
840 +-----+
841 1 row in set (0.00 sec)
842
843 mysql> SELECT DATE_ADD('1999-01-01', INTERVAL 1 HOUR);
844 +-----+
845 | DATE_ADD('1999-01-01', INTERVAL 1 HOUR) |
846 +-----+
847 | 1999-01-01 01:00:00 |
848 +-----+
849 1 row in set (0.00 sec)
850
851 mysql> SELECT DATE_FORMAT('1997-10-04 22:23:00', '%W %M %Y');
852 +-----+
853 | DATE_FORMAT('1997-10-04 22:23:00', '%W %M %Y') |
854 +-----+
855 | Saturday October 1997 |
856 +-----+
857 1 row in set (0.00 sec)
858
859 mysql> SELECT DATE_FORMAT('1997-10-04 22:23:00'
860     -> '%H %k %I %r %T %S %w');
861 ERROR 1582 (42000): Incorrect parameter count in the call to native function
'DATE_FORMAT'
862 mysql> ELECT DATE_FORMAT('1997-10-04 22:23:00' '%H %k %I %r %T %S %w');
863 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'ELECT
DATE_FORMAT('1997-10-04 22:23:00' '%H %k %I %r %T %S %w')' at line 1
864 mysql> ELECT DATE_FORMAT('1997-10-04 22:23:00' , '%H %k %I %r %T %S %w');
865 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'ELECT
DATE_FORMAT('1997-10-04 22:23:00' , '%H %k %I %r %T %S %w')' at line 1
866 mysql> SELECT DATE_FORMAT('1997-10-04 22:23:00' '%H %k %I %r %T %S %w');
867 ERROR 1582 (42000): Incorrect parameter count in the call to native function
'DATE_FORMAT'
868 mysql> SELECT 'DATE_FORMAT'('1997-10-04 22:23:00' '%H %k %I %r %T %S %w');
869 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '('1997-10-
04 22:23:00' '%H %k %I %r %T %S %w')' at line 1
870 mysql> SELECT DATE_FORMAT('1997-10-04 22:23:00'
871     -> '%H %k %I %r %T %S %w');
872 ERROR 1582 (42000): Incorrect parameter count in the call to native function
'DATE_FORMAT'
873 mysql> SELECT DAYNAME('1998-02-05');
874 +-----+
875 | DAYNAME('1998-02-05') |
876 +-----+
877 | Thursday |
878 +-----+
879 1 row in set (0.01 sec)
880

```

```

881 mysql> SELECT DAYOFMONTH('1998-02-03');
882 +-----+
883 | DAYOFMONTH('1998-02-03') |
884 +-----+
885 |                          3 |
886 +-----+
887 1 row in set (0.00 sec)
888
889 mysql> ^C
890 mysql> SELECT DAYOFWEEK('1998-02-03');
891 +-----+
892 | DAYOFWEEK('1998-02-03') |
893 +-----+
894 |                          3 |
895 +-----+
896 1 row in set (0.00 sec)
897
898 mysql> SELECT DAYOFYEAR('1998-02-03');
899 +-----+
900 | DAYOFYEAR('1998-02-03') |
901 +-----+
902 |                          34 |
903 +-----+
904 1 row in set (0.01 sec)
905
906 mysql> SELECT EXTRACT(YEAR FROM '1999-07-02');
907 +-----+
908 | EXTRACT(YEAR FROM '1999-07-02') |
909 +-----+
910 |                          1999 |
911 +-----+
912 1 row in set (0.00 sec)
913
914 mysql> SELECT EXTRACT(YEAR_MONTH FROM '1999-07-02 01:02:03');
915 +-----+
916 | EXTRACT(YEAR_MONTH FROM '1999-07-02 01:02:03') |
917 +-----+
918 |                          199907 |
919 +-----+
920 1 row in set (0.00 sec)
921
922 mysql> SELECT FROM_DAYS(729669);
923 +-----+
924 | FROM_DAYS(729669) |
925 +-----+
926 | 1997-10-07 |
927 +-----+
928 1 row in set (0.01 sec)
929
930 mysql> SELECT FROM_UNIXTIME(875996580);
931 +-----+
932 | FROM_UNIXTIME(875996580) |
933 +-----+
934 | 1997-10-05 01:53:00 |

```

```

935 +-----+
936 1 row in set (0.00 sec)
937
938 mysql> SELECT HOUR('10:05:03');
939 +-----+
940 | HOUR('10:05:03') |
941 +-----+
942 |                10 |
943 +-----+
944 1 row in set (0.00 sec)
945
946 mysql> SELECT LAST_DAY('2003-02-05');
947 +-----+
948 | LAST_DAY('2003-02-05') |
949 +-----+
950 | 2003-02-28             |
951 +-----+
952 1 row in set (0.01 sec)
953
954 mysql> SELECT MAKEDATE(2001,31), MAKEDATE(2001,32);
955 +-----+-----+
956 | MAKEDATE(2001,31) | MAKEDATE(2001,32) |
957 +-----+-----+
958 | 2001-01-31        | 2001-02-01        |
959 +-----+-----+
960 1 row in set (0.00 sec)
961
962 mysql> SELECT MAKETIME(12,15,30);
963 +-----+
964 | MAKETIME(12,15,30) |
965 +-----+
966 | 12:15:30           |
967 +-----+
968 1 row in set (0.01 sec)
969
970 mysql> SELECT MICROSECOND('12:00:00.123456');
971 +-----+
972 | MICROSECOND('12:00:00.123456') |
973 +-----+
974 |                123456 |
975 +-----+
976 1 row in set (0.00 sec)
977
978 mysql> SELECT MINUTE('98-02-03 10:05:03');
979 +-----+
980 | MINUTE('98-02-03 10:05:03') |
981 +-----+
982 |                5 |
983 +-----+
984 1 row in set (0.00 sec)
985
986 mysql> SELECT MONTH('1998-02-03')
987      -> SELECT MONTH('1998-02-03');

```

```

988 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'SELECT
MONTH('1998-02-03')' at line 2
989 mysql> SELECT MONTH('1998-02-03');
990 +-----+
991 | MONTH('1998-02-03') |
992 +-----+
993 |                2 |
994 +-----+
995 1 row in set (0.00 sec)
996
997 mysql> SELECT MONTHNAME('1998-02-05');
998 +-----+
999 | MONTHNAME('1998-02-05') |
1000 +-----+
1001 | February                |
1002 +-----+
1003 1 row in set (0.00 sec)
1004
1005 mysql> SELECT NOW();
1006 +-----+
1007 | NOW()                  |
1008 +-----+
1009 | 2026-06-11 19:18:08 |
1010 +-----+
1011 1 row in set (0.00 sec)
1012
1013 mysql> SELECT PERIOD_ADD(9801,2);
1014 +-----+
1015 | PERIOD_ADD(9801,2) |
1016 +-----+
1017 |          199803 |
1018 +-----+
1019 1 row in set (0.01 sec)
1020
1021 mysql> ^C
1022 mysql> SELECT PERIOD_DIFF(9802,199703);
1023 +-----+
1024 | PERIOD_DIFF(9802,199703) |
1025 +-----+
1026 |                11 |
1027 +-----+
1028 1 row in set (0.00 sec)
1029
1030 mysql> SELECT QUARTER('98-04-01');
1031 +-----+
1032 | QUARTER('98-04-01') |
1033 +-----+
1034 |                2 |
1035 +-----+
1036 1 row in set (0.00 sec)
1037
1038 mysql> SELECT SECOND('10:05:03');
1039 +-----+

```

```

1040 | SECOND('10:05:03') |
1041 +-----+
1042 | 3 |
1043 +-----+
1044 1 row in set (0.00 sec)
1045
1046 mysql> SELECT SEC_TO_TIME(2378);
1047 +-----+
1048 | SEC_TO_TIME(2378) |
1049 +-----+
1050 | 00:39:38 |
1051 +-----+
1052 1 row in set (0.01 sec)
1053
1054 mysql> SELECT STR_TO_DATE('04/31/2004', '%m/%d/%Y');
1055 +-----+
1056 | STR_TO_DATE('04/31/2004', '%m/%d/%Y') |
1057 +-----+
1058 | NULL |
1059 +-----+
1060 1 row in set, 1 warning (0.01 sec)
1061
1062 mysql> SELECT DATE_SUB('1998-01-02', INTERVAL 31 DAY);
1063 +-----+
1064 | DATE_SUB('1998-01-02', INTERVAL 31 DAY) |
1065 +-----+
1066 | 1997-12-02 |
1067 +-----+
1068 1 row in set (0.00 sec)
1069
1070 mysql> SELECT SUBDATE('1998-01-02', INTERVAL 31 DAY);
1071 +-----+
1072 | SUBDATE('1998-01-02', INTERVAL 31 DAY) |
1073 +-----+
1074 | 1997-12-02 |
1075 +-----+
1076 1 row in set (0.00 sec)
1077 mysql> SELECT SYSDATE();
1078 +-----+
1079 | SYSDATE() |
1080 +-----+
1081 | 2026-06-11 19:25:32 |
1082 +-----+
1083 1 row in set (0.01 sec)
1084
1085 mysql> SELECT SUBTIME('1997-12-31 23:59:59.999999', '1 1:1:1.000002');
1086 +-----+
1087 | SUBTIME('1997-12-31 23:59:59.999999', '1 1:1:1.000002') |
1088 +-----+
1089 | 1997-12-30 22:58:58.999997 |
1090 +-----+
1091 1 row in set (0.00 sec)
1092
1093 mysql> SELECT TIME('2003-12-31 01:02:03');

```

```

1094 +-----+
1095 | TIME('2003-12-31 01:02:03') |
1096 +-----+
1097 | 01:02:03 |
1098 +-----+
1099 1 row in set (0.00 sec)
1100
1101 mysql> SELECT TIMEDIFF('1997-12-31 23:59:59.000001', '1997-12-30 01:01:01.000002');
1102 +-----+
1103 | TIMEDIFF('1997-12-31 23:59:59.000001', '1997-12-30 01:01:01.000002') |
1104 +-----+
1105 | 46:58:57.999999 |
1106 +-----+
1107 1 row in set (0.01 sec)
1108
1109 mysql> SELECT TIMESTAMP('2003-12-31');
1110 +-----+
1111 | TIMESTAMP('2003-12-31') |
1112 +-----+
1113 | 2003-12-31 00:00:00 |
1114 +-----+
1115 1 row in set (0.00 sec)
1116
1117 mysql> SELECT TIMESTAMPADD(MINUTE,1,'2003-01-02');
1118 +-----+
1119 | TIMESTAMPADD(MINUTE,1,'2003-01-02') |
1120 +-----+
1121 | 2003-01-02 00:01:00 |
1122 +-----+
1123 1 row in set (0.00 sec)
1124
1125 mysql> SELECT TIMESTAMPDIFF(MONTH,'2003-02-01','2003-05-01');
1126 +-----+
1127 | TIMESTAMPDIFF(MONTH,'2003-02-01','2003-05-01') |
1128 +-----+
1129 | 3 |
1130 +-----+
1131 1 row in set (0.01 sec)
1132
1133 mysql> SELECT TIME_FORMAT('100:00:00', '%H %k %h %I %l');
1134 +-----+
1135 | TIME_FORMAT('100:00:00', '%H %k %h %I %l') |
1136 +-----+
1137 | 100 100 04 04 4 |
1138 +-----+
1139 1 row in set (0.01 sec)
1140
1141 mysql> SELECT TIME_TO_SEC('22:23:00');
1142 +-----+
1143 | TIME_TO_SEC('22:23:00') |
1144 +-----+
1145 | 80580 |
1146 +-----+
1147 1 row in set (0.01 sec)

```

```

1148
1149 mysql> SELECT TO_DAYS(950501);
1150 +-----+
1151 | TO_DAYS(950501) |
1152 +-----+
1153 |          728779 |
1154 +-----+
1155 1 row in set (0.00 sec)
1156
1157 mysql> SELECT UNIX_TIMESTAMP();
1158 +-----+
1159 | UNIX_TIMESTAMP() |
1160 +-----+
1161 |      1781186558 |
1162 +-----+
1163 1 row in set (0.01 sec)
1164
1165 mysql> SELECT UNIX_TIMESTAMP('1997-10-04 22:23:00');
1166 +-----+
1167 | UNIX_TIMESTAMP('1997-10-04 22:23:00') |
1168 +-----+
1169 |                                875983980 |
1170 +-----+
1171 1 row in set (0.00 sec)
1172
1173 mysql> SELECT UTC_DATE(), UTC_DATE() + 0;
1174 +-----+-----+
1175 | UTC_DATE() | UTC_DATE() + 0 |
1176 +-----+-----+
1177 | 2026-06-11 |      20260611 |
1178 +-----+-----+
1179 1 row in set (0.00 sec)
1180
1181 mysql> SELECT UTC_TIME(), UTC_TIME() + 0;
1182 +-----+-----+
1183 | UTC_TIME() | UTC_TIME() + 0 |
1184 +-----+-----+
1185 | 14:03:16   |      140316   |
1186 +-----+-----+
1187 1 row in set (0.00 sec)
1188
1189 mysql> SELECT UTC_TIMESTAMP(), UTC_TIMESTAMP() + 0;
1190 +-----+-----+
1191 | UTC_TIMESTAMP() | UTC_TIMESTAMP() + 0 |
1192 +-----+-----+
1193 | 2026-06-11 14:03:30 | 20260611140330 |
1194 +-----+-----+
1195 1 row in set (0.00 sec)
1196
1197 mysql> SELECT WEEK('1998-02-20');
1198 +-----+
1199 | WEEK('1998-02-20') |
1200 +-----+
1201 |          7 |

```

```

1202 +-----+
1203 1 row in set (0.00 sec)
1204
1205 mysql> SELECT WEEKDAY('1998-02-03 22:23:00');
1206 +-----+
1207 | WEEKDAY('1998-02-03 22:23:00') |
1208 +-----+
1209 |                               1 |
1210 +-----+
1211 1 row in set (0.00 sec)
1212
1213 mysql> SELECT WEEKOFYEAR('1998-02-20');
1214 +-----+
1215 | WEEKOFYEAR('1998-02-20') |
1216 +-----+
1217 |                           8 |
1218 +-----+
1219 1 row in set (0.01 sec)
1220
1221 mysql> SELECT YEAR('98-02-03');
1222 +-----+
1223 | YEAR('98-02-03') |
1224 +-----+
1225 |                1998 |
1226 +-----+
1227 1 row in set (0.00 sec)
1228
1229 mysql> SELECT YEARWEEK('1987-01-01');
1230 +-----+
1231 | YEARWEEK('1987-01-01') |
1232 +-----+
1233 |                   198652 |
1234 +-----+
1235 1 row in set (0.00 sec)
1236
1237 mysql> ^C
1238 mysql> CREATE TEMPORARY TABLE SALESSUMMARY (
1239     -> product_name VARCHAR(50) NOT NULL
1240     -> ,total_sales DECIMAL(12,2) NOT NULL DEFAULT 0.00
1241     -> ,avg_unit_price DECIMAL(7,2) NOT NULL DEFAULT 0.00
1242     -> , total_units_sold INT UNSIGNED NOT NULL DEFAULT 0
1243     -> , total_units_sold INT UNSIGNED NOT NULL DEFAULT 0);
1244 ERROR 1046 (3D000): No database selected
1245 mysql> use nit database;
1246 Database changed
1247 mysql> CREATE TEMPORARY TABLE SALESSUMMARY (
1248     -> product_name VARCHAR(50) NOT NULL
1249     -> ,total_sales DECIMAL(12,2) NOT NULL DEFAULT 0.00
1250     -> ,avg_unit_price DECIMAL(7,2) NOT NULL DEFAULT 0.00
1251     -> , total_units_sold INT UNSIGNED NOT NULL DEFAULT 0
1252     -> , total_units_sold INT UNSIGNED NOT NULL DEFAULT 0);
1253 ERROR 1060 (42S21): Duplicate column name 'total_units_sold'
1254 mysql> INSERT INTO SALESSUMMARY
1255     -> (product_name, total_sales, avg_unit_price, total_units_sold)

```



```

1256     -> VALUES ('cucumber', 100.25, 90);
1257 ERROR 1146 (42S02): Table 'nit.salesummary' doesn't exist
1258 mysql> select * from salesummary;
1259 +-----+-----+-----+-----+
1260 | product name | total sales | avg unit price | total units sold |
1261 +-----+-----+-----+-----+
1262 | cucumber    |          100 |           90    |                2 |
1263 +-----+-----+-----+-----+
1264 1 row in set (0.00 sec)
1265
1266 mysql> drop table salesummary;
1267 Query OK, 0 rows affected (0.06 sec)
1268
1269 mysql> select * from customer
1270     -> select * from customer;
1271 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'select *
from customer' at line 2
1272 mysql> select * from customer;
1273 +-----+-----+-----+-----+
1274 | NAME      | ID | ADDRESS | AGE | SALARY |
1275 +-----+-----+-----+-----+
1276 | jyothi   | 1 | hyd     | 32 | 2000   |
1277 | lakshmi  | 2 | vizag   | 25 | 3000   |
1278 | lavanya  | 3 | ban     | 25 | 4500   |
1279 | srivalli | 4 | cheenai | 23 | 5000   |
1280 | Gandhi   | 5 | gnt     | 22 | 10000  |
1281 | dhana    | 6 | vij     | 24 | 1500   |
1282 +-----+-----+-----+-----+
1283 6 rows in set (0.00 sec)
1284
1285 mysql> SELECT * FROM CUSTOMER WHERE ID IN (SELECT ID FROM CUSTOMER WHERE SALARY >
4500) ;
1286 +-----+-----+-----+-----+
1287 | NAME      | ID | ADDRESS | AGE | SALARY |
1288 +-----+-----+-----+-----+
1289 | srivalli | 4 | cheenai | 23 | 5000   |
1290 | Gandhi   | 5 | gnt     | 22 | 10000  |
1291 +-----+-----+-----+-----+
1292 2 rows in set (0.00 sec)
1293
1294 mysql> UPDATE CUSTOMER
1295     -> SET SALARY = SALARY * 0.25
1296     -> WHERE AGE IN (SELECT AGE FROM CUSTOMER_BKP
1297     -> WHERE AGE >= 27 );
1298 ERROR 1146 (42S02): Table 'nit.customer_bkp' doesn't exist
1299 mysql> SELECT SALARY FROM CUSTOMER ORDER BY SALARY;
1300 +-----+
1301 | SALARY |
1302 +-----+
1303 | 1500   |
1304 | 2000   |
1305 | 3000   |
1306 | 4500   |

```

```

1307 | 5000 |
1308 | 10000 |
1309 +-----+
1310 6 rows in set (0.00 sec)
1311
1312 mysql> SELECT DISTINCT SALARY FROM CUSTOMER ORDER BY SALARY;
1313 +-----+
1314 | SALARY |
1315 +-----+
1316 | 1500 |
1317 | 2000 |
1318 | 3000 |
1319 | 4500 |
1320 | 5000 |
1321 | 10000 |
1322 +-----+
1323 6 rows in set (0.00 sec)
1324
1325 mysql> SELECT COUNT(*) FROM employee_tbl ;
1326 ERROR 1146 (42S02): Table 'nit.employee_tbl' doesn't exist
1327 mysql> SELECT COUNT(*) FROM customer;
1328 +-----+
1329 | COUNT(*) |
1330 +-----+
1331 | 6 |
1332 +-----+
1333 1 row in set (0.02 sec)
1334
1335 mysql> SELECT COUNT(*) FROM customer WHERE name="lavanya";
1336 +-----+
1337 | COUNT(*) |
1338 +-----+
1339 | 1 |
1340 +-----+
1341 1 row in set (0.01 sec)
1342
1343 mysql> SELECT * customr SQL syntax; check the manual that corresponds to your MySQL
server version for the right syntax to use near 'customer' at line 1
1344 mysql> SELECT * from customer;
1345 +-----+-----+-----+-----+-----+
1346 | NAME | ID | ADDRESS | AGE | SALARY |
1347 +-----+-----+-----+-----+-----+
1348 | jyothi | 1 | hyd | 32 | 2000 |
1349 | lakshmi | 2 | vizag | 25 | 3000 |
1350 | lavanya | 3 | ban | 25 | 4500 |
1351 | srivalli | 4 | cheenai | 23 | 5000 |
1352 | Gandhi | 5 | gnt | 22 | 10000 |
1353 | dhana | 6 | vij | 24 | 1500 |
1354 +-----+-----+-----+-----+-----+
1355 6 rows in set (0.00 sec)
1356
1357 mysql> SELECT MAX(daily_typing_pages) FROM customer;
1358 ERROR 1054 (42S22): Unknown column 'daily_typing_pages' in 'field list'
1359 mysql> SELECT MAX FROM customer;

```

```
1360 ERROR 1054 (42S22): Unknown column 'MAX' in 'field list'
1361 mysql> SELECT * MAX FROM customer;
1362 ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'MAX FROM
customer' at line 1
1363 mysql> SELECT MAX(salary) FROM customer;
1364 +-----+
1365 | MAX(salary) |
1366 +-----+
1367 |          10000 |
1368 +-----+
1369
```