

SQL Code

```
1  mysql> SELECT MIN(salary) least, MAX(salary) max FROM customer;
2  +-----+-----+
3  | least | max   |
4  +-----+-----+
5  |  1500 | 10000 |
6  +-----+-----+
7  1 row in set (0.00 sec)
8
9  mysql> SELECT MIN(salary) FROM customer;
10 +-----+
11 | MIN(salary) |
12 +-----+
13 |         1500 |
14 +-----+
15 1 row in set (0.00 sec)
16 mysql> SELECT MIN(salary) least, MAX(salary) max FROM customer;
17 +-----+-----+
18 | least | max   |
19 +-----+-----+
20 |  1500 | 10000 |
21 +-----+-----+
22 1 row in set (0.00 sec)
23
24 mysql> SELECT AVG(salary) FROM customer;
25 +-----+
26 | AVG(salary) |
27 +-----+
28 |    4333.3333 |
29 +-----+
30 1 row in set (0.00 sec)
31
32 mysql> SELECT SUM(salary) FROM customer;
33 +-----+
34 | SUM(salary) |
35 +-----+
36 |         26000 |
37 +-----+
38 1 row in set (0.00 sec)
39
40 mysql> select SQRT(16);
41 +-----+
42 | SQRT(16) |
43 +-----+
44 |         4 |
45 +-----+
46 1 row in set (0.01 sec)
47
48 mysql> SELECT RAND( ), RAND( ), RAND( );
49 +-----+-----+-----+-----+
50 | RAND( )          | RAND( )          | RAND( )          |
```

```

51 +-----+-----+-----+
52 | 0.33882091412210924 | 0.5935621499955301 | 0.9513480383449682 |
53 +-----+-----+-----+
54 1 row in set (0.02 sec)
55
56 mysql> SELECT RAND(1), RAND( ), RAND( );
57 +-----+-----+-----+
58 | RAND(1)          | RAND( )          | RAND( )          |
59 +-----+-----+-----+
60 | 0.40540353712197724 | 0.9760537724718952 | 0.0262247780582167 |
61 +-----+-----+-----+
62 1 row in set (0.00 sec)
63
64 mysql> SELECT * FROM SALARY ORDER BY RAND();
65 ERROR 1146 (42S02): Table 'nit.salary' doesn't exist
66 mysql> SELECT * FROM CUSTOMER ORDER BY RAND();
67 +-----+-----+-----+
68 | NAME      | ID | ADDRESS | AGE | SALARY |
69 +-----+-----+-----+
70 | dhana     | 6 | vij     | 24 | 1500   |
71 | lavanya  | 3 | ban     | 25 | 4500   |
72 | jyothi   | 1 | hyd     | 32 | 2000   |
73 | Gandhi    | 5 | gnt     | 22 | 10000  |
74 | srivalli  | 4 | cheenai | 23 | 5000   |
75 | lakshmi   | 2 | vizag   | 25 | 3000   |
76 +-----+-----+-----+
77 6 rows in set (0.00 sec)
78
79 mysql> SELECT * FROM customer ORDER BY RAND();
80 +-----+-----+-----+
81 | NAME      | ID | ADDRESS | AGE | SALARY |
82 +-----+-----+-----+
83 | Gandhi    | 5 | gnt     | 22 | 10000  |
84 | jyothi   | 1 | hyd     | 32 | 2000   |
85 | srivalli  | 4 | cheenai | 23 | 5000   |
86 | lakshmi   | 2 | vizag   | 25 | 3000   |
87 | dhana     | 6 | vij     | 24 | 1500   |
88 | lavanya  | 3 | ban     | 25 | 4500   |
89 +-----+-----+-----+
90 6 rows in set (0.00 sec)
91
92 mysql> SELECT CONCAT('FIRST ', 'SECOND');
93 +-----+
94 | CONCAT('FIRST ', 'SECOND') |
95 +-----+
96 | FIRST SECOND                |
97 +-----+
98 1 row in set (0.01 sec)
99
100 mysql> SELECT CONCAT(id, name, salary) FROM customer ;
101 +-----+
102 | CONCAT(id, name, salary) |
103 +-----+
104 | 1jyothi2000              |

```

```

105 | 2lakshmi3000 |
106 | 3lavanya4500 |
107 | 4srivalli5000 |
108 | 5Gandhi10000 |
109 | 6dhana1500 |
110 +-----+
111 6 rows in set (0.00 sec)
112
113 mysql> SELECT ABS(2);
114 +-----+
115 | ABS(2) |
116 +-----+
117 | 2 |
118 +-----+
119 1 row in set (0.01 sec)
120
121 mysql> SELECT ABS(-2);
122 +-----+
123 | ABS(-2) |
124 +-----+
125 | 2 |
126 +-----+
127 1 row in set (0.00 sec)
128
129 mysql> SELECT ACOS(1);
130 +-----+
131 | ACOS(1) |
132 +-----+
133 | 0 |
134 +-----+
135 1 row in set (0.01 sec)
136
137 mysql> SELECT ACOS(1);
138 +-----+
139 | ACOS(1) |
140 +-----+
141 | 0 |
142 +-----+
143 1 row in set (0.00 sec)
144
145 mysql> SELECT ATAN(1);
146 +-----+
147 | ATAN(1) |
148 +-----+
149 | 0.7853981633974483 |
150 +-----+
151 1 row in set (0.02 sec)
152
153 mysql> SELECT ATAN2(3,6);
154 +-----+
155 | ATAN2(3,6) |
156 +-----+
157 | 0.4636476090008061 |
158 +-----+

```

```

159 1 row in set (0.00 sec)
160
161
162 mysql> SELECT CEILING(3.46);
163 +-----+
164 | CEILING(3.46) |
165 +-----+
166 |          4 |
167 +-----+
168 1 row in set (0.00 sec)
169
170 mysql> SELECT CEIL(-6.43);
171 +-----+
172 | CEIL(-6.43) |
173 +-----+
174 |          -6 |
175 +-----+
176 1 row in set (0.00 sec)
177
178 mysql> SELECT CONV(5,16,2);
179 +-----+
180 | CONV(5,16,2) |
181 +-----+
182 | 101 |
183 +-----+
184 1 row in set (0.00 sec)
185
186 mysql> SELECT COS(90);
187 +-----+
188 | COS(90) |
189 +-----+
190 | -0.4480736161291701 |
191 +-----+
192 1 row in set (0.00 sec)
193
194 mysql> SELECT COT(1);
195 +-----+
196 | COT(1) |
197 +-----+
198 | 0.6420926159343306 |
199 +-----+
200 1 row in set (0.00 sec)
201
202 mysql> SELECT DEGREES(PI());
203 +-----+
204 | DEGREES(PI()) |
205 +-----+
206 |          180 |
207 +-----+
208 1 row in set (0.01 sec)
209
210 mysql> SELECT EXP(3);
211 +-----+
212 | EXP(3) |

```

```

213 +-----+
214 | 20.085536923187668 |
215 +-----+
216 1 row in set (0.01 sec)
217
218 mysql> SELECT FLOOR(7.55);
219 +-----+
220 | FLOOR(7.55) |
221 +-----+
222 |          7 |
223 +-----+
224 1 row in set (0.00 sec)
225
226 mysql> SELECT FORMAT(423423234.65434453,2);
227 +-----+
228 | FORMAT(423423234.65434453,2) |
229 +-----+
230 | 423,423,234.65 |
231 +-----+
232 1 row in set (0.01 sec)
233
234 mysql> SELECT GREATEST(3,5,1,8,33,99,34,55,67,43);
235 +-----+
236 | GREATEST(3,5,1,8,33,99,34,55,67,43) |
237 +-----+
238 |                               99 |
239 +-----+
240 1 row in set (0.00 sec)
241
242 mysql> SELECT INTERVAL(6,1,2,3,4,5,6,7,8,9,10);
243 +-----+
244 | INTERVAL(6,1,2,3,4,5,6,7,8,9,10) |
245 +-----+
246 |                               6 |
247 +-----+
248 1 row in set (0.02 sec)
249
250 mysql> SELECT INTERVAL(6,1,2,3,4,5,6,7,8,9,10);
251 +-----+
252 | INTERVAL(6,1,2,3,4,5,6,7,8,9,10) |
253 +-----+
254 |                               6 |
255 +-----+
256 1 row in set (0.00 sec)
257
258 mysql> SELECT LEAST(3,5,1,8,33,99,34,55,67,43);
259 +-----+
260 | LEAST(3,5,1,8,33,99,34,55,67,43) |
261 +-----+
262 |                               1 |
263 +-----+
264 1 row in set (0.01 sec)
265
266 mysql> SELECT LOG(45);

```

```

267 +-----+
268 | LOG(45) |
269 +-----+
270 | 3.8066624897703196 |
271 +-----+
272 1 row in set (0.00 sec)
273
274 mysql> SELECT LOG(2,65536);
275 +-----+
276 | LOG(2,65536) |
277 +-----+
278 | 16 |
279 +-----+
280 1 row in set (0.00 sec)
281
282 mysql> SELECT LOG10(100);
283 +-----+
284 | LOG10(100) |
285 +-----+
286 | 2 |
287 +-----+
288 1 row in set (0.00 sec)
289
290 mysql> SELECT MOD(29,3);
291 +-----+
292 | MOD(29,3) |
293 +-----+
294 | 2 |
295 +-----+
296 1 row in set (0.00 sec)
297
298 mysql> SELECT OCT(12);
299 +-----+
300 | OCT(12) |
301 +-----+
302 | 14 |
303 +-----+
304 1 row in set (0.00 sec)
305
306 mysql> SELECT PI();
307 +-----+
308 | PI() |
309 +-----+
310 | 3.141593 |
311 +-----+
312 1 row in set (0.00 sec)
313
314 mysql> SELECT RADIANS(90);
315 +-----+
316 | RADIANS(90) |
317 +-----+
318 | 1.5707963267948966 |
319 +-----+
320 1 row in set (0.00 sec)

```

```

321
322 mysql> SELECT ROUND(5.693893);
323 +-----+
324 | ROUND(5.693893) |
325 +-----+
326 |          6 |
327 +-----+
328 1 row in set (0.01 sec)
329
330 mysql> SELECT ROUND(5.693893,2);
331 +-----+
332 | ROUND(5.693893,2) |
333 +-----+
334 |          5.69 |
335 +-----+
336 1 row in set (0.00 sec)
337
338 mysql> SELECT SIGN(-4.65);
339 +-----+
340 | SIGN(-4.65) |
341 +-----+
342 |          -1 |
343 +-----+
344 1 row in set (0.00 sec)
345
346 mysql> SELECT SIGN(0);
347 +-----+
348 | SIGN(0) |
349 +-----+
350 |          0 |
351 +-----+
352 1 row in set (0.00 sec)
353
354 mysql> SELECT SIGN(4.65);
355 +-----+
356 | SIGN(4.65) |
357 +-----+
358 |          1 |
359 +-----+
360 1 row in set (0.00 sec)
361
362 mysql> SELECT SIN(90);
363 +-----+
364 | SIN(90) |
365 +-----+
366 | 0.8939966636005579 |
367 +-----+
368 1 row in set (0.00 sec)
369
370 mysql> SELECT SQRT(49);
371 +-----+
372 | SQRT(49) |
373 +-----+
374 |          7 |

```

```

375 +-----+
376 1 row in set (0.00 sec)
377
378 mysql> SELECT TAN(45);
379 +-----+
380 | TAN(45) |
381 +-----+
382 | 1.6197751905438615 |
383 +-----+
384 1 row in set (0.00 sec)
385
386 mysql> SELECT TRUNCATE(7.536432,2);
387 +-----+
388 | TRUNCATE(7.536432,2) |
389 +-----+
390 | 7.53 |
391 +-----+
392 1 row in set (0.00 sec)
393
394 mysql> SELECT ASCII('2');
395 +-----+
396 | ASCII('2') |
397 +-----+
398 | 50 |
399 +-----+
400 1 row in set (0.00 sec)
401
402 mysql> SELECT ASCII('dx');
403 +-----+
404 | ASCII('dx') |
405 +-----+
406 | 100 |
407 +-----+
408 1 row in set (0.00 sec)
409
410 mysql> SELECT BIN(12);
411 +-----+
412 | BIN(12) |
413 +-----+
414 | 1100 |
415 +-----+
416 1 row in set
417 mysql> SELECT CHAR(77,121,83,81,'76');
418 +-----+
419 | CHAR(77,121,83,81,'76') |
420 +-----+
421 | 0x4D7953514C |
422 +-----+
423 1 row in set (0.00 sec)
424
425 mysql> SELECT CHAR_LENGTH("text");
426 +-----+
427 | CHAR_LENGTH("text") |
428 +-----+

```



```

429 |          4 |
430 +-----+
431 1 row in set (0.00 sec)
432
433 mysql> SELECT CONCAT('My', 'S', 'QL');
434 +-----+
435 | CONCAT('My', 'S', 'QL') |
436 +-----+
437 | MySQL                    |
438 +-----+
439 1 row in set (0.00 sec)
440
441 mysql> SELECT CONCAT_WS(',', 'First name', 'Last Name' );
442 +-----+
443 | CONCAT_WS(',', 'First name', 'Last Name' ) |
444 +-----+
445 | First name,Last Name                      |
446 +-----+
447 1 row in set (0.00 sec)
448
449 mysql> SELECT CONV('a',16,2);
450 +-----+
451 | CONV('a',16,2) |
452 +-----+
453 | 1010           |
454 +-----+
455 1 row in set (0.00 sec)
456
457 mysql> SELECT ELT(1, 'ej', 'Heja', 'hej', 'foo');
458 +-----+
459 | ELT(1, 'ej', 'Heja', 'hej', 'foo') |
460 +-----+
461 | ej                                   |
462 +-----+
463 1 row in set (0.01 sec)
464
465 mysql> SELECT EXPORT_SET(5, 'Y', 'N', '', 4);
466 +-----+
467 | EXPORT_SET(5, 'Y', 'N', '', 4) |
468 +-----+
469 | Y,N,Y,N                        |
470 +-----+
471 1 row in set (0.00 sec)
472
473 mysql> SELECT FIELD('ej', 'Hej', 'ej', 'Heja', 'hej', 'foo');
474 +-----+
475 | FIELD('ej', 'Hej', 'ej', 'Heja', 'hej', 'foo') |
476 +-----+
477 |          2 |
478 +-----+
479 1 row in set (0.01 sec)
480
481 mysql> SELECT FIND_IN_SET('b', 'a,b,c,d');
482 +-----+

```

```

483 | FIND_IN_SET('b','a,b,c,d') |
484 +-----+
485 |                               2 |
486 +-----+
487 1 row in set (0.00 sec)
488
489 mysql> SELECT FORMAT(12332.123456, 4);
490 +-----+
491 | FORMAT(12332.123456, 4) |
492 +-----+
493 | 12,332.1235           |
494 +-----+
495 1 row in set (0.00 sec)
496
497 mysql> SELECT HEX(255);
498 +-----+
499 | HEX(255) |
500 +-----+
501 | FF      |
502 +-----+
503 1 row in set (0.00 sec)
504
505 mysql> SELECT 0x616263;
506 +-----+
507 | 0x616263 |
508 +-----+
509 | 0x616263 |
510 +-----+
511 1 row in set (0.00 sec)
512
513 mysql> SELECT INSERT('Quadratic', 3, 4, 'What');
514 +-----+
515 | INSERT('Quadratic', 3, 4, 'What') |
516 +-----+
517 | QuWhattic                        |
518 +-----+
519 1 row in set (0.00 sec)
520
521 mysql> SELECT INSTR('foobarbar', 'bar');
522 +-----+
523 | INSTR('foobarbar', 'bar') |
524 +-----+
525 |                               4 |
526 +-----+
527 1 row in set (0.00 sec)
528
529 mysql> SELECT LEFT('foobarbar', 5);
530 +-----+
531 | LEFT('foobarbar', 5) |
532 +-----+
533 | fooba                |
534 +-----+
535 1 row in set (0.00 sec)
536

```

```

537 mysql> SELECT LENGTH('text');
538 +-----+
539 | LENGTH('text') |
540 +-----+
541 |                4 |
542 +-----+
543 1 row in set (0.01 sec)
544
545 mysql> SELECT LOCATE('bar', 'foobarbar');
546 +-----+
547 | LOCATE('bar', 'foobarbar') |
548 +-----+
549 |                            4 |
550 +-----+
551 1 row in set (0.00 sec)
552
553 mysql> SELECT LOWER('QUADRATICALLY');
554 +-----+
555 | LOWER('QUADRATICALLY') |
556 +-----+
557 | quadratically          |
558 +-----+
559 1 row in set (0.00 sec)
560
561 mysql> SELECT LPAD('hi',4,'??');
562 +-----+
563 | LPAD('hi',4,'??') |
564 +-----+
565 | ??hi              |
566 +-----+
567 1 row in set (0.00 sec)
568
569 mysql> SELECT LTRIM('  barbar');
570 +-----+
571 | LTRIM('  barbar') |
572 +-----+
573 | barbar            |
574 +-----+
575 1 row in set (0.01 sec)
576
577 mysql> SELECT MAKE_SET(1,'a','b','c');
578 +-----+
579 | MAKE_SET(1,'a','b','c') |
580 +-----+
581 | a                        |
582 +-----+
583 1 row in set (0.00 sec)
584
585 mysql> SELECT OCT(12);
586 +-----+
587 | OCT(12) |
588 +-----+
589 | 14      |
590 +-----+

```

```

591 1 row in set (0.00 sec)
592
593 mysql> SELECT ORD('2');
594 +-----+
595 | ORD('2') |
596 +-----+
597 |      50 |
598 +-----+
599 1 row in set (0.01 sec)
600
601 mysql> SELECT QUOTE('Don\t!');
602 +-----+
603 | QUOTE('Don\t!') |
604 +-----+
605 | 'Don\t!'      |
606 +-----+
607 1 row in set (0.00 sec)
608
609 mysql> SELECT 'ABCDEF' REGEXP 'A%C%';
610 +-----+
611 | 'ABCDEF' REGEXP 'A%C%' |
612 +-----+
613 |                      0 |
614 +-----+
615 1 row in set (0.02 sec)
616
617 mysql> SELECT 'ABCDE' REGEXP '.*';
618 +-----+
619 | 'ABCDE' REGEXP '.*' |
620 +-----+
621 |                      1 |
622 +-----+
623 1 row in set (0.00 sec)
624
625 mysql> SELECT 'new*\n*line' REGEXP 'new\\*\\.\\*line';
626 +-----+
627 | 'new*\n*line' REGEXP 'new\\*\\.\\*line' |
628 +-----+
629 |                      0 |
630 +-----+
631 1 row in set (0.00 sec)
632
633 mysql> SELECT REPEAT('SQL', 3);
634 +-----+
635 | REPEAT('SQL', 3) |
636 +-----+
637 | SQLSQLSQL      |
638 +-----+
639 1 row in set (0.00 sec)
640
641 mysql> SELECT REPLACE('www.mysql.com', 'w', 'Ww');
642 +-----+
643 | REPLACE('www.mysql.com', 'w', 'Ww') |
644 +-----+

```

```

645 | wwwwww.mysql.com |
646 +-----+
647 1 row in set (0.00 sec)
648
649 mysql> SELECT REVERSE('abcd');
650 +-----+
651 | REVERSE('abcd') |
652 +-----+
653 | dcba |
654 +-----+
655 1 row in set (0.00 sec)
656
657 mysql> SELECT RIGHT('foobarbar', 4);
658 +-----+
659 | RIGHT('foobarbar', 4) |
660 +-----+
661 | rbar |
662 +-----+
663 1 row in set (0.00 sec)
664
665 mysql> SELECT RPAD('hi',5,'?');
666 +-----+
667 | RPAD('hi',5,'?') |
668 +-----+
669 | hi??? |
670 +-----+
671 1 row in set (0.00 sec)
672
673 mysql> SELECT RTRIM('barbar ');
674 +-----+
675 | RTRIM('barbar ') |
676 +-----+
677 | barbar |
678 +-----+
679 1 row in set (0.00 sec)
680
681 mysql> SELECT SOUNDEX('Hello');
682 +-----+
683 | SOUNDEX('Hello') |
684 +-----+
685 | H400 |
686 +-----+
687 1 row in set (0.01 sec)
688
689 mysql> SELECT SOUNDEX('Hello');
690 +-----+
691 | SOUNDEX('Hello') |
692 +-----+
693 | H400 |
694 +-----+
695 1 row in set (0.00 sec)
696
697 mysql> SELECT SPACE(6);
698 +-----+

```

```

699 | SPACE(6) |
700 +-----+
701 |         |
702 +-----+
703 1 row in set (0.00 sec)
704
705 mysql> SELECT STRCMP('MOHD', 'MOHD');
706 +-----+
707 | STRCMP('MOHD', 'MOHD') |
708 +-----+
709 |                        0 |
710 +-----+
711 1 row in set (0.01 sec)
712
713 mysql> SELECT STRCMP('AMOHd', 'MOHD');
714 +-----+
715 | STRCMP('AMOHd', 'MOHD') |
716 +-----+
717 |                        -1 |
718 +-----+
719 1 row in set (0.00 sec)
720
721 mysql> SELECT STRCMP('MOHD', 'AMOHd');
722 +-----+
723 | STRCMP('MOHD', 'AMOHd') |
724 +-----+
725 |                        1 |
726 +-----+
727 1 row in set (0.00 sec)
728
729 mysql> SELECT SUBSTRING('Quadratically',5);
730 +-----+
731 | SUBSTRING('Quadratically',5) |
732 +-----+
733 | ratically                    |
734 +-----+
735 1 row in set (0.00 sec)
736
737 mysql> SELECT SUBSTRING('foobarbar' FROM 4);
738 +-----+
739 | SUBSTRING('foobarbar' FROM 4) |
740 +-----+
741 | barbar                        |
742 +-----+
743 1 row in set (0.00 sec)
744
745 mysql> SELECT SUBSTRING('foobarbar' FROM 4);
746 +-----+
747 | SUBSTRING('foobarbar' FROM 4) |
748 +-----+
749 | barbar                        |
750 +-----+
751 1 row in set (0.00 sec)
752

```

```

753 mysql> SELECT SUBSTRING_INDEX('www.mysql.com', '.', 2);
754 +-----+
755 | SUBSTRING_INDEX('www.mysql.com', '.', 2) |
756 +-----+
757 | www.mysql                               |
758 +-----+
759 1 row in set (0.01 sec)

760
761 mysql> SELECT TRIM(' bar ');
762 +-----+
763 | TRIM(' bar ') |
764 +-----+
765 | bar           |
766 +-----+
767 1 row in set (0.00 sec)

768
769 mysql> SELECT TRIM(LEADING 'x' FROM 'xxxbarxxx');
770 +-----+
771 | TRIM(LEADING 'x' FROM 'xxxbarxxx') |
772 +-----+
773 | barxxx                             |
774 +-----+
775 1 row in set (0.01 sec)

776 mysql> SELECT TRIM(BOTH 'x' FROM 'xxxbarxxx');
777 +-----+
778 | TRIM(BOTH 'x' FROM 'xxxbarxxx') |
779 +-----+
780 | bar                             |
781 +-----+
782 1 row in set (0.00 sec)

783
784 mysql> SELECT TRIM(TRAILING 'xyz' FROM 'barxyz');
785 +-----+
786 | TRIM(TRAILING 'xyz' FROM 'barxyz') |
787 +-----+
788 | barx                             |
789 +-----+
790 1 row in set (0.00 sec)

791
792 mysql> SELECT UNHEX('4D7953514C');
793 +-----+
794 | UNHEX('4D7953514C') |
795 +-----+
796 | 0x4D7953514C        |
797 +-----+
798 1 row in set (0.00 sec)

799
800 mysql> SELECT UPPER('Allah-hus-samad');
801 +-----+
802 | UPPER('Allah-hus-samad') |
803 +-----+
804 | ALLAH-HUS-SAMAD        |
805 +-----+
806 1 row in set (0.00 sec)

```

807

808

mysql>