

In [1]: `x = sqrt(25)`

```
-----  
-----  
NameError                                Traceback (most recent  
call last)  
Cell In[1], line 1  
----> 1 x = sqrt(25)  
  
NameError: name 'sqrt' is not defined
```

In [2]: `import math`

In [3]: `x = math.sqrt(25)`
`x`

Out[3]: 5.0

In [4]: `x1 = math.sqrt(15)`
`x1`

Out[4]: 3.872983346207417

In [5]: `print(math.floor(2.9))`

2

In [6]: `print(math.ceil(2.9))`

3

In [7]: `print(math.pow(3,2))`

9.0

In [8]: `print(math.pi)`

3.141592653589793

```
In [9]: print(math.e)
```

2.718281828459045

```
In [10]: import math as m  
m.sqrt(10)
```

Out[10]: 3.1622776601683795

```
In [11]: from math import sqrt,pow  
pow(2,3)
```

Out[11]: 8.0

```
In [12]: round(pow(2,3))
```

Out[12]: 8

```
In [ ]: #user input function in python || command line input
```

```
In [13]: x = input()  
y = input()  
z = x + y  
print(z)
```

4
6

46

```
In [14]: x1 = input('Enter the 1st number')  
y1 = input('Enter the 2nd number')  
z1 = x1 + y1  
print(z1)
```

Enter the 1st number 7
Enter the 2nd number 9

79

```
In [15]: type(x1)  
type(y1)
```

Out[15]: str

```
In [16]: x1 = input('Enter the 1st number')
a1 = int(x1)
y1 = input('Enter the 2nd number')
b1 = int(y1)
z1 = a1 + b1
print(z1)
```

Enter the 1st number 4

Enter the 2nd number 8

12

```
In [17]: x2 = int(input('Enter the 1st number'))
y2 = int(input('Enter the 2nd number'))
z2 = x2 + y2
z2
```

Enter the 1st number 2

Enter the 2nd number 6

Out[17]: 8

```
In [18]: ch = input('enter a char')
print(ch)
```

enter a char 2

2

```
In [19]: print(ch[0])
```

2

```
In [20]: print(ch[1])
```

```
-----
-----
IndexError                                Traceback (most recent
call last)
Cell In[20], line 1
----> 1 print(ch[1])
```

IndexError: string index out of range

```
In [21]: print(ch[-1])
```

2

```
In [22]: ch = input('enter a char')[0]  
print(ch)
```

enter a char 4

4

```
In [23]: ch = input('enter a char')[1:3]  
print(ch)
```

enter a char 6

```
In [24]: ch = input('enter a char')  
print(ch)
```

enter a char 10

10

```
In [25]: result = eval(input('enter an expr'))  
print(result)
```

enter an expr 8

8

```
In [26]: x = 5  
y = 7  
z = x + y  
print (z)
```

12