

```
In [1]: !pip install gradio
```

```
Requirement already satisfied: gradio in
/usr/local/lib/python3.12/dist-packages (5.50.0)
Requirement already satisfied: aiofiles<25.0,>=22.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (24.1.0)
Requirement already satisfied: anyio<5.0,>=3.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (4.13.0)
Requirement already satisfied: brotli>=1.1.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (1.2.0)
Requirement already satisfied: fastapi<1.0,>=0.115.2 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.136.3)
Requirement already satisfied: ffmpeg in
/usr/local/lib/python3.12/dist-packages (from gradio) (1.0.0)
Requirement already satisfied: gradio-client==1.14.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (1.14.0)
Requirement already satisfied: groovy~=0.1 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.1.2)
Requirement already satisfied: httpx<1.0,>=0.24.1 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.28.1)
Requirement already satisfied: huggingface-hub<2.0,>=0.33.5 in
/usr/local/lib/python3.12/dist-packages (from gradio) (1.18.0)
Requirement already satisfied: jinja2<4.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (3.1.6)
Requirement already satisfied: markupsafe<4.0,>=2.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (3.0.3)
Requirement already satisfied: numpy<3.0,>=1.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (2.0.2)
Requirement already satisfied: orjson~=3.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (3.11.9)
Requirement already satisfied: packaging in
/usr/local/lib/python3.12/dist-packages (from gradio) (26.2)
Requirement already satisfied: pandas<3.0,>=1.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (2.2.2)
Requirement already satisfied: pillow<12.0,>=8.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (11.3.0)
Requirement already satisfied: pydantic<=2.12.3,>=2.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (2.12.3)
Requirement already satisfied: pydub in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.25.1)
Requirement already satisfied: python-multipart>=0.0.18 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.0.32)
Requirement already satisfied: pyyaml<7.0,>=5.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (6.0.3)
Requirement already satisfied: ruff>=0.9.3 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.15.16)
Requirement already satisfied: safehttpx<0.2.0,>=0.1.6 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.1.7)
Requirement already satisfied: semantic-version~=2.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (2.10.0)
```

Requirement already satisfied: starlette<1.0,>=0.40.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.52.1)
Requirement already satisfied: tomlkit<0.14.0,>=0.12.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.13.3)
Requirement already satisfied: typer<1.0,>=0.12 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.25.1)
Requirement already satisfied: typing-extensions~=4.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (4.15.0)
Requirement already satisfied: uvicorn>=0.14.0 in
/usr/local/lib/python3.12/dist-packages (from gradio) (0.49.0)
Requirement already satisfied: fsspec in
/usr/local/lib/python3.12/dist-packages (from gradio-client==1.14.0->gradio) (2025.3.0)
Requirement already satisfied: websockets<16.0,>=13.0 in
/usr/local/lib/python3.12/dist-packages (from gradio-client==1.14.0->gradio) (15.0.1)
Requirement already satisfied: idna>=2.8 in
/usr/local/lib/python3.12/dist-packages (from anyio<5.0,>=3.0->gradio) (3.18)
Requirement already satisfied: typing-inspection>=0.4.2 in
/usr/local/lib/python3.12/dist-packages (from fastapi<1.0,>=0.115.2->gradio) (0.4.2)
Requirement already satisfied: annotated-doc>=0.0.2 in
/usr/local/lib/python3.12/dist-packages (from fastapi<1.0,>=0.115.2->gradio) (0.0.4)
Requirement already satisfied: certifi in
/usr/local/lib/python3.12/dist-packages (from httpx<1.0,>=0.24.1->gradio) (2026.5.20)
Requirement already satisfied: httpcore==1.* in
/usr/local/lib/python3.12/dist-packages (from httpx<1.0,>=0.24.1->gradio) (1.0.9)
Requirement already satisfied: h11>=0.16 in
/usr/local/lib/python3.12/dist-packages (from httpcore==1.*->httpx<1.0,>=0.24.1->gradio) (0.16.0)
Requirement already satisfied: click>=8.4.0 in
/usr/local/lib/python3.12/dist-packages (from huggingface-hub<2.0,>=0.33.5->gradio) (8.4.1)
Requirement already satisfied: filelock>=3.10.0 in
/usr/local/lib/python3.12/dist-packages (from huggingface-hub<2.0,>=0.33.5->gradio) (3.29.2)
Requirement already satisfied: hf-xet<2.0.0,>=1.4.3 in
/usr/local/lib/python3.12/dist-packages (from huggingface-hub<2.0,>=0.33.5->gradio) (1.5.1)
Requirement already satisfied: tqdm>=4.42.1 in
/usr/local/lib/python3.12/dist-packages (from huggingface-hub<2.0,>=0.33.5->gradio) (4.67.3)
Requirement already satisfied: python-dateutil>=2.8.2 in
/usr/local/lib/python3.12/dist-packages (from pandas<3.0,>=1.0->gradio) (2.9.0.post0)
Requirement already satisfied: pytz>=2020.1 in
/usr/local/lib/python3.12/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
Requirement already satisfied: tzdata>=2022.7 in

/usr/local/lib/python3.12/dist-packages (from pandas<3.0,>=1.0->gradio) (2026.2)
Requirement already satisfied: annotated-types>=0.6.0 in
/usr/local/lib/python3.12/dist-packages (from pydantic<=2.12.3,>=2.0->gradio) (0.7.0)
Requirement already satisfied: pydantic-core==2.41.4 in
/usr/local/lib/python3.12/dist-packages (from pydantic<=2.12.3,>=2.0->gradio) (2.41.4)
Requirement already satisfied: shellingham>=1.3.0 in
/usr/local/lib/python3.12/dist-packages (from typer<1.0,>=0.12->gradio) (1.5.4)
Requirement already satisfied: rich>=13.8.0 in
/usr/local/lib/python3.12/dist-packages (from typer<1.0,>=0.12->gradio) (13.9.4)
Requirement already satisfied: six>=1.5 in
/usr/local/lib/python3.12/dist-packages (from python-dateutil>=2.8.2->pandas<3.0,>=1.0->gradio) (1.17.0)
Requirement already satisfied: markdown-it-py>=2.2.0 in
/usr/local/lib/python3.12/dist-packages (from rich>=13.8.0->typer<1.0,>=0.12->gradio) (4.2.0)
Requirement already satisfied: pygments<3.0.0,>=2.13.0 in
/usr/local/lib/python3.12/dist-packages (from rich>=13.8.0->typer<1.0,>=0.12->gradio) (2.20.0)
Requirement already satisfied: mdurl~=0.1 in
/usr/local/lib/python3.12/dist-packages (from markdown-it-py>=2.2.0->rich>=13.8.0->typer<1.0,>=0.12->gradio) (0.1.2)

```

In [2]: import gradio as gr
import pandas as pd
import matplotlib.pyplot as plt

# Sample data
data = {
    "Month": ["Jan", "Feb", "Mar", "Apr", "May", "Jun"],
    "Sales": [10000, 12000, 15000, 13000, 17000, 16000],
    "Profit": [2000, 3000, 4000, 2500, 3500, 3000]
}
df = pd.DataFrame(data)

# Function to return selected plot
def generate_plot(plot_type):
    fig = plt.figure(figsize=(8, 5))

    if plot_type == "Line Plot":
        plt.plot(df['Month'], df['Sales'], color='blue', marker='o',
label='Sales')
        plt.title('Sales Trend Over Months')
        plt.xlabel('Month')
        plt.ylabel('Sales ($)')
        plt.grid(True)
        plt.legend()

    elif plot_type == "Stacked Bar Chart":
        fig.set_size_inches(10, 6)
        width = 0.3
        plt.bar(df['Month'], df['Sales'], width=width, label='Sales',
color='skyblue')
        plt.bar(df['Month'], df['Profit'], width=width, label='Profit',
color='orange', bottom=df['Sales'])
        plt.title('Sales and Profit Comparison by Month')
        plt.xlabel('Month')
        plt.ylabel('Amount ($)')
        plt.legend()

    elif plot_type == "Pie Chart":
        fig.set_size_inches(7, 7)
        plt.pie(df['Profit'], labels=df['Month'], autopct='%1.1f%%',
startangle=140, colors=plt.cm.Paired.colors)
        plt.title('Profit Distribution by Month')

    elif plot_type == "Scatter Plot":
        plt.scatter(df['Sales'], df['Profit'], color='green', s=100,
edgecolors='black')
        plt.title('Sales vs Profit')
        plt.xlabel('Sales ($)')
        plt.ylabel('Profit ($)')
        plt.grid(True)

    elif plot_type == "Histogram":
        plt.hist(df['Sales'], bins=5, color='purple', edgecolor='black')

```

```

        plt.title('Sales Distribution')
        plt.xlabel('Sales ($)')
        plt.ylabel('Frequency')

    elif plot_type == "Box Plot":
        plt.boxplot(df['Profit'], vert=False, patch_artist=True,
boxprops=dict(facecolor="lightgreen"))
        plt.title('Profit Distribution')
        plt.xlabel('Profit ($)')

    plt.tight_layout()
    return fig

# Gradio UI
demo = gr.Interface(
    fn=generate_plot,
    inputs=gr.Radio(
        ["Line Plot", "Stacked Bar Chart", "Pie Chart", "Scatter Plot",
"Histogram", "Box Plot"],
        label="Choose Plot Type"
    ),
    outputs=gr.Plot(label="Visualization"),
    title="Sales & Profit Visual Explorer",
    description="Choose a chart type to visualize the data."
)

demo.launch()

```

It looks like you are running Gradio on a hosted Jupyter notebook, which requires `share=True`. Automatically setting `share=True` (you can turn this off by setting `share=False` in `launch()` explicitly).

Colab notebook detected. To show errors in colab notebook, set debug=True in launch()

* Running on public URL: <https://88d7d8075fcb7ed052.gradio.live>

This share link expires in 1 week. For free permanent hosting and GPU upgrades, run `gradio deploy` from the terminal in the working directory to deploy to Hugging Face Spaces (<https://huggingface.co/spaces>)

Sales & Profit Visual Explorer

Choose a chart type to visualize the data.

Choose Plot Type

☐ Line Plot

☐ Stacked Bar Chart

☐ Pie Chart

☐ Scatter Plot

☐ Histogram

☐ Box Plot

Clear

Submit

 Visualization

