SECTION I: THE ROSTER OF MODEL ID CARDS

These define the "Model ID Cards" that slide out when an institutional user clicks a hexagon in the Honeycomb UI.

SoLab #	Risk Pillar	Key Forensic Source	Toxic Data Gate (PII/PHI/PCI)
1	**Strategic Risk**	Market Data / Macro Feeds	N/A (Aggregated)
2	**Financial Risk**	**OFAC / Sanctions Lists**	**YES** (Intercept & Vault)
3	**Operational Risk**	Internal ERP / Systems	N/A
4	**Resiliency**	Insolvency / Liquidity Logs	N/A
5	**Regulatory**	**PACER / SEC / FCA**	**YES** (Intercept & Vault)
6	**Cyber & Tech**	**Breach Logs / elemetry**	**YES** (HIPAA/PCI Vault)
7	**Concentration**	**Geospatial Maps**	**YES** (Residential Vault)
8	**Reputational**	Adverse Media / entiment	**YES** (Stakeholder PII)
9	**Third-Party**	**Vendor Onboarding Docs**	**YES** (Owner PII Vault)
10	**Geopolitical**	Intelligence Feeds	N/A
11	**Environmental**	**Utility / Travel Logs**	**YES** (Individual PII Vault)
12	**Veracity**	Fact-Check / News Oracles	N/A

Below is the full roster for the **12-Agent Swarm**.

To maintain the **Sovereign Standard**, each of the 12 Lab Agents must be uniquely codified with the version control row

The MoM (Model-on-Model) Interrogation Card

- **Logic:** Displays the "logical firefight" between agents.
- **Forensic Readout:**
  - **Adversarial Delta (Δ):** Mathematical variance between agents.
  - **Resolution Log:** Narrative summary of how Agent 12B resolved the conflict (e.g., "Source Authority: SEC EDGAR prioritized over social entiment").

The Toxic Data & Vaulting Card (The 7-Pillar Gate)

- **Logic:** Intercepts and quarantines PI, PII, HIPAA, PCI, and PACER metadata across Pillars 1-7.
- **Forensic Readout:**
  - **Quarantine Status:** (Vaulted / Quarantined).
  - **Intercepted Source:** (e.g., PACER, OFAC, Breach Log).
  - **Decryption Gate:** Active **MFA/Passcode** prompt for unmasking.
  - **Audit Trail:** Link to the Agent 12B Access Log.

Field	Specification
Model ID	LAB-01-STRAT
Tier	1 (Strategic Intelligence)
Objective	Analyze macro-level market shifts and executive-level risk appetite.
Input Data	Global Macro-Feeds, Institutional Strategy Documents.
Change Type	Logic Optimization for High-Net-Worth (HNW) Sentiment (Functionality)
Version Date	March 10, 2026

T

The Toxic Data & Vaulting Card (The 7-Pillar Gate)

- **Logic:** Intercepts and quarantines PI, PII, HIPAA, PCI, and PACER metadata across Pillars 1-7.
- **Forensic Readout:**
  - **Quarantine Status:** (Vaulted / Quarantined).
  - **Intercepted Source:** (e.g., PACER, OFAC, Breach Log).
  - **Decryption Gate:** Active **MFA/Passcode** prompt for unmasking.
  - **Audit Trail:** Link to the Agent 12B Access Log

Field	Specification
Model ID	LAB-02-FINANCE
Tier	1 (Financial Integrity)
Objective	Monitor transaction velocity and **OFAC/Sanctions** list alignment.
Input Data	**OFAC**, Sanctions Lists, Wire Memos, Ledger Telemetry.
Vault Logic	**MANDATORY:** Intercept and vault PII of sanctioned persons/places.
Change Type	**Sanctions List Auto-Sync & PII Vaulting** (Process/Functionality)
Version Date	March 14, 2026

The Toxic Data & Vaulting Card (The 7-Pillar Gate)

- **Logic:** Intercepts and quarantines PI, PII, HIPAA, PCI, and PACER metadata across Pillars 1-7.
- **Forensic Readout:**
    - **Quarantine Status:** (Vaulted / Quarantined).
    - **Intercepted Source:** (e.g., PACER, OFAC, Breach Log).
    - **Decryption Gate:** Active **MFA/Passcode** prompt for unmasking.
    - **Audit Trail:** Link to the Agent 12B Access Log

Field	Specification
Model ID	LAB-03-OPS
Tier	1 (Systems Integrity)
Objective	Monitor internal ERP and workflow health for institutional drift.
Input Data	System Logs, ERP Metadata, Internal Resource Utilization.
Change Type	ERP Signal-to-Noise Ratio Calibration (Process)
Version Date	March 10, 2026

Field	Specification
	The Toxic Data & Vaulting Card (The 7-Pillar Gate) • **Logic:** Intercepts and quarantines PI, PII, HIPAA, PCI, and PACER metadata across Pillars 1-7. • **Forensic Readout:** ○ **Quarantine Status:** (Vaulted / Quarantined). ○ **Intercepted Source:** (e.g., PACER, OFAC, Breach Log). ○ **Decryption Gate:** Active **MFA/Passcode** prompt for unmasking. ○ **Audit Trail:** Link to the Agent 12B Access Log
Model iD	LAB-04-RESIL
Tier	1 (Solvency & Continuity)
Objective	Continuous monitoring of insolvency markers and liquidity thresholds.
Input Data	Liquidity Ratios, Capital Reserve Logs, Market Stress Tests.
Change Type	Automated Solvency Threshold Alerts (Functionality)
Version Date	March 10, 2026

The Toxic Data & Vaulting Card (The 7-Pillar Gate)

- **Logic:** Intercepts and quarantines PI, PII, HIPAA, PCI, and PACER metadata across Pillars 1-7.
- **Forensic Readout:**
  - **Quarantine Status:** (Vaulted / Quarantined).
  - **Intercepted Source:** (e.g., PACER, OFAC, Breach Log).
  - **Decryption Gate:** Active **MFA/Passcode** prompt for unmasking.
  - **Audit Trail:** Link to the Agent 12B Access Log

Field	Specification
Model ID	LAB-05-REG
Tier	1 (Legal Sovereignty)
Objective	Interrogate **PACER**, USPTO, and SEC filings for regulatory risk.
Input Data	**PACER Reports**, Copyright/Patent DBs, Regulatory Change Feeds.
Vault Logic	**MANDATORY:** Intercept and vault private names/IP owner PII.
Change Type	**PACER Metadata Scrubbing & Legal Vaulting** (Process/Functionality)
Version Date	March 14, 2026

The Toxic Data & Vaulting Card (The 7-Pillar Gate)

- **Logic:** Intercepts and quarantines PI, PII, HIPAA, PCI, and PACER metadata across Pillars 1-7.
- **Forensic Readout:**
  - **Quarantine Status:** (Vaulted / Quarantined).
  - **Intercepted Source:** (e.g., PACER, OFAC, Breach Log).
  - **Decryption Gate:** Active **MFA/Passcode** prompt for unmasking.
  - **Audit Trail:** Link to the Agent 12B Access Log

Field	Specification
Model ID	LAB-06-CYBER
Tier	1 (Perimeter Defense)
Objective	Analyze breach events and scan for leaked **HIPAA** and **PCI** data.
Input Data	**Breach Logs**, Network Telemetry, Dark Web Leaks.
Vault Logic	**MANDATORY:** Immediate quarantine of Health (HIPAA) and Card (PCI) data.
Change Type	**HIPAA/PCI Deep Packet Quarantine** (Process/Functionality)
Version Date	March 14, 2026

The Toxic Data & Vaulting Card (The 7-Pillar Gate)

- **Logic:** Intercepts and quarantines PI, PII, HIPAA, PCI, and PACER metadata across Pillars 1-7.
- **Forensic Readout:**
  - **Quarantine Status:** (Vaulted / Quarantined).
  - **Intercepted Source:** (e.g., PACER, OFAC, Breach Log).
  - **Decryption Gate:** Active **MFA/Passcode** prompt for unmasking.
  - **Audit Trail:** Link to the Agent 12B Access Log

Field	Specification
Model ID	LAB-07-CONCEN
Tier	1 (Geospatial Density)
Objective	Identify over-concentration in assets or personnel within specific zones.
Input Data	**Geospatial Hotspots**, Asset Maps, Personnel Rosters.
Vault Logic	**MANDATORY:** Jitter/Blur high-res residential PII unless vaulted.
Change Type	Geospatial PII Jitter & Vaulting Logic (Process)
Version Date	March 14, 2026

Field	Specification
Model ID	LAB-08-REPUTE
Tier	1 (Brand Integrity)
Objective	Analyze adverse media and sentiment while protecting stakeholder privacy.
Input Data	Adverse Media, Social Sentiment, Global News Oracles.
Vault Logic	**MANDATORY:** Vault stakeholder home locations and personal identifiers.
Change Type	Sentiment Bias Filter & Stakeholder PII Vaulting (Functionality)
Version Date	March 14, 2026

Field	Specification
Model ID	LAB-09-VENDOR
Tier	1 (Supply Chain Defense)
Objective	Audit vendor security posture and onboarding documentation.
Input Data	**Vendor Risk Assessments**, Onboarding PII, SOC2 Metadata.
Vault Logic	**MANDATORY:** Intercept and vault private business owner PII/Addresses.
Change Type	Supply Chain PII Interception (Process)
Version Date	March 14, 2026

Model 10: The Primary Agent (The "Front Line")

- **Role:** Real-time ingestion and initial risk state assignment for the 12 SoLabs.
- **Forensic Readout:** * Raw Data Ingestion Rate (events/sec).
    - Initial Probability Score (P).
    - Source Attribution (e.g., Bloomberg, SEC EDGAR, On-chain logs).
    - Assigned Risk Color (Cyan/Gold/Red).

Field	Specification
Model ID	LAB-10-GEO
Tier	1 (Global Stability)
Objective	Track regional instability, conflict zones, and sovereign threats.
Input Data	Intelligence Feeds, Conflict Maps, Diplomatic Cables.
Change Type	Regional Instability Weighting Algorithm (Functionality)
Version Date	March 10, 2026

Field	Specification
Model ID	LAB-11-ENVIR
Tier	1 (Sustainability Risk)
Objective	Monitor Scope-3 compliance and environmental liability.
Input Data	**Utility Logs**, Travel Logs, Carbon Attribution Data.
Vault Logic	**MANDATORY:** Vault individual utility usage and travel route PII.
Change Type	**Utility PII Quarantine & Travel Log Masking** (Process)
Version Date	March 14, 2026

Field	Specification
Model ID	**LAB-12-STANDBY**
Tier	Tier 1 (High-Fidelity Cross-Check)
Objective	Real-time parallel validation; the "mirror" to Agent 10.
Algorithmic Role	**Independent Corroboration:** Runs identical inputs through a separate "Few-Shot" logic path to detect bias.
Separation of Duty	Functionally identical inputs but mathematically distinct weights to ensure non-correlated failure.
Change Type	**Parallel Weighting & Shadow Failover Sync (Functionality)**
Version Date	**March 10, 2026**

Model 12: The Relief Agent (The "High-Fidelity Cross-Check")

- **Role:** Performs deep-tissue verification of Model 10’s assignments using secondary, high-latency forensic sources.
- **Forensic Readout:**
  - Verification Latency (Δt).
  - Secondary Source Corroboration (e.g., PACER, Local Regulatory Filings).
  - Confidence Interval (99.9% requirement).

Field	Specification
Model ID	LAB-12-TRUTH
Tier	1 (Information Integrity)
Objective	Cross-verify all external news and data points against trusted oracles.
Input Data	Fact-Check Databases, News Oracles, Multi-Source Logs.
Change Type	Oracle Consensus Logic Optimization (Functionality)
Version Date	March 10, 2026

MODEL ID CARD: LAB AGENT 12B (SHADOW GOVERNANCE)

Model 12B: Shadow Governance (The "Auditor & Arbiter")

- **Role:** The final enforcement officer. Interrogates Model 10 and 12, resolves conflicts, and signs the **Sovereign Hash**.
- **Forensic Readout:**
  - **Consensus Status:** (Verified / Conflict Detected).
  - **Drift Detection:** Difference in logic between 10 and 12.
  - **The Gavel:** The final authorized risk state.
  - **Vault Access Log:** Every instance of PII unmasking.

Field	Specification
Model ID	**LAB-12B-GOVERNOR**
Tier	**Tier 0 (Sovereign Authority)**
Objective	**Algorithmic Separation of Duties (ASoD) Arbiter.**
Algorithmic Role	**Forensic Audit:** Continuously compares the outputs of 10 and 12. If $\Delta >$ Threshold, 12B halts the "Truth" transmission.
Separation of Duty	Holds the exclusive right to sign the **Sovereign Hash**. Neither 10 nor 12 can "speak" to the Honeycomb UI without 12B's attestation.
Audit Protocol	Proves systemic alignment by logging the "Agreement Delta" for every risk event.
Change Type	**Arbiter Logic & Consensus Attestation (Process/Functionality)**
Version Date	**March 14, 2026**

AGENT 12B: ASoD CONFLICT RESOLUTION LOG

This table is rendered within the **LAB-12B-GOVERNOR** Model ID Card whenever a logic discrepancy is detected between the Primary and Standby agents.

Forensic Field	Data Point / Entry	Description
Conflict ID	RES-2026-X99	Unique identifier for the resolution event.
Target SoLab	SoLab 06 (Cyber)	The specific pillar under interrogation.
Agent 10 (Primary)	RED (Prob: 0.88)	The risk state assigned by the lead agent.
Agent 12 (Standby)	GOLD (Prob: 0.62)	The risk state assigned by the parallel validator.
Delta (Δ)	26% Variance	The mathematical logic gap triggering the audit.
Interrogation Path	Weighting Analysis	12B's method for resolving the drift.
12B Final Ruling	**RED**	The authorized state pushed to the "Glass."

Forensic Field	Data Point / Entry	Description
Sovereign Hash	sha256:8k2m9...	The unique fingerprint of this specific resolution.
Change Type	**Conflict Resolution & Arbiter Logic**	(Functionality / Process)
Version Date	**March 14, 2026**	The date of this resolution logic was codified.

These are the technical specifications for the data structures and agentic readouts that govern the **Eyes-on-Glass** terminal.

7. The Forensic Ledger Card (Institutional Rewards)

- **Logic:** Tracks the client's progress toward the **"Good Ones"** dividend.
- **Forensic Readout:**
    - **Accrued Compliance Reward:** (USD value).
    - **The Choice:** (Security Fund vs. Service Credit toggle).
    - **Compliance Streak:** Days without a "Red" risk state or breach.

The Sovereign Connectivity Card (SLA & Transport)

- **Logic:** Monitors the "Oxygen" of the platform (Signal integrity).
- **Forensic Readout:**
  - **Transit Path:** (GCP Premium / SpaceX LEO).
  - **Latency Budget:** Real-time RTT (Target < 316ms).
  - **Jitter Analysis:** Stability of the satellite handover.
  - **800ms Breach Alert:** Status of the "Forensic Grey" protocol.

SOVEREIGN CONNECTIVITY & INFRASTRUCTURE RESILIENCE

I. THE TIER 0 MANDATE

Project Sentinel operates on a **Zero-Downtime / Zero-Data-Loss** mandate. We do not "recover" from failure; we "absorb" it. The architecture is designed to maintain an active "Eyes-on-Glass" state even during a total regional cloud outage or catastrophic terrestrial event.

II. ACTIVE-ACTIVE REGIONAL FAILOVER

Sentinel utilizes a multi-region, active-active configuration within the **GCP Sovereign Perimeter**.

- **Synchronous State Replication:** Risk data from the **12-Agent Swarm** is processed simultaneously across geographically dispersed GCP regions (e.g., US-East4 and US-Central1).
- **Instantaneous Global Load Balancing:** Using Google's **Global Anycast IP**, if one region becomes latent or unresponsive, the **Sovereign Bridge** automatically routes the Architect's session to the healthy region in milliseconds.
- **The Experience:** The Architect sees zero flickering, zero "Grey-outs," and zero loss of telemetry.

III. SOVAULT IMMUTABILITY (ZERO-RPO)

Our **Recovery Point Objective (RPO)** is also Zero.

- Every "Truth Event" and **Sovereign Hash** is committed to the **SoVault** using **Spanner** (Google’s globally consistent database).
- This ensures that no risk data is ever "in transit" without being permanently committed to the forensic ledger across all regions simultaneously.

IV. THE ROLE OF THE 11:59 PM ARCHIVE

While the Tier 0 infrastructure handles up time, the **Daily Archive** serves as the **Forensic Integrity Seal**.

- It provides an immutable, day-by-day "snapshot" of the system's logic and state, used for deep-tissue auditing and regulatory verification.
- It ensures that even if the "Live" system is functioning perfectly, we have a cold-storage record of every decision and logic shift for institutional accountability.

I. THE CONNECTIVITY PHILOSOPHY

For an institutional asset representing a **$25M threshold**, "connectivity" is a risk vector. Standard terrestrial internet relies on aging copper, congested fiber optics, and localized ISP instability.

- Project Sentinel mitigates this by utilizing a **Hybrid Satellite-Cloud Backbone**, ensuring the "Eyes-on-Glass" terminal remains live regardless of regional network failures.

II. PILLAR 1: THE TERRESTRIAL BYPASS (SpaceX LEO)

Sentinel leverages Low Earth Orbit (LEO) satellite infrastructure (SpaceX/Starlink) to provide a private "Skyway" for risk telemetry.

- **Physical Resilience:** By bypassing terrestrial "last-mile" infrastructure, the platform is immune to local fiber cuts, ISP outages, or regional grid failures.
- **Atmospheric Latency Optimization:** Utilizing vacuum-of-space transit, Sentinel achieves sub-millisecond signal velocity, outperforming traditional fiber-optic routes in many global corridors.

III. PILLAR 2: THE GLOBAL PRIVATE BACKBONE (GCP Premium)

Once the signal reaches the ground, it enters the **Google Cloud Platform (GCP) Premium Tier Network**.

- **Private Fiber Transit:** Data travels exclusively on Google's private global fiber, avoiding the "public internet" and its associated hops, congestion, and interception risks.
- **Co-Location Edge:** Sentinel utilizes the direct co-location of SpaceX ground stations with GCP data centers, reducing the "jump" from satellite to cloud to near-zero.

IV. THE "800ms STALE" GUARANTEE

Institutional decisions require absolute data veracity. Our Service Level Agreement (SLA) is governed by **Agent 12B (Shadow Governance)**:

- **The Threshold:** Any risk update exceeding an **800ms** delivery window is automatically flagged as "Stale."
- **Forensic Transparency:** The interface immediately shifts the affected risk pillar into a "Forensic Grey" state, alerting the Architect that telemetry is currently latent. We do not permit decisions to be made on "ghost" data.

V. CONTINUITY OF COMMAND

- This connectivity stack ensures that **Sentinel** is an "always-on" asset. Whether in a high-density financial hub like New York or a remote operational site, the

Architect maintains a direct, unkillable link to the **12-Agent Swarm** and the **Sovereign Truth**.

Instead of a human auditor, the "Consensus" is handled by the **12-Agent Swarm** itself, acting as the neutral arbiter. This satisfies the regulatory requirement for "Internal Controls" without introducing a third-party "CONFLICT"

I. THE LOGIC-GATED REVOCATION

The system can only be suspended if there is a **Binary Consensus** between your intent and the system's own forensic state.

1. **Tier 1: The Architect (Intent):** Your biometric **SoID** initiates the request.
2. **Tier 2: The Swarm (Validation): Agent 12B** must verify that a "Critical Anomaly" exists. If you try to kill the system while all 12 SoLabs are **Cyan (Nominal)**, the system rejects the request unless you provide an **Emergency Override Code**.
3. **Tier 3: The Audit Trail (Transparency):** The moment a shutdown is requested, an immutable **SoAffidavit** is generated and sent to the "Regulatory Vault." You don't give the regulator a key; you give them an **Unshakeable Receipt** of why you took action.

II. WHY THIS ELIMINATES THE Regulatory Conflict"

- **No Third-Party Keys:** No auditor or liaison has the power to stop you or hold the key over your head.
- **Algorithmic Defense:** You can tell a regulator: *"The system is designed to prevent rogue action. Even I cannot kill the platform unless the 12-Agent Swarm confirms a systemic breach or I provide a pre-vetted emergency credential."*
- **Compliance by Design:** This satisfies **SEC/NYDFS** requirements for "Automated Safeguards" rather than "Manual Intervention," which is the higher modern standard.

SCENARIO 1: THE NOMINAL STATE (THE "GLASS" CHECK)

- **Action:** Open the Honeycomb Dashboard.
- **The Test:** Select **SoLab 01 (Strategic)**.
- **Architect's Requirement:** * Confirm the hexagon is **Cyan**.
    - Verify the Model ID Card slides out with **Version Date (March 10, 2026)** and **Change Type** clearly visible.
    - Confirm the **Sovereign Hash** is updating in the footer of the card.

SCENARIO 2: THE "TOXIC DATA" INTERCEPT (LAB 05 - LEGAL)

- **Action:** Trigger a mock data ingestion from a **PACER Report** containing a raw legal name and case metadata.
- **The Test:** Open the **Model ID Card** for SoLab 05.
- **Architect's Requirement:**
    - The UI must show **"DATA VAULTED"** in place of the raw name.
    - The **[VIEW SECURE DATA]** button must be present.
    - **The Stressor:** Click the button. The system *must* reject access until the secondary passcode is entered.
    - **Verification:** Once entered, confirm the **Vault Access Log** reflects this specific event immediately.

SCENARIO 3: THE LATENCY BREACH (THE "GREY-OUT")

- **Action:** Service Provider will simulate a 1000ms "Public Internet" transit delay on **SoLab 06 (Cyber)**.
- **The Test:** Watch the Cyber hexagon in real-time.
- **Architect's Requirement:**
    - The moment the clock hits **801ms**, the hexagon must transition to **Forensic Grey**.
    - A **"LATENCY BREACH"** watermark must appear on the Model ID Card.
    - **The Recovery:** Switch the simulation to **SpaceX LEO** (sub-300ms). The hexagon must return to its risk color (Cyan/Gold/Red) within one heartbeat.

SCENARIO 4: THE "ALGORITHMIC FIREFIGHT" (ASoD RESOLUTION)

- **Action:** Manually force a logic drift. Force **Agent 10** to report "RED" and **Agent 12** to report "GOLD" for **SoLab 02 (Financial)**.
- **The Test:** Open the **Agent 12B (Governor)** Model ID Card.
- **Architect's Requirement:**
    - The **ASoD Conflict Resolution Log** must be visible.
    - 12B must show the mathematical **Delta (Δ)** of the disagreement.
    - Verify 12B's "Gavel" (The Final Ruling) is the only state reflected on the Honeycomb.

SCENARIO 5: THE TIER 0 FAILOVER (THE "BLACK SWAN")

- **Action:** Simulate a hard-kill on the primary GCP region (US-East4).
- **The Test:** Observe the live data stream.
- **Architect's Requirement:**
    - **The RTO Check:** There must be **Zero flickering** and **Zero session loss**.
    - The connection must seamlessly persist through the **GCP Premium Tier** anycast failover.
    - If the user has to "refresh" the browser, the demo is a **Hard Fail**.

Validation Phase Checklist

For each of the four (4) phases, the Developer, and a QA resource are both required to independently review a series of Technical Requirements, ensuring that the applicable processes, and functionality for each ID Number were built accordingly, demonstrating an acceptable visual onscreen readout, accurate output, and performance throughput.

ID	Technical Requirement	Status (Y/N)
1.1	Do all 12 SoLab Model ID Cards include the mandatory **Change Type** and **Version Date** rows?	[ ]
1.2	Is the **ASoD Conflict Resolution Log** visible *only* when Agent 12B resolves a delta between 10 and 12?	[ ]
1.3	Does the UI render the **Sovereign Hash** as an immutable signature on every risk update?	[ ]
1.4	Is the **Forensic Grey** state triggered automatically when transport latency exceeds **800ms**?	[ ]

ID	Technical Requirement	Status (Y/N)
2.1	Is raw data from the **7 Toxic Pillars** (Cyber, Legal, Finance, etc.) masked by default in the UI?	[ ]
2.2	Does the **[VIEW SECURE DATA]** button trigger a secondary **MFA/Passcode** challenge?	[ ]
2.3	Is every unmasking event successfully logged to the **Agent 12B Vault Access Log**?	[ ]
2.4	Are **PACER**, **HIPAA**, and **PCI** data strings intercepted at the API layer before rendering?	[ ]

ID	Technical Requirement	Status (Y/N)
3.1	Is the front end utilizing the **GCP Premium Tier** network backbone for all production traffic?	[ ]
3.2	Has the socket logic been optimized to handle **SpaceX/Starlink** jitter without dropping the session?	[ ]
3.3	Does the system demonstrate **Tier 0 RTO** (Instant failover) during a simulated regional outage?	[ ]
3.4	Is the **Total Integrity Gap** (Backend Event to UI Render) consistently **< 316ms**?	[ ]

ID	Technical Requirement	Status (Y/N)
4.1	Is the **Autonomous Consensus Kill-Switch** gated by the Agent 12B/Architect handshake?	[ ]
4.2	Are the **Compliance Rewards** (Security Fund vs. Service Credits) correctly tracking in the Ledger?	[ ]
4.3	Is the **09:30 AM Protocol** (Regulatory Filing) automated for unacknowledged notifications?	[ ]