Evaluate the Performance of an E-learning Application Using Jmeter

Description

As a Test Engineer, you are asked to develop an evaluation test for users logged into an e-learning application.

Background of the problem statement:

As a part of the performance testing in any web portal, the back-end admin requires a module that can retrieve the performance of all the functions. This should be as per your requirement.

You must use the following:

- JMeter 5.1.1 version
- Java Development Kit (Version 8)

Source code

Simplilearn Project:-

```
<?xml version="1.0" encoding="UTF-8"?>

<jmeterTestPlan version="1.2" properties="5.0" jmeter="5.6.2">

  <hashTree>

    <TestPlan guiclass="TestPlanGui" testclass="TestPlan" testname="Simplilearn Project" enabled="true">

      <stringProp name="TestPlan.comments">This test plan was created by the BlazeMeter converter v.3.1.23. Please contact support@blazemeter.com for further support.</stringProp>

      <boolProp name="TestPlan.functional_mode">false</boolProp>

      <boolProp name="TestPlan.serialize_threadgroups">false</boolProp>

      <elementProp name="TestPlan.user_defined_variables" elementType="Arguments">

        <collectionProp name="Arguments.arguments"/>

      </elementProp>

      <stringProp name="TestPlan.user_define_classpath"></stringProp>

    </TestPlan>

    <hashTree>

      <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">

        <collectionProp name="HeaderManager.headers">

          <elementProp name="sec-ch-ua" elementType="Header">
```

```xml
      <stringProp name="Header.name">sec-ch-ua</stringProp>

      <stringProp name="Header.value">&quot;Not_A Brand&quot;;v=&quot;8&quot;,
&quot;Chromium&quot;;v=&quot;120&quot;, &quot;Google
Chrome&quot;;v=&quot;120&quot;</stringProp>

    </elementProp>

    <elementProp name="sec-ch-ua-mobile" elementType="Header">

      <stringProp name="Header.name">sec-ch-ua-mobile</stringProp>

      <stringProp name="Header.value">?0</stringProp>

    </elementProp>

    <elementProp name="Accept" elementType="Header">

      <stringProp name="Header.name">Accept</stringProp>

      <stringProp
name="Header.value">text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp
,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7</stringProp>

    </elementProp>

    <elementProp name="Upgrade-Insecure-Requests" elementType="Header">

      <stringProp name="Header.name">Upgrade-Insecure-Requests</stringProp>

      <stringProp name="Header.value">1</stringProp>

    </elementProp>

    <elementProp name="sec-ch-ua-platform" elementType="Header">

      <stringProp name="Header.name">sec-ch-ua-platform</stringProp>

      <stringProp name="Header.value">&quot;Windows&quot;</stringProp>

    </elementProp>

    <elementProp name="Sec-Fetch-Mode" elementType="Header">

      <stringProp name="Header.name">Sec-Fetch-Mode</stringProp>

      <stringProp name="Header.value">navigate</stringProp>

    </elementProp>

  </collectionProp>

</HeaderManager>

<hashTree/>

<Arguments guiclass="ArgumentsPanel" testclass="Arguments" testname="User Defined Variables"
enabled="true">

  <collectionProp name="Arguments.arguments">

   <elementProp name="BASE_URL_1" elementType="Argument">

    <stringProp name="Argument.name">BASE_URL_1</stringProp>

    <stringProp name="Argument.value">www.simplilearn.com</stringProp>
```

```xml
        <stringProp name="Argument.metadata">=</stringProp>
      </elementProp>
      <elementProp name="BASE_URL_2" elementType="Argument">
        <stringProp name="Argument.name">BASE_URL_2</stringProp>
        <stringProp name="Argument.value">lms.simplilearn.com</stringProp>
        <stringProp name="Argument.metadata">=</stringProp>
      </elementProp>
      <elementProp name="BASE_URL_3" elementType="Argument">
        <stringProp name="Argument.name">BASE_URL_3</stringProp>
        <stringProp name="Argument.value">accounts.simplilearn.com</stringProp>
        <stringProp name="Argument.metadata">=</stringProp>
      </elementProp>
      <elementProp name="BASE_URL_4" elementType="Argument">
        <stringProp name="Argument.name">BASE_URL_4</stringProp>
        <stringProp name="Argument.value">service.force.com</stringProp>
        <stringProp name="Argument.metadata">=</stringProp>
      </elementProp>
    </collectionProp>
  </Arguments>
  <hashTree/>
  <ConfigTestElement guiclass="HttpDefaultsGui" testclass="ConfigTestElement" testname="HTTP Request Defaults" enabled="true">
    <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">
      <collectionProp name="Arguments.arguments"/>
    </elementProp>
  </ConfigTestElement>
  <hashTree/>
  <DNSCacheManager guiclass="DNSCachePanel" testclass="DNSCacheManager" testname="DNS Cache Manager" enabled="true">
    <collectionProp name="DNSCacheManager.servers"/>
    <boolProp name="DNSCacheManager.clearEachIteration">true</boolProp>
    <boolProp name="DNSCacheManager.isCustomResolver">false</boolProp>
  </DNSCacheManager>
  <hashTree/>
```

```xml
<AuthManager guiclass="AuthPanel" testclass="AuthManager" testname="HTTP Authorization
Manager" enabled="true">

  <collectionProp name="AuthManager.auth_list"/>

  <boolProp name="AuthManager.controlledByThreadGroup">false</boolProp>

</AuthManager>

<hashTree/>

<CookieManager guiclass="CookiePanel" testclass="CookieManager" testname="HTTP Cookie
Manager" enabled="true">

  <collectionProp name="CookieManager.cookies"/>

  <boolProp name="CookieManager.clearEachIteration">true</boolProp>

  <boolProp name="CookieManager.controlledByThreadGroup">false</boolProp>

</CookieManager>

<hashTree/>

<CacheManager guiclass="CacheManagerGui" testclass="CacheManager" testname="HTTP Cache
Manager" enabled="true">

  <boolProp name="clearEachIteration">true</boolProp>

  <boolProp name="useExpires">false</boolProp>

  <boolProp name="CacheManager.controlledByThread">false</boolProp>

</CacheManager>

<hashTree/>

<ThreadGroup guiclass="ThreadGroupGui" testclass="ThreadGroup" testname="Thread Group"
enabled="true">

  <stringProp name="ThreadGroup.on_sample_error">continue</stringProp>

  <elementProp name="ThreadGroup.main_controller" elementType="LoopController"
guiclass="LoopControlPanel" testclass="LoopController" enabled="true">

    <stringProp name="LoopController.loops">1</stringProp>

    <boolProp name="LoopController.continue_forever">false</boolProp>

  </elementProp>

  <stringProp name="ThreadGroup.num_threads">1</stringProp>

  <stringProp name="ThreadGroup.ramp_time">1</stringProp>

  <boolProp name="ThreadGroup.scheduler">false</boolProp>

  <stringProp name="ThreadGroup.duration">0</stringProp>

  <stringProp name="ThreadGroup.delay">0</stringProp>

  <boolProp name="ThreadGroup.delayedStart">false</boolProp>

  <boolProp name="ThreadGroup.same_user_on_next_iteration">true</boolProp>

</ThreadGroup>
```

```xml
<hashTree>
    <GenericController guiclass="LogicControllerGui" testclass="GenericController" testname="Home page" enabled="true"/>
    <hashTree>
    <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://www.simplilearn.com/" enabled="true">
        <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>
        <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">
            <collectionProp name="Arguments.arguments"/>
        </elementProp>
        <stringProp name="HTTPSampler.domain">${BASE_URL_1}</stringProp>
        <stringProp name="HTTPSampler.protocol">https</stringProp>
        <stringProp name="HTTPSampler.method">GET</stringProp>
        <boolProp name="HTTPSampler.follow_redirects">true</boolProp>
        <boolProp name="HTTPSampler.auto_redirects">false</boolProp>
        <boolProp name="HTTPSampler.use_keepalive">true</boolProp>
        <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>
        <boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>
        <boolProp name="HTTPSampler.image_parser">false</boolProp>
        <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>
        <stringProp name="HTTPSampler.concurrentPool">6</stringProp>
        <boolProp name="HTTPSampler.md5">false</boolProp>
        <intProp name="HTTPSampler.ipSourceType">0</intProp>
    </HTTPSamplerProxy>
    <hashTree>
    <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">
        <collectionProp name="HeaderManager.headers">
        <elementProp name="User-Agent" elementType="Header">
            <stringProp name="Header.name">User-Agent</stringProp>
            <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/8mqFuKuL-88</stringProp>
        </elementProp>
        <elementProp name="Sec-Fetch-Site" elementType="Header">
```

```xml
      <stringProp name="Header.name">Sec-Fetch-Site</stringProp>
      <stringProp name="Header.value">cross-site</stringProp>
    </elementProp>
    <elementProp name="Sec-Fetch-User" elementType="Header">
      <stringProp name="Header.name">Sec-Fetch-User</stringProp>
      <stringProp name="Header.value">?1</stringProp>
    </elementProp>
    <elementProp name="Sec-Fetch-Dest" elementType="Header">
      <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>
      <stringProp name="Header.value">document</stringProp>
    </elementProp>
  </collectionProp>
</HeaderManager>
<hashTree/>
<ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant Timer" enabled="true">
  <stringProp name="ConstantTimer.delay">0</stringProp>
</ConstantTimer>
<hashTree/>
</hashTree>
<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://www.simplilearn.com/full-stack-developer-course-and-certification-iitm-pravartak" enabled="true">
  <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>
  <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">
    <collectionProp name="Arguments.arguments"/>
  </elementProp>
  <stringProp name="HTTPSampler.domain">${BASE_URL_1}</stringProp>
  <stringProp name="HTTPSampler.protocol">https</stringProp>
  <stringProp name="HTTPSampler.path">full-stack-developer-course-and-certification-iitm-pravartak</stringProp>
  <stringProp name="HTTPSampler.method">GET</stringProp>
  <boolProp name="HTTPSampler.follow_redirects">true</boolProp>
  <boolProp name="HTTPSampler.auto_redirects">false</boolProp>
  <boolProp name="HTTPSampler.use_keepalive">true</boolProp>
```

```xml
        <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

        <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

        <boolProp name="HTTPSampler.image_parser">false</boolProp>

        <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

        <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

        <boolProp name="HTTPSampler.md5">false</boolProp>

        <intProp name="HTTPSampler.ipSourceType">0</intProp>

      </HTTPSamplerProxy>

      <hashTree>

      <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

        <collectionProp name="HeaderManager.headers">

        <elementProp name="User-Agent" elementType="Header">

         <stringProp name="Header.name">User-Agent</stringProp>

         <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-
43</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-Site" elementType="Header">

         <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

         <stringProp name="Header.value">same-origin</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-User" elementType="Header">

         <stringProp name="Header.name">Sec-Fetch-User</stringProp>

         <stringProp name="Header.value">?1</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-Dest" elementType="Header">

         <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

         <stringProp name="Header.value">document</stringProp>

        </elementProp>

        </collectionProp>

      </HeaderManager>

      <hashTree/>

      <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant
Timer" enabled="true">
```

```xml
        <stringProp name="ConstantTimer.delay">26671</stringProp>

    </ConstantTimer>

    <hashTree/>

  </hashTree>

  <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://www.simplilearn.com/" enabled="true">

    <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

    <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

      <collectionProp name="Arguments.arguments"/>

    </elementProp>

    <stringProp name="HTTPSampler.domain">${BASE_URL_1}</stringProp>

    <stringProp name="HTTPSampler.protocol">https</stringProp>

    <stringProp name="HTTPSampler.method">GET</stringProp>

    <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

    <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

    <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

    <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

    <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

    <boolProp name="HTTPSampler.image_parser">false</boolProp>

    <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

    <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

    <boolProp name="HTTPSampler.md5">false</boolProp>

    <intProp name="HTTPSampler.ipSourceType">0</intProp>

  </HTTPSamplerProxy>

  <hashTree>

    <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

      <collectionProp name="HeaderManager.headers">

        <elementProp name="User-Agent" elementType="Header">

          <stringProp name="Header.name">User-Agent</stringProp>

          <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-
43</stringProp>

        </elementProp>
```

```xml
        <elementProp name="Sec-Fetch-Site" elementType="Header">
          <stringProp name="Header.name">Sec-Fetch-Site</stringProp>
          <stringProp name="Header.value">same-origin</stringProp>
        </elementProp>
        <elementProp name="Sec-Fetch-User" elementType="Header">
          <stringProp name="Header.name">Sec-Fetch-User</stringProp>
          <stringProp name="Header.value">?1</stringProp>
        </elementProp>
        <elementProp name="Sec-Fetch-Dest" elementType="Header">
          <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>
          <stringProp name="Header.value">document</stringProp>
        </elementProp>
      </collectionProp>
    </HeaderManager>
    <hashTree/>
    <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant Timer" enabled="true">
      <stringProp name="ConstantTimer.delay">14253</stringProp>
    </ConstantTimer>
    <hashTree/>
  </hashTree>
  <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://lms.simplilearn.com/" enabled="true">
    <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>
    <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">
      <collectionProp name="Arguments.arguments"/>
    </elementProp>
    <stringProp name="HTTPSampler.domain">${BASE_URL_2}</stringProp>
    <stringProp name="HTTPSampler.protocol">https</stringProp>
    <stringProp name="HTTPSampler.method">GET</stringProp>
    <boolProp name="HTTPSampler.follow_redirects">true</boolProp>
    <boolProp name="HTTPSampler.auto_redirects">false</boolProp>
    <boolProp name="HTTPSampler.use_keepalive">true</boolProp>
    <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>
```

```xml
        <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

        <boolProp name="HTTPSampler.image_parser">false</boolProp>

        <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

        <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

        <boolProp name="HTTPSampler.md5">false</boolProp>

        <intProp name="HTTPSampler.ipSourceType">0</intProp>

      </HTTPSamplerProxy>

      <hashTree>

      <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

        <collectionProp name="HeaderManager.headers">

        <elementProp name="User-Agent" elementType="Header">

         <stringProp name="Header.name">User-Agent</stringProp>

         <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-
43</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-Site" elementType="Header">

         <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

         <stringProp name="Header.value">same-site</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-User" elementType="Header">

         <stringProp name="Header.name">Sec-Fetch-User</stringProp>

         <stringProp name="Header.value">?1</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-Dest" elementType="Header">

         <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

         <stringProp name="Header.value">document</stringProp>

        </elementProp>

        </collectionProp>

      </HeaderManager>

      <hashTree/>

      <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant
Timer" enabled="true">

        <stringProp name="ConstantTimer.delay">6216</stringProp>
```

```xml
        </ConstantTimer>

        <hashTree/>

      </hashTree>

      <ResponseAssertion guiclass="AssertionGui" testclass="ResponseAssertion" testname="Response
Assertion" enabled="true">

        <collectionProp name="Asserion.test_strings"/>

        <stringProp name="Assertion.custom_message"></stringProp>

        <stringProp name="Assertion.test_field">Assertion.response_data</stringProp>

        <boolProp name="Assertion.assume_success">false</boolProp>

        <intProp name="Assertion.test_type">16</intProp>

      </ResponseAssertion>

      <hashTree/>

    </hashTree>

    <GenericController guiclass="LogicControllerGui" testclass="GenericController" testname="Login
Page" enabled="true"/>

    <hashTree>

      <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://accounts.simplilearn.com/user/login?redirect_url=https%3A%2F%2Flms.simplilearn.
com%2F" enabled="true">

        <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

        <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

          <collectionProp name="Arguments.arguments">

            <elementProp name="redirect_url" elementType="HTTPArgument">

              <boolProp name="HTTPArgument.always_encode">true</boolProp>

              <stringProp name="Argument.name">redirect_url</stringProp>

              <stringProp name="Argument.value">https://lms.simplilearn.com/</stringProp>

              <stringProp name="Argument.metadata">=</stringProp>

              <boolProp name="HTTPArgument.use_equals">true</boolProp>

            </elementProp>

          </collectionProp>

        </elementProp>

        <stringProp name="HTTPSampler.domain">${BASE_URL_3}</stringProp>

        <stringProp name="HTTPSampler.protocol">https</stringProp>

        <stringProp name="HTTPSampler.path">user/login</stringProp>

        <stringProp name="HTTPSampler.method">GET</stringProp>
```

```xml
<boolProp name="HTTPSampler.follow_redirects">true</boolProp>

<boolProp name="HTTPSampler.auto_redirects">false</boolProp>

<boolProp name="HTTPSampler.use_keepalive">true</boolProp>

<boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

<boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

<boolProp name="HTTPSampler.image_parser">false</boolProp>

<boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

<stringProp name="HTTPSampler.concurrentPool">6</stringProp>

<boolProp name="HTTPSampler.md5">false</boolProp>

<intProp name="HTTPSampler.ipSourceType">0</intProp>

</HTTPSamplerProxy>

<hashTree>

<HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">

<collectionProp name="HeaderManager.headers">

<elementProp name="User-Agent" elementType="Header">

<stringProp name="Header.name">User-Agent</stringProp>

<stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-43</stringProp>

</elementProp>

<elementProp name="Sec-Fetch-Site" elementType="Header">

<stringProp name="Header.name">Sec-Fetch-Site</stringProp>

<stringProp name="Header.value">same-site</stringProp>

</elementProp>

<elementProp name="Sec-Fetch-Dest" elementType="Header">

<stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

<stringProp name="Header.value">document</stringProp>

</elementProp>

</collectionProp>

</HeaderManager>

<hashTree/>

<ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant Timer" enabled="true">

<stringProp name="ConstantTimer.delay">828</stringProp>
```

          </ConstantTimer>

          <hashTree/>

        </hashTree>

        <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://service.force.com/embeddedservice/5.0/esw.html?parent=https://accounts.simplilearn.com/user/login?redirect_url=https%3A%2F%2Flms.simplilearn.com%2F" enabled="true">

          <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

          <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

            <collectionProp name="Arguments.arguments">

              <elementProp name="parent" elementType="HTTPArgument">

                <boolProp name="HTTPArgument.always_encode">true</boolProp>

                <stringProp name="Argument.name">parent</stringProp>

                <stringProp name="Argument.value">https://accounts.simplilearn.com/user/login?redirect_url=https://lms.simplilearn.com/</stringProp>

                <stringProp name="Argument.metadata">=</stringProp>

                <boolProp name="HTTPArgument.use_equals">true</boolProp>

              </elementProp>

            </collectionProp>

          </elementProp>

          <stringProp name="HTTPSampler.domain">${BASE_URL_4}</stringProp>

          <stringProp name="HTTPSampler.protocol">https</stringProp>

          <stringProp name="HTTPSampler.path">embeddedservice/5.0/esw.html</stringProp>

          <stringProp name="HTTPSampler.method">GET</stringProp>

          <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

          <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

          <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

          <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

          <boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

          <boolProp name="HTTPSampler.image_parser">false</boolProp>

          <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

          <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

          <boolProp name="HTTPSampler.md5">false</boolProp>

          <intProp name="HTTPSampler.ipSourceType">0</intProp>

```xml
        </HTTPSamplerProxy>

      <hashTree>

        <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

          <collectionProp name="HeaderManager.headers">

          <elementProp name="User-Agent" elementType="Header">

           <stringProp name="Header.name">User-Agent</stringProp>

           <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-
43</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Site" elementType="Header">

           <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

           <stringProp name="Header.value">cross-site</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Dest" elementType="Header">

           <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

           <stringProp name="Header.value">iframe</stringProp>

          </elementProp>

          </collectionProp>

        </HeaderManager>

        <hashTree/>

      </hashTree>

      <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://accounts.simplilearn.com/user/login" enabled="true">

        <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

        <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

          <collectionProp name="Arguments.arguments">

          <elementProp name="user_login" elementType="HTTPArgument">

           <boolProp name="HTTPArgument.always_encode">true</boolProp>

           <stringProp name="Argument.name">user_login</stringProp>

           <stringProp name="Argument.value">Gauravmallgkp@gmail.com</stringProp>

           <stringProp name="Argument.metadata">=</stringProp>

           <boolProp name="HTTPArgument.use_equals">true</boolProp>

          </elementProp>
```

```xml
<elementProp name="user_pwd" elementType="HTTPArgument">
  <boolProp name="HTTPArgument.always_encode">true</boolProp>
  <stringProp name="Argument.name">user_pwd</stringProp>
  <stringProp name="Argument.value">Samrat@26</stringProp>
  <stringProp name="Argument.metadata">=</stringProp>
  <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
<elementProp name="btn_login" elementType="HTTPArgument">
  <boolProp name="HTTPArgument.always_encode">true</boolProp>
  <stringProp name="Argument.name">btn_login</stringProp>
  <stringProp name="Argument.value">Login</stringProp>
  <stringProp name="Argument.metadata">=</stringProp>
  <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
<elementProp name="calendar_url" elementType="HTTPArgument">
  <boolProp name="HTTPArgument.always_encode">true</boolProp>
  <stringProp name="Argument.name">calendar_url</stringProp>
  <stringProp name="Argument.value"></stringProp>
  <stringProp name="Argument.metadata">=</stringProp>
  <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
<elementProp name="redirect_url" elementType="HTTPArgument">
  <boolProp name="HTTPArgument.always_encode">true</boolProp>
  <stringProp name="Argument.name">redirect_url</stringProp>
  <stringProp name="Argument.value">https://lms.simplilearn.com/</stringProp>
  <stringProp name="Argument.metadata">=</stringProp>
  <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
</collectionProp>
</elementProp>
<stringProp name="HTTPSampler.domain">${BASE_URL_3}</stringProp>
<stringProp name="HTTPSampler.protocol">https</stringProp>
<stringProp name="HTTPSampler.path">user/login</stringProp>
<stringProp name="HTTPSampler.method">POST</stringProp>
```

```xml
        <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

        <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

        <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

        <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

        <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

        <boolProp name="HTTPSampler.image_parser">false</boolProp>

        <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

        <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

        <boolProp name="HTTPSampler.md5">false</boolProp>

        <intProp name="HTTPSampler.ipSourceType">0</intProp>

    </HTTPSamplerProxy>

    <hashTree>

      <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

        <collectionProp name="HeaderManager.headers">

        <elementProp name="Content-Type" elementType="Header">

          <stringProp name="Header.name">Content-Type</stringProp>

          <stringProp name="Header.value">application/x-www-form-urlencoded</stringProp>

        </elementProp>

        <elementProp name="User-Agent" elementType="Header">

          <stringProp name="Header.name">User-Agent</stringProp>

          <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1ghD7CpK-
01</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-Site" elementType="Header">

          <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

          <stringProp name="Header.value">same-origin</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-User" elementType="Header">

          <stringProp name="Header.name">Sec-Fetch-User</stringProp>

          <stringProp name="Header.value">?1</stringProp>

        </elementProp>

        <elementProp name="Sec-Fetch-Dest" elementType="Header">

          <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>
```

```xml
          <stringProp name="Header.value">document</stringProp>

        </elementProp>

      </collectionProp>

    </HeaderManager>

    <hashTree/>

    <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant
Timer" enabled="true">

      <stringProp name="ConstantTimer.delay">11985</stringProp>

    </ConstantTimer>

    <hashTree/>

  </hashTree>

  <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://service.force.com/embeddedservice/5.0/esw.html?parent=https://accounts.simplilear
n.com/user/manage-auth-redirect" enabled="true">

    <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

    <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

      <collectionProp name="Arguments.arguments">

        <elementProp name="parent" elementType="HTTPArgument">

          <boolProp name="HTTPArgument.always_encode">true</boolProp>

          <stringProp name="Argument.name">parent</stringProp>

          <stringProp name="Argument.value">https://accounts.simplilearn.com/user/manage-auth-
redirect</stringProp>

          <stringProp name="Argument.metadata">=</stringProp>

          <boolProp name="HTTPArgument.use_equals">true</boolProp>

        </elementProp>

      </collectionProp>

    </elementProp>

    <stringProp name="HTTPSampler.domain">${BASE_URL_4}</stringProp>

    <stringProp name="HTTPSampler.protocol">https</stringProp>

    <stringProp name="HTTPSampler.path">embeddedservice/5.0/esw.html</stringProp>

    <stringProp name="HTTPSampler.method">GET</stringProp>

    <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

    <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

    <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

    <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>
```

```xml
        <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

        <boolProp name="HTTPSampler.image_parser">false</boolProp>

        <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

        <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

        <boolProp name="HTTPSampler.md5">false</boolProp>

        <intProp name="HTTPSampler.ipSourceType">0</intProp>

      </HTTPSamplerProxy>

      <hashTree>

        <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

          <collectionProp name="HeaderManager.headers">

          <elementProp name="User-Agent" elementType="Header">

            <stringProp name="Header.name">User-Agent</stringProp>

            <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1ghD7CpK-
01</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Site" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

            <stringProp name="Header.value">cross-site</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Dest" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

            <stringProp name="Header.value">iframe</stringProp>

          </elementProp>

          </collectionProp>

        </HeaderManager>

        <hashTree/>

      </hashTree>

      <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://lms.simplilearn.com/" enabled="true">

        <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

        <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

          <collectionProp name="Arguments.arguments"/>
```

```xml
        </elementProp>

        <stringProp name="HTTPSampler.domain">${BASE_URL_2}</stringProp>

        <stringProp name="HTTPSampler.protocol">https</stringProp>

        <stringProp name="HTTPSampler.method">GET</stringProp>

        <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

        <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

        <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

        <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

        <boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

        <boolProp name="HTTPSampler.image_parser">false</boolProp>

        <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

        <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

        <boolProp name="HTTPSampler.md5">false</boolProp>

        <intProp name="HTTPSampler.ipSourceType">0</intProp>

      </HTTPSamplerProxy>

      <hashTree>

      <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">

        <collectionProp name="HeaderManager.headers">

          <elementProp name="User-Agent" elementType="Header">

            <stringProp name="Header.name">User-Agent</stringProp>

            <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1ghD7CpK-01</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Site" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

            <stringProp name="Header.value">same-site</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Dest" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

            <stringProp name="Header.value">document</stringProp>

          </elementProp>

        </collectionProp>

      </HeaderManager>
```

```xml
<hashTree/>

<ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant Timer" enabled="true">

  <stringProp name="ConstantTimer.delay">2836</stringProp>

</ConstantTimer>

<hashTree/>

</hashTree>

<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://service.force.com/embeddedservice/5.0/esw.html?parent=https://lms.simplilearn.com/" enabled="true">

  <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

  <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

    <collectionProp name="Arguments.arguments">

      <elementProp name="parent" elementType="HTTPArgument">

        <boolProp name="HTTPArgument.always_encode">true</boolProp>

        <stringProp name="Argument.name">parent</stringProp>

        <stringProp name="Argument.value">https://lms.simplilearn.com/</stringProp>

        <stringProp name="Argument.metadata">=</stringProp>

        <boolProp name="HTTPArgument.use_equals">true</boolProp>

      </elementProp>

    </collectionProp>

  </elementProp>

  <stringProp name="HTTPSampler.domain">${BASE_URL_4}</stringProp>

  <stringProp name="HTTPSampler.protocol">https</stringProp>

  <stringProp name="HTTPSampler.path">embeddedservice/5.0/esw.html</stringProp>

  <stringProp name="HTTPSampler.method">GET</stringProp>

  <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

  <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

  <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

  <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

  <boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

  <boolProp name="HTTPSampler.image_parser">false</boolProp>

  <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

  <stringProp name="HTTPSampler.concurrentPool">6</stringProp>
```

```xml
          <boolProp name="HTTPSampler.md5">false</boolProp>

          <intProp name="HTTPSampler.ipSourceType">0</intProp>

        </HTTPSamplerProxy>

        <hashTree>

        <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

          <collectionProp name="HeaderManager.headers">

          <elementProp name="User-Agent" elementType="Header">

            <stringProp name="Header.name">User-Agent</stringProp>

            <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1ghD7CpK-
01</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Site" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

            <stringProp name="Header.value">cross-site</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Dest" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

            <stringProp name="Header.value">iframe</stringProp>

          </elementProp>

          </collectionProp>

        </HeaderManager>

        <hashTree/>

        </hashTree>

        <HTMLAssertion guiclass="HTMLAssertionGui" testclass="HTMLAssertion" testname="HTML
Assertion" enabled="true">

          <longProp name="html_assertion_error_threshold">0</longProp>

          <longProp name="html_assertion_warning_threshold">0</longProp>

          <stringProp name="html_assertion_doctype">omit</stringProp>

          <boolProp name="html_assertion_errorsonly">false</boolProp>

          <longProp name="html_assertion_format">0</longProp>

          <stringProp name="html_assertion_filename">C:\apache-jmeter-5.6.2\bin\folder\project
jmeter\error.txt</stringProp>

        </HTMLAssertion>

        <hashTree/>
```

```xml
<ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant Timer" enabled="true">

  <stringProp name="ConstantTimer.delay">3000</stringProp>

</ConstantTimer>

<hashTree/>

</hashTree>

<GenericController guiclass="LogicControllerGui" testclass="GenericController" testname="Ragister page" enabled="true"/>

<hashTree>

<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://accounts.simplilearn.com/user/register?redirect_url=https://lms.simplilearn.com/" enabled="true">

  <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

  <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

    <collectionProp name="Arguments.arguments">

      <elementProp name="redirect_url" elementType="HTTPArgument">

        <boolProp name="HTTPArgument.always_encode">true</boolProp>

        <stringProp name="Argument.name">redirect_url</stringProp>

        <stringProp name="Argument.value">https://lms.simplilearn.com/</stringProp>

        <stringProp name="Argument.metadata">=</stringProp>

        <boolProp name="HTTPArgument.use_equals">true</boolProp>

      </elementProp>

    </collectionProp>

  </elementProp>

  <stringProp name="HTTPSampler.domain">${BASE_URL_3}</stringProp>

  <stringProp name="HTTPSampler.protocol">https</stringProp>

  <stringProp name="HTTPSampler.path">user/register</stringProp>

  <stringProp name="HTTPSampler.method">GET</stringProp>

  <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

  <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

  <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

  <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

  <boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

  <boolProp name="HTTPSampler.image_parser">false</boolProp>
```

```xml
          <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

          <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

          <boolProp name="HTTPSampler.md5">false</boolProp>

          <intProp name="HTTPSampler.ipSourceType">0</intProp>

        </HTTPSamplerProxy>

        <hashTree>

        <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">

          <collectionProp name="HeaderManager.headers">

          <elementProp name="User-Agent" elementType="Header">

            <stringProp name="Header.name">User-Agent</stringProp>

            <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-43</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Site" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

            <stringProp name="Header.value">same-origin</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-User" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-User</stringProp>

            <stringProp name="Header.value">?1</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Dest" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

            <stringProp name="Header.value">document</stringProp>

          </elementProp>

          </collectionProp>

        </HeaderManager>

        <hashTree/>

        <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant Timer" enabled="true">

          <stringProp name="ConstantTimer.delay">5872</stringProp>

        </ConstantTimer>

        <hashTree/>

        </hashTree>
```

```xml
<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://service.force.com/embeddedservice/5.0/esw.html?parent=https://accounts.simplilear
n.com/user/register?redirect_url=https://lms.simplilearn.com/" enabled="true">

  <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

  <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

    <collectionProp name="Arguments.arguments">

      <elementProp name="parent" elementType="HTTPArgument">

        <boolProp name="HTTPArgument.always_encode">true</boolProp>

        <stringProp name="Argument.name">parent</stringProp>

        <stringProp
name="Argument.value">https://accounts.simplilearn.com/user/register?redirect_url=https://lms.simpl
ilearn.com/</stringProp>

        <stringProp name="Argument.metadata">=</stringProp>

        <boolProp name="HTTPArgument.use_equals">true</boolProp>

      </elementProp>

    </collectionProp>

  </elementProp>

  <stringProp name="HTTPSampler.domain">${BASE_URL_4}</stringProp>

  <stringProp name="HTTPSampler.protocol">https</stringProp>

  <stringProp name="HTTPSampler.path">embeddedservice/5.0/esw.html</stringProp>

  <stringProp name="HTTPSampler.method">GET</stringProp>

  <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

  <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

  <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

  <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

  <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

  <boolProp name="HTTPSampler.image_parser">false</boolProp>

  <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

  <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

  <boolProp name="HTTPSampler.md5">false</boolProp>

  <intProp name="HTTPSampler.ipSourceType">0</intProp>

</HTTPSamplerProxy>

<hashTree>

  <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">
```

```xml
        <collectionProp name="HeaderManager.headers">

          <elementProp name="User-Agent" elementType="Header">

            <stringProp name="Header.name">User-Agent</stringProp>

            <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-
43</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Site" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

            <stringProp name="Header.value">cross-site</stringProp>

          </elementProp>

          <elementProp name="Sec-Fetch-Dest" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

            <stringProp name="Header.value">iframe</stringProp>

          </elementProp>

        </collectionProp>

      </HeaderManager>

      <hashTree/>

    </hashTree>

    <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://accounts.simplilearn.com/user/register-email" enabled="true">

      <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

      <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

        <collectionProp name="Arguments.arguments"/>

      </elementProp>

      <stringProp name="HTTPSampler.domain">${BASE_URL_3}</stringProp>

      <stringProp name="HTTPSampler.protocol">https</stringProp>

      <stringProp name="HTTPSampler.path">user/register-email</stringProp>

      <stringProp name="HTTPSampler.method">GET</stringProp>

      <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

      <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

      <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

      <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

      <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>
```

```xml
          <boolProp name="HTTPSampler.image_parser">false</boolProp>

          <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

          <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

          <boolProp name="HTTPSampler.md5">false</boolProp>

          <intProp name="HTTPSampler.ipSourceType">0</intProp>

        </HTTPSamplerProxy>

      <hashTree>

        <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

          <collectionProp name="HeaderManager.headers">

           <elementProp name="User-Agent" elementType="Header">

            <stringProp name="Header.name">User-Agent</stringProp>

            <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-
43</stringProp>

           </elementProp>

           <elementProp name="Sec-Fetch-Site" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

            <stringProp name="Header.value">same-origin</stringProp>

           </elementProp>

           <elementProp name="Sec-Fetch-User" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-User</stringProp>

            <stringProp name="Header.value">?1</stringProp>

           </elementProp>

           <elementProp name="Sec-Fetch-Dest" elementType="Header">

            <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

            <stringProp name="Header.value">document</stringProp>

           </elementProp>

          </collectionProp>

        </HeaderManager>

        <hashTree/>

        <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant
Timer" enabled="true">

          <stringProp name="ConstantTimer.delay">2585</stringProp>

        </ConstantTimer>

        <hashTree/>
```

```xml
            </hashTree>

            <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://service.force.com/embeddedservice/5.0/esw.html?parent=https://accounts.simplilear
n.com/user/register-email" enabled="true">

                <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

                <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

                    <collectionProp name="Arguments.arguments">

                        <elementProp name="parent" elementType="HTTPArgument">

                            <boolProp name="HTTPArgument.always_encode">true</boolProp>

                            <stringProp name="Argument.name">parent</stringProp>

                            <stringProp name="Argument.value">https://accounts.simplilearn.com/user/register-
email</stringProp>

                            <stringProp name="Argument.metadata">=</stringProp>

                            <boolProp name="HTTPArgument.use_equals">true</boolProp>

                        </elementProp>

                    </collectionProp>

                </elementProp>

                <stringProp name="HTTPSampler.domain">${BASE_URL_4}</stringProp>

                <stringProp name="HTTPSampler.protocol">https</stringProp>

                <stringProp name="HTTPSampler.path">embeddedservice/5.0/esw.html</stringProp>

                <stringProp name="HTTPSampler.method">GET</stringProp>

                <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

                <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

                <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

                <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

                <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

                <boolProp name="HTTPSampler.image_parser">false</boolProp>

                <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

                <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

                <boolProp name="HTTPSampler.md5">false</boolProp>

                <intProp name="HTTPSampler.ipSourceType">0</intProp>

            </HTTPSamplerProxy>

            <hashTree>
```

```xml
<HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">

  <collectionProp name="HeaderManager.headers">

  <elementProp name="User-Agent" elementType="Header">

   <stringProp name="Header.name">User-Agent</stringProp>

   <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1laB5WpH-43</stringProp>

  </elementProp>

  <elementProp name="Sec-Fetch-Site" elementType="Header">

   <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

   <stringProp name="Header.value">cross-site</stringProp>

  </elementProp>

  <elementProp name="Sec-Fetch-Dest" elementType="Header">

   <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

   <stringProp name="Header.value">iframe</stringProp>

  </elementProp>

  </collectionProp>

 </HeaderManager>

 <hashTree/>

 </hashTree>

  <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://accounts.simplilearn.com/user/register-email" enabled="true">

   <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

   <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

   <collectionProp name="Arguments.arguments">

   <elementProp name="country_code" elementType="HTTPArgument">

    <boolProp name="HTTPArgument.always_encode">true</boolProp>

    <stringProp name="Argument.name">country_code</stringProp>

    <stringProp name="Argument.value">IN</stringProp>

    <stringProp name="Argument.metadata">=</stringProp>

    <boolProp name="HTTPArgument.use_equals">true</boolProp>

   </elementProp>

   <elementProp name="firstName" elementType="HTTPArgument">

    <boolProp name="HTTPArgument.always_encode">true</boolProp>
```

```xml
    <stringProp name="Argument.name">firstName</stringProp>
    <stringProp name="Argument.value">Gaurav</stringProp>
    <stringProp name="Argument.metadata">=</stringProp>
    <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
<elementProp name="lastName" elementType="HTTPArgument">
    <boolProp name="HTTPArgument.always_encode">true</boolProp>
    <stringProp name="Argument.name">lastName</stringProp>
    <stringProp name="Argument.value">mall</stringProp>
    <stringProp name="Argument.metadata">=</stringProp>
    <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
<elementProp name="phone_no" elementType="HTTPArgument">
    <boolProp name="HTTPArgument.always_encode">true</boolProp>
    <stringProp name="Argument.name">phone_no</stringProp>
    <stringProp name="Argument.value">9793477123</stringProp>
    <stringProp name="Argument.metadata">=</stringProp>
    <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
<elementProp name="user_email" elementType="HTTPArgument">
    <boolProp name="HTTPArgument.always_encode">true</boolProp>
    <stringProp name="Argument.name">user_email</stringProp>
    <stringProp name="Argument.value">Gauravmallgkp@gmail.com</stringProp>
    <stringProp name="Argument.metadata">=</stringProp>
    <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
<elementProp name="TnCCheckbox" elementType="HTTPArgument">
    <boolProp name="HTTPArgument.always_encode">true</boolProp>
    <stringProp name="Argument.name">TnCCheckbox</stringProp>
    <stringProp name="Argument.value">Y</stringProp>
    <stringProp name="Argument.metadata">=</stringProp>
    <boolProp name="HTTPArgument.use_equals">true</boolProp>
</elementProp>
<elementProp name="user_pwd" elementType="HTTPArgument">
```

```xml
      <boolProp name="HTTPArgument.always_encode">true</boolProp>
      <stringProp name="Argument.name">user_pwd</stringProp>
      <stringProp name="Argument.value">Samrat@26</stringProp>
      <stringProp name="Argument.metadata">=</stringProp>
      <boolProp name="HTTPArgument.use_equals">true</boolProp>
    </elementProp>
    <elementProp name="btn_signup" elementType="HTTPArgument">
      <boolProp name="HTTPArgument.always_encode">true</boolProp>
      <stringProp name="Argument.name">btn_signup</stringProp>
      <stringProp name="Argument.value">Create Account</stringProp>
      <stringProp name="Argument.metadata">=</stringProp>
      <boolProp name="HTTPArgument.use_equals">true</boolProp>
    </elementProp>
    <elementProp name="redirect_url" elementType="HTTPArgument">
      <boolProp name="HTTPArgument.always_encode">true</boolProp>
      <stringProp name="Argument.name">redirect_url</stringProp>
      <stringProp name="Argument.value">https://lms.simplilearn.com</stringProp>
      <stringProp name="Argument.metadata">=</stringProp>
      <boolProp name="HTTPArgument.use_equals">true</boolProp>
    </elementProp>
  </collectionProp>
</elementProp>
<stringProp name="HTTPSampler.domain">${BASE_URL_3}</stringProp>
<stringProp name="HTTPSampler.protocol">https</stringProp>
<stringProp name="HTTPSampler.path">user/register-email</stringProp>
<stringProp name="HTTPSampler.method">POST</stringProp>
<boolProp name="HTTPSampler.follow_redirects">true</boolProp>
<boolProp name="HTTPSampler.auto_redirects">false</boolProp>
<boolProp name="HTTPSampler.use_keepalive">true</boolProp>
<boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>
<boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>
<boolProp name="HTTPSampler.image_parser">false</boolProp>
<boolProp name="HTTPSampler.concurrentDwn">false</boolProp>
```

```xml
        <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

        <boolProp name="HTTPSampler.md5">false</boolProp>

        <intProp name="HTTPSampler.ipSourceType">0</intProp>

      </HTTPSamplerProxy>

    <hashTree>

      <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header
manager" enabled="true">

        <collectionProp name="HeaderManager.headers">

         <elementProp name="Content-Type" elementType="Header">

           <stringProp name="Header.name">Content-Type</stringProp>

           <stringProp name="Header.value">application/x-www-form-urlencoded</stringProp>

         </elementProp>

         <elementProp name="User-Agent" elementType="Header">

           <stringProp name="Header.name">User-Agent</stringProp>

           <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/4erS7ObW-
66</stringProp>

         </elementProp>

         <elementProp name="Sec-Fetch-Site" elementType="Header">

           <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

           <stringProp name="Header.value">same-origin</stringProp>

         </elementProp>

         <elementProp name="Sec-Fetch-User" elementType="Header">

           <stringProp name="Header.name">Sec-Fetch-User</stringProp>

           <stringProp name="Header.value">?1</stringProp>

         </elementProp>

         <elementProp name="Sec-Fetch-Dest" elementType="Header">

           <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

           <stringProp name="Header.value">document</stringProp>

         </elementProp>

        </collectionProp>

      </HeaderManager>

      <hashTree/>

      <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant
Timer" enabled="true">

        <stringProp name="ConstantTimer.delay">60825</stringProp>
```

```xml
      </ConstantTimer>

    <hashTree/>

  </hashTree>

  <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://service.force.com/embeddedservice/5.0/esw.html?parent=https://accounts.simplilear
n.com/user/manage-auth-redirect" enabled="true">

    <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

    <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

      <collectionProp name="Arguments.arguments">

        <elementProp name="parent" elementType="HTTPArgument">

          <boolProp name="HTTPArgument.always_encode">true</boolProp>

          <stringProp name="Argument.name">parent</stringProp>

          <stringProp name="Argument.value">https://accounts.simplilearn.com/user/manage-auth-
redirect</stringProp>

          <stringProp name="Argument.metadata">=</stringProp>

          <boolProp name="HTTPArgument.use_equals">true</boolProp>

        </elementProp>

      </collectionProp>

    </elementProp>

    <stringProp name="HTTPSampler.domain">${BASE_URL_4}</stringProp>

    <stringProp name="HTTPSampler.protocol">https</stringProp>

    <stringProp name="HTTPSampler.path">embeddedservice/5.0/esw.html</stringProp>

    <stringProp name="HTTPSampler.method">GET</stringProp>

    <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

    <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

    <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

    <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

    <boolProp
name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

    <boolProp name="HTTPSampler.image_parser">false</boolProp>

    <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

    <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

    <boolProp name="HTTPSampler.md5">false</boolProp>

    <intProp name="HTTPSampler.ipSourceType">0</intProp>

  </HTTPSamplerProxy>
```

```xml
<hashTree>

  <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">

    <collectionProp name="HeaderManager.headers">

    <elementProp name="User-Agent" elementType="Header">

      <stringProp name="Header.name">User-Agent</stringProp>

      <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/4erS7ObW-66</stringProp>

    </elementProp>

    <elementProp name="Sec-Fetch-Site" elementType="Header">

      <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

      <stringProp name="Header.value">cross-site</stringProp>

    </elementProp>

    <elementProp name="Sec-Fetch-Dest" elementType="Header">

      <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

      <stringProp name="Header.value">iframe</stringProp>

    </elementProp>

    </collectionProp>

  </HeaderManager>

  <hashTree/>

</hashTree>

  <DurationAssertion guiclass="DurationAssertionGui" testclass="DurationAssertion" testname="Duration Assertion" enabled="true">

    <stringProp name="DurationAssertion.duration">3000</stringProp>

  </DurationAssertion>

  <hashTree/>

  <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant Timer" enabled="true">

    <stringProp name="ConstantTimer.delay">300</stringProp>

  </ConstantTimer>

  <hashTree/>

</hashTree>

  <GenericController guiclass="LogicControllerGui" testclass="GenericController" testname="logout" enabled="true"/>

  <hashTree>
```

```xml
<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://lms.simplilearn.com/" enabled="true">

  <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

  <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

    <collectionProp name="Arguments.arguments"/>

  </elementProp>

  <stringProp name="HTTPSampler.domain">${BASE_URL_2}</stringProp>

  <stringProp name="HTTPSampler.protocol">https</stringProp>

  <stringProp name="HTTPSampler.method">GET</stringProp>

  <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

  <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

  <boolProp name="HTTPSampler.use_keepalive">true</boolProp>

  <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

  <boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

  <boolProp name="HTTPSampler.image_parser">false</boolProp>

  <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

  <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

  <boolProp name="HTTPSampler.md5">false</boolProp>

  <intProp name="HTTPSampler.ipSourceType">0</intProp>

</HTTPSamplerProxy>

<hashTree>

  <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">

    <collectionProp name="HeaderManager.headers">

    <elementProp name="User-Agent" elementType="Header">

      <stringProp name="Header.name">User-Agent</stringProp>

      <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/4erS7ObW-66</stringProp>

    </elementProp>

    <elementProp name="Sec-Fetch-Site" elementType="Header">

      <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

      <stringProp name="Header.value">same-site</stringProp>

    </elementProp>
```

```xml
        <elementProp name="Sec-Fetch-Dest" elementType="Header">

          <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

          <stringProp name="Header.value">document</stringProp>

        </elementProp>

      </collectionProp>

    </HeaderManager>

    <hashTree/>

    <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant
Timer" enabled="true">

        <stringProp name="ConstantTimer.delay">2645</stringProp>

    </ConstantTimer>

    <hashTree/>

  </hashTree>

    <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="https://service.force.com/embeddedservice/5.0/esw.html?parent=https://lms.simplilearn.co
m/" enabled="true">

      <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

      <elementProp name="HTTPsampler.Arguments" elementType="Arguments"
guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

        <collectionProp name="Arguments.arguments">

          <elementProp name="parent" elementType="HTTPArgument">

            <boolProp name="HTTPArgument.always_encode">true</boolProp>

            <stringProp name="Argument.name">parent</stringProp>

            <stringProp name="Argument.value">https://lms.simplilearn.com/</stringProp>

            <stringProp name="Argument.metadata">=</stringProp>

            <boolProp name="HTTPArgument.use_equals">true</boolProp>

          </elementProp>

        </collectionProp>

      </elementProp>

      <stringProp name="HTTPSampler.domain">${BASE_URL_4}</stringProp>

      <stringProp name="HTTPSampler.protocol">https</stringProp>

      <stringProp name="HTTPSampler.path">embeddedservice/5.0/esw.html</stringProp>

      <stringProp name="HTTPSampler.method">GET</stringProp>

      <boolProp name="HTTPSampler.follow_redirects">true</boolProp>

      <boolProp name="HTTPSampler.auto_redirects">false</boolProp>

      <boolProp name="HTTPSampler.use_keepalive">true</boolProp>
```

          <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>

          <boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>

          <boolProp name="HTTPSampler.image_parser">false</boolProp>

          <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>

          <stringProp name="HTTPSampler.concurrentPool">6</stringProp>

          <boolProp name="HTTPSampler.md5">false</boolProp>

          <intProp name="HTTPSampler.ipSourceType">0</intProp>

        </HTTPSamplerProxy>

        <hashTree>

          <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">

            <collectionProp name="HeaderManager.headers">

            <elementProp name="User-Agent" elementType="Header">

              <stringProp name="Header.name">User-Agent</stringProp>

              <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/4erS7ObW-66</stringProp>

            </elementProp>

            <elementProp name="Sec-Fetch-Site" elementType="Header">

              <stringProp name="Header.name">Sec-Fetch-Site</stringProp>

              <stringProp name="Header.value">cross-site</stringProp>

            </elementProp>

            <elementProp name="Sec-Fetch-Dest" elementType="Header">

              <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>

              <stringProp name="Header.value">iframe</stringProp>

            </elementProp>

            </collectionProp>

          </HeaderManager>

          <hashTree/>

        </hashTree>

        <HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy" testname="https://lms.simplilearn.com/session/logout" enabled="true">

          <boolProp name="HTTPSampler.postBodyRaw">false</boolProp>

          <elementProp name="HTTPsampler.Arguments" elementType="Arguments" guiclass="HTTPArgumentsPanel" testclass="Arguments" enabled="true">

```xml
      <collectionProp name="Arguments.arguments"/>
    </elementProp>
    <stringProp name="HTTPSampler.domain">${BASE_URL_2}</stringProp>
    <stringProp name="HTTPSampler.protocol">https</stringProp>
    <stringProp name="HTTPSampler.path">session/logout</stringProp>
    <stringProp name="HTTPSampler.method">GET</stringProp>
    <boolProp name="HTTPSampler.follow_redirects">true</boolProp>
    <boolProp name="HTTPSampler.auto_redirects">false</boolProp>
    <boolProp name="HTTPSampler.use_keepalive">true</boolProp>
    <boolProp name="HTTPSampler.DO_MULTIPART_POST">false</boolProp>
    <boolProp name="HTTPSampler.BROWSER_COMPATIBLE_MULTIPART">false</boolProp>
    <boolProp name="HTTPSampler.image_parser">false</boolProp>
    <boolProp name="HTTPSampler.concurrentDwn">false</boolProp>
    <stringProp name="HTTPSampler.concurrentPool">6</stringProp>
    <boolProp name="HTTPSampler.md5">false</boolProp>
    <intProp name="HTTPSampler.ipSourceType">0</intProp>
  </HTTPSamplerProxy>
  <hashTree>
  <HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP Header manager" enabled="true">
    <collectionProp name="HeaderManager.headers">
    <elementProp name="User-Agent" elementType="Header">
      <stringProp name="Header.name">User-Agent</stringProp>
      <stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36/1ghD7CpK-01</stringProp>
    </elementProp>
    <elementProp name="Sec-Fetch-Site" elementType="Header">
      <stringProp name="Header.name">Sec-Fetch-Site</stringProp>
      <stringProp name="Header.value">same-origin</stringProp>
    </elementProp>
    <elementProp name="Sec-Fetch-User" elementType="Header">
      <stringProp name="Header.name">Sec-Fetch-User</stringProp>
      <stringProp name="Header.value">?1</stringProp>
    </elementProp>
```

```xml
        <elementProp name="Sec-Fetch-Dest" elementType="Header">
          <stringProp name="Header.name">Sec-Fetch-Dest</stringProp>
          <stringProp name="Header.value">document</stringProp>
        </elementProp>
      </collectionProp>
    </HeaderManager>
    <hashTree/>
    <ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer" testname="Constant Timer" enabled="true">
      <stringProp name="ConstantTimer.delay">19813</stringProp>
    </ConstantTimer>
    <hashTree/>
  </hashTree>
  <ResultCollector guiclass="GraphVisualizer" testclass="ResultCollector" testname="Graph Results" enabled="true">
    <boolProp name="ResultCollector.error_logging">false</boolProp>
    <objProp>
      <name>saveConfig</name>
      <value class="SampleSaveConfiguration">
        <time>true</time>
        <latency>true</latency>
        <timestamp>true</timestamp>
        <success>true</success>
        <label>true</label>
        <code>true</code>
        <message>true</message>
        <threadName>true</threadName>
        <dataType>true</dataType>
        <encoding>false</encoding>
        <assertions>true</assertions>
        <subresults>true</subresults>
        <responseData>false</responseData>
        <samplerData>false</samplerData>
        <xml>false</xml>
        <fieldNames>true</fieldNames>
```

```xml
        <responseHeaders>false</responseHeaders>

        <requestHeaders>false</requestHeaders>

        <responseDataOnError>false</responseDataOnError>

        <saveAssertionResultsFailureMessage>true</saveAssertionResultsFailureMessage>

        <assertionsResultsToSave>0</assertionsResultsToSave>

        <bytes>true</bytes>

        <sentBytes>true</sentBytes>

        <url>true</url>

        <threadCounts>true</threadCounts>

        <idleTime>true</idleTime>

        <connectTime>true</connectTime>

      </value>

    </objProp>

    <stringProp name="filename"></stringProp>

  </ResultCollector>

  <hashTree/>

</hashTree>

<ResultCollector guiclass="ViewResultsFullVisualizer" testclass="ResultCollector" testname="View
Results Tree" enabled="true">

  <boolProp name="ResultCollector.error_logging">false</boolProp>

  <objProp>

    <name>saveConfig</name>

    <value class="SampleSaveConfiguration">

      <time>true</time>

      <latency>true</latency>

      <timestamp>true</timestamp>

      <success>true</success>

      <label>true</label>

      <code>true</code>

      <message>true</message>

      <threadName>true</threadName>

      <dataType>true</dataType>

      <encoding>false</encoding>

      <assertions>true</assertions>
```

          <responseData>false</responseData>

          <samplerData>false</samplerData>

          <xml>false</xml>

          <fieldNames>true</fieldNames>

          <responseHeaders>false</responseHeaders>

          <requestHeaders>false</requestHeaders>

          <responseDataOnError>false</responseDataOnError>

          <saveAssertionResultsFailureMessage>true</saveAssertionResultsFailureMessage>

          <assertionsResultsToSave>0</assertionsResultsToSave>

          <bytes>true</bytes>

          <sentBytes>true</sentBytes>

          <url>true</url>

          <threadCounts>true</threadCounts>

          <idleTime>true</idleTime>

          <connectTime>true</connectTime>

        </value>

      </objProp>

      <stringProp name="filename"></stringProp>

    </ResultCollector>

    <hashTree/>

    <ResultCollector guiclass="StatVisualizer" testclass="ResultCollector" testname="Aggregate Report" enabled="true">

      <boolProp name="ResultCollector.error_logging">false</boolProp>

      <objProp>

       <name>saveConfig</name>

       <value class="SampleSaveConfiguration">

        <time>true</time>

        <latency>true</latency>

        <timestamp>true</timestamp>

        <success>true</success>

        <label>true</label>

        <code>true</code>

        <message>true</message>

```xml
        <threadName>true</threadName>

        <dataType>true</dataType>

        <encoding>false</encoding>

        <assertions>true</assertions>

        <subresults>true</subresults>

        <responseData>false</responseData>

        <samplerData>false</samplerData>

        <xml>false</xml>

        <fieldNames>true</fieldNames>

        <responseHeaders>false</responseHeaders>

        <requestHeaders>false</requestHeaders>

        <responseDataOnError>false</responseDataOnError>

        <saveAssertionResultsFailureMessage>true</saveAssertionResultsFailureMessage>

        <assertionsResultsToSave>0</assertionsResultsToSave>

        <bytes>true</bytes>

        <sentBytes>true</sentBytes>

        <url>true</url>

        <threadCounts>true</threadCounts>

        <idleTime>true</idleTime>

        <connectTime>true</connectTime>

      </value>

    </objProp>

    <stringProp name="filename"></stringProp>

  </ResultCollector>

  <hashTree/>

  <ResultCollector guiclass="AssertionVisualizer" testclass="ResultCollector" testname="Assertion
Results" enabled="true">

    <boolProp name="ResultCollector.error_logging">false</boolProp>

    <objProp>

      <name>saveConfig</name>

      <value class="SampleSaveConfiguration">

       <time>true</time>

       <latency>true</latency>

       <timestamp>true</timestamp>
```

```xml
          <success>true</success>
          <label>true</label>
          <code>true</code>
          <message>true</message>
          <threadName>true</threadName>
          <dataType>true</dataType>
          <encoding>false</encoding>
          <assertions>true</assertions>
          <subresults>true</subresults>
          <responseData>false</responseData>
          <samplerData>false</samplerData>
          <xml>false</xml>
          <fieldNames>true</fieldNames>
          <responseHeaders>false</responseHeaders>
          <requestHeaders>false</requestHeaders>
          <responseDataOnError>false</responseDataOnError>
          <saveAssertionResultsFailureMessage>true</saveAssertionResultsFailureMessage>
          <assertionsResultsToSave>0</assertionsResultsToSave>
          <bytes>true</bytes>
          <sentBytes>true</sentBytes>
          <url>true</url>
          <threadCounts>true</threadCounts>
          <idleTime>true</idleTime>
          <connectTime>true</connectTime>
        </value>
      </objProp>
      <stringProp name="filename"></stringProp>
    </ResultCollector>
    <hashTree/>
  </hashTree>
 </hashTree>
</hashTree>
</jmeterTestPlan>
```

Error file:-

line 2 column 1 - Warning: missing <!DOCTYPE> declaration

line 10 column 1 - Warning: inserting missing 'title' element

InputStream: Document content looks like HTML 4.01

2 warnings, no errors were found!

Github commonds:-

C:\apache-jmeter-5.6.2\bin\folder\project jmeter>git init

Initialized empty Git repository in C:/apache-jmeter-5.6.2/bin/folder/project jmeter/.git/

C:\apache-jmeter-5.6.2\bin\folder\project jmeter>git status

On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      Simplilearn-Project.jmx
      error.txt

nothing added to commit but untracked files present (use "git add" to track)

C:\apache-jmeter-5.6.2\bin\folder\project jmeter>git add .

warning: in the working copy of 'Simplilearn-Project.jmx', LF will be replaced by CRLF the next time Git touches it

C:\apache-jmeter-5.6.2\bin\folder\project jmeter>git status

On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)

new file: Simplilearn-Project.jmx

new file: error.txt

C:\apache-jmeter-5.6.2\bin\folder\project jmeter>git commit -m "Successfully commited"

[master (root-commit) 773e842] Successfully commited

 2 files changed, 1308 insertions(+)

 create mode 100644 Simplilearn-Project.jmx

 create mode 100644 error.txt

C:\apache-jmeter-5.6.2\bin\folder\project jmeter>git status

On branch master

nothing to commit, working tree clean

C:\apache-jmeter-5.6.2\bin\folder\project jmeter> git remote add origin
https://github.com/Samrathevil26/Jmeter-poject.git

C:\apache-jmeter-5.6.2\bin\folder\project jmeter>git push -u origin master

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 12 threads

Compressing objects: 100% (4/4), done.

Writing objects: 100% (4/4), 4.65 KiB | 793.00 KiB/s, done.

Total 4 (delta 0), reused 0 (delta 0), pack-reused 0

To https://github.com/Samrathevil26/Jmeter-poject.git

 * [new branch]   master -> master

branch 'master' set up to track 'origin/master'.