COURIER.LOGISTICS.COD

M&P COD API MANUAL

Document Version: 2025022404

Table of Contents

1. Booking 6
   1.1 Insert Booking Data API 6
      Parameters 6
      Example 8
      Result 9
   1.2 Void Consignment API 10
      Parameters 10
      Example 11
      Result 11
   1.3 Insert Bulk Booking Data API 12
      Parameters 12
      Example 14
      Result 15
2. Branches 16
   2.1 Get Cities 16
      Parameters 16
      Example 16
      Result 16
   2.2 Get Cities All 18
      Parameters 18
      Example 18
      Result 18
3. Locations 20
   3.1 Get Locations 20
      Parameters 20
      Example 20
      Result 20
   3.2 Add Location API 21

Parameters 21
Example 21
Result 22
3.3 Add Location with Sub Account API 23
Parameters 23
Example 23
Result 24
3.4 Get Sub Account Locations 25
Parameters 25
Example 25
Result 25
3.5 Create Sub Account Locations 26
Parameters 26
Example 26
Result 26
4. Reports 27
4.1 QSR Report API 27
Parameters 27
Example 27
Result 28
4.2 Payment Report API 29
Parameters 29
Example 29
Result 29
4.3 CN Detail Customer Order No API 31
Parameters 31
Example 31
Result 32
4.5 Get Proof of Delivery 33

Parameters 33
Example 33
Result 33
5. Shipper Advice 35
5.1 Get Shipper Advices 35
Parameters 35
Example 36
Result 36
5.2 Close Shipper Advice 38
Parameters 38
Example 39
Result 39
5.3 Get Init Data API 40
Parameters 40
Example 40
Result 41
5.4 Get Advices API 43
Parameters 43
Example 43
Result 44
5.5 Save Advice 45
Parameters 45
Example 46
Result 47
5.6 Ticket Details 48
Parameters 48
Example 48
Result 48
6. Tracking 50

6.1 Consignment Tracking 50
Parameters 50
Example 50
Result 50
6.2 Bulk Consignment Tracking 53
Parameters 53
Example 53
Result 54
7. User Management 57
7.1 Get Sub Accounts 57
Parameters 57
Example 57
Result 57
7.2 Get Accounts 58
Parameters 58
Example 58
Result 58

1. Booking

1.1 Insert Booking Data API

The method Type is POST

https://mnpcourier.com/mycodapi/api/Booking/InsertBookingData

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	consigneeName	string	Max Length:50	✓	Name of the receiver to whom the shipment will be delivered.	Aleeza
4	consigneeAddress	string	Character limit: 255	✓	Address where the shipment will be delivered.	Clifton Karachi, Pakistan
5	consigneeMobNo	string	The phone number is bound on this format. i.e., 03001234567	✓	Mobile number of the receiver.	03203115840
6	consigneeEmail	string	Email format should be correct. Can be sent empty but parameter could not be removed. Max Length: 50	x	Email address of receiver.	aleeza@mulphilog.com
7	destinationCityName	string	Destination City name should be passed as per API provided by M&P. Max Length:50	✓	String name of the city where the shipment will be delivered	Karachi
8	pieces	integer	Do not use commas or dots for this parameter. Max is 99.	✓	Number of pieces / item(s)	2
9	weight	double	The maximum weight on ROAD N RAIL cannot exceed 9999, except for a specific limit of 99.	✓	weight of the shipment	5.5

10	codAmount	integer	Do not use commas. Max Length:99999	✓	The amount to be collected at the time of delivery.	100
11	custRefNo	string	Character limit: 50	✓	Shipper's own reference ID	T-786
12	productDetails	string	Character limit: 50	x	Nature and details of the item(s) in the order to be delivered	one White t shirt medium
13	fragile	string	Yes or No.	x	If a parcel is sensitive, then this needs to be sent otherwise	Yes
14	service	string	Service type list or API will be shared by M&P. Max Length:50	✓	Type of service required against a consignment should be declared while booking.	"Overnight" OR "O" "Second Day" or "S"
15	remarks	string	Max Length: 400	x	Remarks provided by user	"Parcel was in Ok condition"
16	insuranceValue	string	0 in case no insurance or amount if insured	x	If a product is to be insured. Then enter the value of consignment. Additional charges may apply.	1000 or 0
17	locationID	string	Location ID will be provided by M&P. Max Length: 10	✓	Location ID is provided by M&P. Location ID is account ID thru which booking is taking place.	04
18	AccountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
19	InsertType	integer	Insert type as shared or mentioned by M&P. Max Length: 6	x	This is for MP usage.	19

20	ReturnLocation	string	Correct location id as provided by M&P Max Length: 10	✓	The consignment's return destination is returnLocation (also locationID but of designated return branch).	"33"
21	subAccountId	integer	SubAccount ID is provided by M&P Max Length: 10	✓	Sub account is a child account of Account (parent).	3376
Note: Username, Password, AccountNo (parent account), returnLocation, InsertType, subAccountId and locationID (sub-accounts) information will be provided by M&P.						

Example

{

"username": "test_user",

"password": "12345",

"consigneeName": "Aleeza Moazzam",

"consigneeAddress": "DHA KHI",

"consigneeMobNo": "03134568904",

"consigneeEmail": "aleeza@mulphilog.com",

"destinationCityName": "islamabad",

"pieces": 1,

"weight": 1,

"codAmount": 1,

"custRefNo": "test_1234",

"productDetails": "New Mobile",

"fragile": "YES",

"service": "Overnight",

"remarks": "Call Before Delivery",

"insuranceValue": "0",

"locationID": "41",

"AccountNo": "4T154",

"InsertType": 19,

"ReturnLocation": 41,

"subAccountId": 2
}

Result

[
{
"isSuccess": "true",
"message": "Order saved successfully!",
"orderReferenceId": "544794010101495"
}
]

1.2 Void Consignment API

The method Type is POST

https://mnpcourier.com/mycodapi/api/Booking/VoidConsignment

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	Username	string	Username should be exactly the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	LocationID	string	Location ID will be provided by M&P. Max Length: 10	✓	Location ID is provided by M&P. Location ID is account ID thru which booking is taking place.	04
The below parameters will be in a List						
4	consignmentNumberList	string	Max Length:50	✓	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	544008513645785

Example


```
{
  "Username": "test_user",
  "password": "12345",
  "locationID": "41",
  "consignmentNumberList": [
    "544794010101495",
"544794010101502",
  ]
}
```


Result


```
[
  {
    "isSuccess": true,
    "message": "Succes, Details in List",
    "orderReferenceIdList": [
      {
        "consignmentNumber": "544794010101495",
        "success": true,
        "message": "CN marked void"
      },
      {
        "consignmentNumber": "544794010101502",
        "success": true,
        "message": "CN marked void"
      }
    ]
  }
]
```

1.3 Insert Bulk Booking Data API

The method Type is POST

https://mnpcourier.com/mycodapi/api/Booking/InsertBulkBookingData

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	locationID	string	Location ID will be provided by M&P	✓	Location ID is provided by M&P. Location ID is account ID thru which booking is taking place.	04
4	InsertType	integer	Insert type will be provided by M&P	x	This is for MP usage.	19
The parameters below will be in a List						
7	id	integer	Do not use commas.	✓	ID number of the receiver	1
8	consigneeName	string	Character limit: 50	✓	Name of the receiver to whom the shipment will be delivered.	Aleeza
9	consigneeAddress	string	Character limit: 255	✓	Address where the shipment will be delivered.	Clifton Karachi, Pakistan
10	consigneeMobNo	string	The phone number is bound on this format. i.e., 03001234567 Max Length: 50	✓	Mobile number of the receiver.	03203115840

11	consigneeEmail	string	Email format should be correct. Can be sent empty but parameter cannot be removed. Max Length: 50	x	Email address of receiver.	aleeza@mulphilog.com
12	destinationCityName	string	Destination City name should be passed as per API provided by M&P. Max Length:50	✓	String name of the city where the shipment will be delivered	Karachi
13	pieces	integer	Do not use commas or dots for this parameter. Max is 99.	✓	Number of pieces/item (s)	2
14	weight	double	The maximum weight on ROAD N RAIL cannot exceed 9999, except for a specific limit of 99.	✓	weight of the shipment	5.5
15	codAmount	double	Do not use commas. Max Amount: 99999	✓	The amount to be collected at the time of delivery.	100
16	custRefNo	string	Character limit: 100 Length:50	✓	Shipper's own reference ID	T-786
17	productDetails	string	Character limit: 600	x	Nature and details of the item(s) in the order to be delivered	one White t shirt medium
18	fragile	string	Yes or No.	x	If a parcel is sensitive, then this needs to be sent otherwise	Yes
19	service	string	Service type list or API will be shared by M&P. Length:50	✓	Type of service required against a consignment should be declared while booking.	"Overnight" OR "O" "Second Day" or "S"
20	remarks	string	Should be less than 200 characters.	x	Remarks provided by user	"Parcel was in Ok condition"
21	insuranceValue	string	0 in case no insurance or amount if insured	x	If a product is to be insured. Then	1000 or 0

	enter value of consignment. Additional charges may apply.

Note: Username, Password, AccountNo (parent account), returnLocation, InsertType, subAccountId and locationID (sub-accounts) information will be provided by M&P.

Example


```
{
 "username": "test_user",
 "password": "12345",
 "locationID": "41",
 "InsertType": 19,
 "BulkConsignmentList": [
  {
   "id": 1,
   "consigneeName": "Aleeza Moazzam",
   "consigneeAddress": "KHI-Korangi",
   "consigneeMobNo": "03136758493",
   "consigneeEmail": "aleeza@mulphilog.com",
   "destinationCityName": "Lahore",
   "pieces": 1,
   "weight": 0.7,
   "codAmount": 1,
   "custRefNo": "896582594",
   "productDetails": "dress",
   "fragile": "NO",
   "service": "Overnight",
   "remarks": "test-order",
   "insuranceValue": "0"},
  {
   "id": 2,
   "consigneeName": "Amjad Ahmed",
   "consigneeAddress": "KHI-DHA",
```

"consigneeMobNo": "03134378921",
"consigneeEmail": "amjad.ahmed@mulphilog.com",
"destinationCityName": "Lahore",
"pieces": 1,
"weight": 0.5,
"codAmount": 1,
"custRefNo": "896532194",
"productDetails": "Cloths",
"fragile": "NO",
"service": "Overnight",
"remarks": "test-order",
"insuranceValue": "0"}
]
}

Result

[
{
"isSuccess": true,
"message": "Success; Details can be seen in OrderReferenceList",
"orderReferenceIdList": [
{
"orderRefNum": "896582594",
"success": true,
"message": "544794010101498"
},
{
"orderRefNum": "896532194",
"success": true,
"message": "544794010101499"
}
]
}
]

2. Branches

2.1 Get Cities

This API is used to retrieve cities for booking.

The method Type is GET

https://mnpcourier.com/mycodapi/api/Branches/Get_Cities

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	AccountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	test_user		query	string
password	12345		query	string
AccountNo	4T154		query	string

Try it out! Hide Response

Result


```
[
  {
    "City": [
      "ABDUL HAKIM /TULAMBA",
      "ALI ABAD ",
      "ALI PUR",
      "ALI PUR CHATTA",
      "ALIABAD JAMALI",
```

"ATTOCK",
"BAIJI CHOWK ",
"BAKHEERA ",
"BANGAL DERO",
]
}
]

2.2 Get Cities All

This API is used to retrieve cities for delivery.

The method Type is GET

https://mnpcourier.com/mycodapi/api/Branches/Get_Cities_All

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be exactly the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	AccountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	test_user		query	string
password	12345		query	string
AccountNo	4G132		query	string

Try it out! Hide Response

Result


```
[
  {
    "City": [
      "ABDUL HAKIM /TULAMBA",
      "ABOTTABAD",
      "AHMED PUR EAST",
      "Airport",
      "ALI PUR",
      "ALI PUR CHATTA",
      "ARIF WALA",
```

"ATTOCK",
"Awan Town Lahore",
"BADIN",
"bannu",
]
}
]

3. Locations

3.1 Get Locations

The method Type is GET

https://mnpcourier.com/mycodapi/api/Locations/Get_locations

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be exactly the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	AccountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	test_user		query	string
password	12345		query	string
AccountNo	8Z32		query	string

Try it out! Hide Response

Result

{
 "isSucces": true,
 "message": "Success",
 "locationList": [
  {
   "locationID": 88,
   "locationName": "Zaib Tann Zaib Tann FSD",
   "locationAddress": "P-1115 Mansoorabad Canal Road Faisalabad"
  }

3.2 Add Location API

The method Type is POST

https://mnpcourier.com/mycodapi/api/Locations/AddLocation

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	userId	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	accountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
	branchCode	integer	Max Length:50	✓	The numeric code representing the branch.	1
	locationName	string	Max Length:50	✓	Enter the name of the location within the branch.	Sadar
	locationAddress	string	Character limit: 255	✓	Provide the full address of the location.	Atrium Sadar
The below parameters will be in a List						
1	to	string	-	x	-	null
The below parameters will be in a List						
1	cc	string	-	x	-	null

Example


```
{
 "userId": "test_user",
 "password": "12345",
 "accountNo": "4T154",
 "branchCode": 1,
 "locationName": "Sadar",
 "locationAddress": "Atrium sadar ",
 "to": [
  "string"
```

```
  ],
  "cc": [
    "string"
  ]
}
```


Result


```
{
  "status": true,
  "msg": "Location #74156 Created Successfully",
  "id": 74156
}
```

3.3 Add Location with Sub Account API

The method Type is POST

https://mnpcourier.com/mycodapi/api/Locations/AddLocationWithSubAccount

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	userId	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	accountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
4	branchName	integer	Max Length:50	✓	Enter the full name of the branch.	Karachi
5	locationName	string	Max Length:50	✓	Enter the name of the location within the branch.	KHI-DHA
6	locationAddress	string	Character limit: 255	✓	Provide the full address of the location.	phase 2
The below parameters will be in a List						
1	to	string	-	x	-	null
The below parameters will be in a List						
1	cc	string	-	x	-	null
7	SubAccountID	integer	Max Length: 10	✓	Enter your sub account ID.	56790

Example


```
{
 "userId": "Test_user",
 "password": "12345",
 "accountNo": "4T154",
 "branchName": "Karachi",
 "locationName": "KHI-DHA",
 "locationAddress": "phase 2",
 "to": [
```

""
],
"cc": [
""
],
"SubAccountID": 56790
}

Result

{
"status": true,
"msg": "Location #77524 Created Successfully",
"id": 77524
}

3.4 Get Sub Account Locations

The method Type is GET

https://mnpcourier.com/mycodapi/api/Locations/GetSubAccountLocations

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	SubAccountId	string	SubAccount ID is provided by M&P Max Length: 10	x	Sub account is a child account of Account (parent).	3376

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	test_user		query	string
password	12345		query	string
SubAccountId	33558		query	string

Try it out! Hide Response

Result


```
{
 "isSucces": true,
 "message": "Success",
 "locationList": [
   {
    "locationID": 33130,
    "locationName": "33130 - Test by bilal",
    "locationAddress": "Faisalabad DHA"
   }
 ]
}
```

3.5 Create Sub Account Locations

The method Type is POST

https://mnpcourier.com/mycodapi/api/Locations/CreateSubAccount

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	Username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	Password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	AccountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
4	ShipperName	string	Max Length:50	✓	Name of the person or company sending the shipment.	Aleeza
5	ShipperAddress	string	Character limit: 255	✓	Provide the full address of the shipper.	KHi-DHA
6	AutoCN	boolean	_	✓	Set to true if the consignment number is generated automatically, otherwise false.	True

Example

```
{
 "Username": "test_user",
 "Password": "12345",
 "AccountNo": "4T154",
 "ShipperName": "Aleeza",
 "ShipperAddress": "KHi-DHA",
 "AutoCN": true
}
```

Result

```
{
 "isSucces": true,
```

"message": "Success",
"subAccountDetail": {
"SubAccountId": 56790,
"ShipperName": "Aleeza",
"ShipperAddress": "KHi-DHA"}}

4. Reports

4.1 QSR Report API

The method Type is POST

https://mnpcourier.com/mycodapi/api/Reports/QSR_Report

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	UserName	string	The username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	Password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	MonthNumber	integer	Ranging from 1-12	✓	Kindly send proper month.	1
4	Year	integer	Ranging from 2017-2025(CurrentDate's year)	✓	Kindly send proper Year	2025
5	locationID	string	Location ID will be provided by M&P	✓	Location ID is provided by M&P. Location ID is account ID thru which booking is taking place.	04

Example

{
"UserName": "test_user",
"Password": "12345",
"MonthNumber": 11,
"year": 2024,

"locationID": "29609"
}

Result

[
{
"isSuccess": true,
"message": "Success",
"AccountNumber": "4T154",
"ClientName": "JADE E SERVICES PAKISTAN PVT. LTD.",
"Details": [
{
"consignmentNumber": "547306411236930",
"BookingDate": "02 Nov 2024",
"OrgZone": "KHI",
"OrgBranch": "KHI",
"consignee": "Zahid Ahmed",
"orderRefNo": "1.98488E+14",
"SERVICE": "Return Service",
"DESTZONE": "KHI",
"DESTINATION": "KHI",
"WEIGHT": 0.08,
"receivedBy": "M.FAIZAN",
"TIME": "12:00:00",
"deliveryDate": "09 Nov 2024",
"CODAmount": 2464,
"PaymentMode": "COD",
"RRStatus": "RS-Return to Shipper",
"CHEQUENO": null
},
]

4.2 Payment Report API

The method Type is POST

https://mnpcourier.com/mycodapi/api/Reports/Payment_Report

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	UserName	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	Password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	dateFrom	integer	Should be less than To Date MAX Days Limit is 31 Days	✓	Enter proper From Date	2024-11-02
4	dateTo	integer	MAX Days Limit is 31 Days	✓	Enter proper To Date	2024-12-02
5	locationID	string	Location ID will be provided by M&P	✓	Location ID is provided by M&P. Location ID is account ID thru which booking is taking place.	04

Example


```
{
 "UserName": "test_user",
 "Password": "12345",
 "dateFrom": "2024-11-02T10:22:41.861Z",
 "dateTo": "2024-11-02T10:22:41.861Z",
 "locationID": "29609"
}
```


Result


```
[
  {
    "isSuccess": true,
    "message": "Success",
```

"ZoneName": "KHI",
"BranchName": "KHI - KARACHI",
"CreditClientID": 367888,
"AccountNo": "4J24",
"AcccountName": "JADE E SERVICES PAKISTAN Pvt. Ltd.",
"BeneficiaryName": "JADE E-SERVICES PAKISTAN (PRIVATE)",
"BeneficiaryBankAccount": "PK37SCBL0000001725076001",
"BankName": "Standard Chartered Bank (Pakistan) Limited ",
"sbpcode": "038",
"Details": [
{
"serial_no": 1,
"PaymentID": "20241182600",
"PaidOn": "2024-11-02T00:16:38.697",
"RRAmount": 754,
"InvoiceAmount": 0,
"NetPayable": 754,
"InstrumentMode": "IBFT",
"InstrumentNumber": "2775822148001102"
},
{
"serial_no": 2,
"PaymentID": "20241182600",
"PaidOn": "2024-11-02T00:16:38.697",
"RRAmount": 733,
"InvoiceAmount": 0,
"NetPayable": 733,
"InstrumentMode": "IBFT",
"InstrumentNumber": "2775822148001102"
},
]

4.3 CN Detail Customer Order No API

The method Type is POST

https://mnpcourier.com/mycodapi/api/Reports/CN_Detail_Customer_Order_No

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	UserName	string	Username should be exactly the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	Password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	CustomerOrderRef	string	Character limit: 50	✓	Shipper's own reference ID	T-786
4	AccountNumber	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154

Example

```
{
 "UserName": "test_user",
 "Password": "12345",
 "CustomerOrderRef": "1.9873E+14",
 "AccountNumber": "4T154"
}
```

Result

[

{

"isSuccess": true,

"message": "Success",

"Details": [

{

"consignmentNumber": "547306411236984",

"consignee": "Ayesha Ishtiaq",

"address": "House No L25Bq7392Street 02 Gulshanport Qasim, Karachi Landhi, Future Colony, 3102180500",

"consigneePhoneNo": "3102180500",

"weight": 0.2,

"pieces": 1,

"ServiceType": "Overnight",

"DestinationCity": "KARACHI",

"CODAmount": 684,

"CustomerOrderNo": "1.9873E+14",

"productDescription": "",

"consigner": "JADE E SERVICES PAKISTAN Pvt. Ltd.",

"consignerAccountNo": "4T154"

},

]

4.5 Get Proof of Delivery

The method Type is GET

https://mnpcourier.com/mycodapi/api/Reports/GetProofOfDelivery

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	consignmentNumber	string	Max 200 consignments	✓	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	54479401 0537894

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	Daraz_4J24		query	string
password	12345		query	string
consignmentNumber	547306411237030		query	string

Try it out! Hide Response

Result

{
 "isSuccess": true,
 "proofOfDeliveryList": {
  "LastAttemptDate": "11/06/2024 18:45:21",
  "CurrentLocation": "KARACHI",
  "DeliveryStatus": "DELIVERED",

"DeliveryReason": "D-DELIVERED",
"ReceivedBy": "Waqar ",
"Relation": "Self",
"DeliveryAttempts": 1,
"Latitude": 0,
"Longitude": 0,
"SignatureImage": "https://mraabta1.mulphilog.com.pk/SignImage/547306411237030.jpg",
"SupportingImage": "https://mraabta1.mulphilog.com.pk/CnImage/547306411237030.jpg"
},
"message": "Success"
}

5. Shipper Advice

5.1 Get Shipper Advices

The method Type is GET

https://mnpcourier.com/mycodapi/api/ShipperAdvice/GetShipperAdvices

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	Accountno	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
4	reportcheckbox	string	Should be 0 for active advices and 1 for close advices.	✓	For active or close advice	0
5	cn	string	Max 200 consignments	x	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	54479401053789 4
6	StartDate	string	Should be less than To Date MAX Days Limit is 31 Days	x	Start date of the required data.	2024-11-26
7	EndDate	string	MAX Days Limit is 31 Days	x	End date of the required data.	2025-01-26

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	Daraz_4J24		query	string
password	12345		query	string
AccountNo	4J24		query	string
reportcheckbox	0		query	string
cn			query	string
StartDate			query	string
EndDate			query	string

Try it out! Hide Response

Result


```
[
  {
    "isSuccess": true,
    "message": "Success",
    "AccountNumber": "4J24",
    "ClientName": "JADE E SERVICES PAKISTAN PVT. LTD.",
    "Details": [
      {
        "SNo": 1,
        "CONSIGNMENTNUMBER": "547306411748038",
        "BOOKINGDATE": "14 Nov 2024",
        "TICKETNO": "9678412",
        "TICKETDATE": "04 Dec 2024",
        "CREATEDON": "2024-12-04T17:42:22.04",
        "DESTINATIONBRANCH": "SIALKOT",
        "PENDINGREASON": "Non Service Area",
        "STANDARDNOTE": "Village/Rural area",
        "CALLSTATUS": "Advised for Re-Attempt",
        "KPI": "6:20",
        "ADDITIONALREMARKS": "",
        "OrderRefNo": "200221416749163",
```

"Comment": "",
"": "-1060"
},
{
"SNo": 2,
"CONSIGNMENTNUMBER": "547306411748237",
"BOOKINGDATE": "14 Nov 2024",
"TICKETNO": "9683692",
"TICKETDATE": "05 Dec 2024",
"CREATEDON": "2024-12-05T12:44:04.633",
"DESTINATIONBRANCH": "SIALKOT",
"PENDINGREASON": "Refused to Received",
"STANDARDNOTE": "Order cancelled",
"CALLSTATUS": "Phone not Responding",
"KPI": "6:20",
"ADDITIONALREMARKS": "",
"OrderRefNo": "200239219245703",
"Comment": "",
"": "380"
},
]

5.2 Close Shipper Advice

The method Type is GET

https://mnpcourier.com/mycodapi/api/ShipperAdvice/CloseShipperAdvice

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	accountno	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
4	consignment	string	Max 200 consignments	✓	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	54479401053789 4
5	adviceoption	integer	Enter 1 for "hold for further advice", 2 for "Return the Shipment", 3 for "Re-Attempt"	✓	Advice for next action for shipment	2
6	reattempt	integer	1 if "Re-Attempt On Same Address", 2 if "Re-Attempt on New Address", 3 if "Hold In Office, Consignee will Collect" 4 if "Re-Attempt as Reason is fake"	x	Advice for re-attempt	3
7	remarks	string	Max Length: 400	x	Remarks provided by user	"Parcel was in Ok condition"

8	consigneeaddress	string	Character limit: 255	x	Address where the shipment will be delivered.	Clifton Karachi, Pakistan
9	consigneeno	string	The phone number is bound on this format. i.e., 03001234567	x	Mobile number of the receiver.	03203115840

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	Daraz_4J24		query	string
password	12345		query	string
accountno	4J24		query	string
consignment	547306411748038		query	string
adviceoption	2		query	integer
reattempt			query	integer
remarks	test		query	string
consigneeaddress			query	string
consigneeno			query	string

Try it out! Hide Response

Result


```
[
  {
    "isSuccess": true,
    "message": "Success"
  }
]
```

5.3 Get Init Data API

The method Type is POST

https://mnpcourier.com/mycodapi/api/ShipperAdvice/GetInitData

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	Type	integer	Type should be 1	✓	Enter the request type as a numeric value (e.g., 1 for standard query).	1
2	AccountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
3	From	string	Should be less than To Date MAX Days Limit is 31 Days	X	Start date of the required data.	2024-11-26
4	To	string	MAX Days Limit is 31 Days	X	End date of the required data.	2025-01-26
5	CN	string	Max 200 consignments	✓	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	544794010537894

Example

```
{
 "Type": 1,
 "AccountNo": "4J24",
 "From": "2024-09-20T06:10:57.260Z",
 "To": "2024-09-20T06:10:57.260Z",
 "CN": "547306411235807"
}
```

Result


```
{
  "sts": 0,
  "calltracks": [
    {
      "Value": "2",
      "Text": "Return the Shipment",
      "_Value": 2
    },
    {
      "Value": "3",
      "Text": "Re-Attempt",
      "_Value": 3
    }
  ],
  "reattempts": [
    {
      "Value": "1",
      "Text": "Re-Attempt on Same Address",
      "_Value": 1
    },
    {
      "Value": "2",
      "Text": "Re-Attempt on New Address",
      "_Value": 2
    },
    {
      "Value": "3",
      "Text": "Hold in Office, Consignee will Collect",
      "_Value": 3
    },
    {
      "Value": "4",
```

"Text": "Re-Attempt as Reason is Fake",
"_Value": 4
}
],
"advices": []
}

5.4 Get Advices API

The method Type is POST

https://mnpcourier.com/mycodapi/api/ShipperAdvice/GetAdvices

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	Type	integer	Type should be 1	✓	Enter the request type as a numeric value (e.g., 1 for standard query).	1
2	AccountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
3	From	string	Should be less than To Date MAX Days Limit is 31 Days	x	Start date of the required data.	2024-11-26
4	To	string	MAX Days Limit is 31 Days	x	End date of the required data.	2025-01-26
5	CN	string	Max 200 consignments	✓	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	544794010537894

Example

```
{
 "Type": 1,
 "AccountNo": "4J24",
 "CN": "547306412150923"
}
```

Result

{

"sts": 0,

"data": [

{

"CN": "547306412150923",

"BookingDate": "05-Feb-2025",

"TicketNo": "10101274",

"TicketDate": "12-Feb-2025",

"CreatedOn": "2025-02-12T08:16:26.027",

"DestinationBranch": "BHIMBER",

"PendingReason": "Refused to Received",

"StandardNote": "Order cancelled",

"CallStatus": "Refused, Advised for Return",

"AdditionalRemarks": **null**,

"KPI": "5:32",

"OrderRefNo": "209270304828052",

"Comments": "",

"Consignee": "zain shahbaz",

"ConsigneeContact": "03556181950",

"ConsigneeAddress": "Samahni, District bhimber PO samahni tashil samahni chahi Azad Kashmir \nAzad Kashmir bhimber samahni, Pakistan",

"TempAdvice": 1,

"Advice": 0,

"ReattemptReason": 0,

"CreatedBy": 0,

"CallTrackName": **null**,

"CodAmount": 698.0,

"ShowDetail": **false**,

"CNStatus": "UNDELIVERED"

}

]}

5.5 Save Advice

The method Type is POST

https://mnpcourier.com/mycodapi/api/ShipperAdvice/SaveAdvice

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	CN	string	Max 200 consignments	✓	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	544794010537894
2	BookingDate	string		✓	Date when the shipment was booked	10-01-2023
3	TicketNo	string		✓	The support or issue ticket number.	10157946
4	TicketDate	string		✓	date the ticket was created (format: DD-MMM-YYYY).	20-Feb-2025
5	CreatedOn	string		✓	System-generated timestamp of record creation (ISO format).	2024-12-04T17:42:22.04
6	DestinationBranch	string	Max Length:50	✓	String name of the branch where the shipment will be delivered	Karachi
7	PendingReason	string		✓	Specify why the delivery is pending.	Consignee not Available
8	StandardNote	string		✓	standard reason or note for non-delivery.	Consignee out of City
9	CallStatus	string		✓	Mention the outcome of the follow-up call.	Advised for Re-Attempt
10	AdditionalRemarks	string		✓	Add any extra comments or write null if none.	null
11	KPI	string		✓	KPI value indicating performance metrics (format: X:Y).	24:4
12	OrderRefNo	string	Character limit: 50	✓	Enter the order reference number.	ED-620055

13	Comments	string		✓	Any custom comments or leave blank if not applicable.	null
14	Consignee	string	Character limit: 50	✓	Enter the name of the recipient.	Amjad
15	ConsigneeContact	string	The phone number is bound on this format. i.e., 03001234567 Max Length: 50	✓	Enter contact number of consignee or write null if unknown.	null
16	ConsigneeAddress	string	Character limit: 255	✓	Address where the shipment will be delivered	Multan,Punjab,60000
17	TempAdvice	integer		✓	Numeric code for temporary advice status (usually 1 for Yes, 0 for No).	1
18	Advice	integer		✓	Enter advice code (based on internal reattempt or escalation logic).	3
19	ReattemptReason	integer		✓	Numeric reason code for re-attempt.	1
20	CreatedBy	integer		✓	User ID who created the record or 0 if system generated.	0
21	CallTrackName	string	Character limit: 50	x	Name of the person handling the call or null if not available.	null
22	CodAmount	integer	Do not use commas. Max Amount: 99999	x	Enter the COD (Cash on Delivery) amount. Use 0 if not applicable.	0
23	ShowDetail	Boolean		x	Boolean field to show detailed view (true/false).	true
24	CNStatus	string		x	Enter the current status of the consignment.	null

Example

{

"CN": "544794010071409",

"BookingDate": "10-01-2023",

"TicketNo": "10157946 ",

"TicketDate": "20-Feb-2025",

"CreatedOn": "2025-02-20T05:10:11.006Z",

"DestinationBranch": "MULTAN",

"PendingReason": "Consignee not Available",

"StandardNote": "Consignee out of City",

"CallStatus": "Advised for Re-Attempt",

"AdditionalRemarks": "null",

"KPI": "24:4",

"OrderRefNo": "ED-620055",

"Comments": "",

"Consignee": "Falak Naz",

"ConsigneeContact": "null",

"ConsigneeAddress": "House no 182, Street Baba Barnay Wali, Near Police Station Haram Gate, Multan.,Multan,Punjab,60000",

"TempAdvice": 1,

"Advice": 3,

"ReattemptReason": 1,

"CreatedBy": 0,

"CallTrackName": "null",

"CodAmount": 0,

"ShowDetail": **true**,

"CNStatus": "string"

}

Result

{

"sts": 0,

"msg": "Advice update successfully"

}

5.6 Ticket Details

The method Type is GET

https://mnpcourier.com/mycodapi/api/ShipperAdvice/TicketDetails

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	cn	string	Max 200 consignments	✓	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	544794010537894

Example



Result

{

"sts": 0,

"data": [

{

"Status": **null**,

"TicketNo": "10171832",

"Reason": "Refused to Received",

"CallStatus": "Refused, Advised for Return",

"CallTime": "16:18:00",

"CallTrack": "Hold for further Advice",

"Comments": "refused",

"Consignee": "shahzad ali",

"ConsigneeCell": "03012161615",

"ConsigneeAddress": "Jhang Road, hujra shah muqeem nearubl bank road shani saloon kot islam road, Pakistan"

}

]

}

6. Tracking

6.1 CN Tracking

The method Type is GET

https: //tracking.mulphilog.com.pk/api/CNTracking

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	consignment	string	Generated after booking consignment	✓	Consignment number which needs to be tracked by the customer.	54479401 0537894
2	id	integer	ID always be 4	✓	Tracking id	4

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
consignment	544794010104193		query	string
id	4		path	integer

Try it out! Hide Response

Result


```
[
 {
  "isSuccess": "true",
  "message": "Consignment Number Valid",
  "tracking_Details": [
   {
    "ConsignmentNumber": "544794010104193",
    "OrderId": "biha_ibsha(wholsy)",
    "OriginCity": "KARACHI",
```

"BookingDate": "20 Feb 2025",

"CODAmount": null,

"Weight": null,

"Pieces": null,

"ConsigneeName": "Name. Ibrar ul hassan",

"ConsignerName": "TEST 5",

"ContactNo": null,

"DestinationCity": "LAHORE",

"DeliveryAddress": "Adress.Farooq crane services ijtma chowk sundar road raiwind road lahore",

"CustomerName": null,

"CustomerAccountNo": null,

"HandOverDate": null,

"ServiceType": null,

"DeliveryRider": null,

"DeliveryRiderContact": null,

"SpecialInstruction": null,

"InvoiceNumber": null,

"InvoiceDate": null,

"AmountInvoiced": null,

"RRNo": null,

"RRDate": null,

"RRUser": null,

"RRBranch": null,

"PaymentID": null,

"InstrumentNumber": null,

"PaymentDate": null,

"AmountPaid": null,

"AdjustedPaymentID": null,

"AdjustedPaymentDate": null,
"CNTrackingDetail": [
{
"TrackingTagID": "1",
"TransactionTime": "02/20/2025 11:49:14",
"Location": null,
"TrackingStatus": "Booked",
"TrackingNarration": "Your order has been placed. It will be packed and prepared for shipment.",
"Event": null
}
],
"CNTrackingInvDetail": []
}
]
}
]

6.2 Bulk Consignment Tracking

The method Type is POST

https://mnpcourier.com/mycodapi/api/Tracking/Bulk_Consignment_Tracking_New

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	Username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	Password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	AccountNo	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154
The parameters below will be in a List						
1	Consignments	string	Max 200 consignments	✓	Consignment number which needs to be tracked by the customer. It is provided in single or bulk booking APIs.	544794010537894

Example

```
{
 "Username": "test_user",
 "Password": "12345",
 "AccountNo": "4T154",
 "Consignments": [
  "544794010105160","544794010105158"
 ]
}
```

Result


```
[
  {
    "isSuccess": "true",
    "message": "Consignment Number Valid",
    "orderReferenceIdList": [
      "Succesfull"
    ],
    "tracking_Details": [
      {
        "ConsignmentNumber": "544794010105158",
        "OrderId": "asdasdasdasdasdasdas",
        "OriginCity": "KARACHI",
        "BookingDate": "12 Jun 2025",
        "CODAmount": "1",
        "Weight": "200",
        "Pieces": "1",
        "ConsigneeName": "Test Bookingt",
        "ConsignerName": "Aleeza",
        "ContactNo": "03111111111",
        "DestinationCity": "LAHORE",
        "DeliveryAddress": "Test Booking",
        "ServiceType": "Overnight",
        "PaymentID": null,
        "InstrumentNumber": null,
        "PaymentDate": null,
        "AmountPaid": "0",
        "AdjustedPaymentID": "",
        "AdjustedPaymentDate": "",
        "CNTrackingDetail": [
```

```
    {
      "ConsignmentNumber": "544794010105158",
      "TrackingTagID": "1",
      "TransactionTime": "06/12/2025 11:43:24",
      "Location": "KARACHI",
      "TrackingStatus": "Booked",
      "TrackingNarration": "Your order has been placed. It will be packed and prepared for shipment.",
      "Event": null
    }
  ],
  "CNTrackingInvDetail": [
    {
      "ConsignmentNumber": "544794010105158",
      "InvoiceNumber": null,
      "InvoiceDate": null,
      "AmountInvoiced": "0",
      "InvoiceType": "Courier Invoice"
    }
  ]
},
{
  "ConsignmentNumber": "544794010105160",
  "OrderId": "8721895",
  "OriginCity": "KARACHI",
  "BookingDate": "12 Jun 2025",
  "CODAmount": "10",
  "Weight": "60",
  "Pieces": "1",
  "ConsigneeName": "Test Bookingt",
  "ConsignerName": "Aleeza",
```

"ContactNo": "03111111111",
"DestinationCity": "LAHORE",
"DeliveryAddress": "Test Booking",
"ServiceType": "Overnight",
"PaymentID": null,
"InstrumentNumber": null,
"PaymentDate": null,
"AmountPaid": "0",
"AdjustedPaymentID": "",
"AdjustedPaymentDate": "",
"CNTrackingDetail": [
{
"ConsignmentNumber": "544794010105160",
"TrackingTagID": "1",
"TransactionTime": "06/12/2025 12:37:33",
"Location": "KARACHI",
"TrackingStatus": "Booked",
"TrackingNarration": "Your order has been placed. It will be packed and prepared for shipment.",
"Event": null
}
],
"CNTrackingInvDetail": [
{
"ConsignmentNumber": "544794010105160",
"InvoiceNumber": null,
"InvoiceDate": null,
"AmountInvoiced": "0",
"InvoiceType": "Courier Invoice"
}
]}]}

7. User Management

7.1 Get Sub Accounts

The method Type is GET

https://mnpcourier.com/mycodapi/api/UserManagement/GetSubAccounts

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678
3	Account No	string	Needs to be passed as provided by M&P. Max Length: 50	✓	Provided by M&P.	4T154

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	test_user		query	string
password	12345		query	string
accountNo	4G132		query	string

Try it out! Hide Response

Result

{

"isSucces": true,

"message": "Success",

"locationList": [

{

"subAccountId": 6,

"shipperName": "GulAhmed Test",

"shipperAddress": "GulAhmed Test Addr"}]}

7.2 Get Accounts

The method Type is GET

https://mnpcourier.com/mycodapi/api/UserManagement/GetAccounts

Parameters

S. No	Parameter	Type	Validation	Mandatory	Description	Sample
1	username	string	Username should be the same as provided. Max Length:50	✓	Username will be provided by M&P.	Test user
2	password	string	Should be same as provided. Max Length:100	✓	Password will be provided by M&P.	12345678

Example

Parameters

Parameter	Value	Description	Parameter Type	Data Type
username	test_user		query	string
password	12345		query	string

Try it out! Hide Response

Result

{
"isSucces": true,
"message": "Success",
"locationList": [
{
"AccountNo": "4G132",
"IsCod": true
},
{
"AccountNo": "4T154",
"IsCod": true

```
    },
    {
      "AccountNo": "4T16962",
      "IsCod": false
    },
    {
      "AccountNo": "8435",
      "IsCod": false
    },
    {
      "AccountNo": "8Z32",
      "IsCod": true
    }
  ]
}
```