

EXPERIMENT NO: 09

Use Process Explorer to identify suspicious processes

DATE:

1. AIM

To conduct an in-depth behavioral and structural analysis of active operating system processes using Sysinternals Process Explorer; to evaluate hierarchical parent-child lineages, cryptographic digital signatures, and execution paths; to leverage cloud-based threat intelligence for automated multi-engine malware identification; and to successfully isolate, contain, and terminate unauthorized, masquerading, or anomalous processes to secure system integrity.

2. DESCRIPTION

Sysinternals Process Explorer is an advanced task manager replacement and live system monitoring tool for Windows that provides granular visibility into active processes, system resources, and security handles. It organizes applications into a hierarchical parent-child process tree and utilizes distinct color-coding to denote process states (e.g., pink for suspended, dark blue for system services, green for newly spawned instances). Beyond tracking dynamic resource consumption (CPU, memory, disk) and active TCP/IP connections, Process Explorer supports advanced threat-hunting features such as automated VirusTotal hash verification, digital signature validation, and lower-pane handle/DLL analysis. By inspecting image paths, security tokens, and execution lineage, security analysts can effectively distinguish legitimate system software from masquerading malware, rogue binaries, and unauthorized persistence mechanisms.

3. PROCEDURE

Step 1: Download and Initialization

1. Download the official Sysinternals Process Explorer suite from the Microsoft website and extract the archive to a local directory.

2. Navigate to the extracted folder, right-click `procexp64.exe` (for 64-bit systems), and select **Run as Administrator** to ensure full access to system-level process tokens and attributes.




Figure 1: Launching Process Explorer with administrative privileges

Step 2: Interface Familiarization and State Analysis

1. Observe the main process tree interface displaying active processes, process IDs (PID), CPU/memory usage, descriptions, and company names.
2. Note the color-coding schema: Pink (suspended), Light Blue (user processes), Dark Blue (system services), and Green/Red (newly spawned or exited processes).




Figure 3: Inspecting image properties, cryptographic signatures, and execution file paths

Step 4: Threat Intelligence Lookup

1. If a process name or hash appears anomalous (e.g., randomname123.exe), query it against online threat intelligence platforms like VirusTotal or search security database to verify its reputation.




Figure 4: Querying process hashes against online malware repositories

Step 5: Mitigation and Containment

1. If a process is confirmed malicious or unresponsive, right-click it and choose **Suspend** to halt its activity safely, or select **Kill Process** to terminate it immediately.
2. Locate the source executable using its verified path and remove the file.




Figure 5: Terminating and suspending malicious process handles

Step 6: Comprehensive System Scan

1. Following threat mitigation, execute a full system scan using Windows Defender or dedicated anti-malware utilities (e.g., Malwarebytes) to ensure zero residual persistence.




Figure 6: Performing a post-mitigation system scan using Windows Defender

4. OBSERVATIONS

- **Process Hierarchy & Lineage Integrity:** Legitimate Windows system processes (such as lsass.exe and winlogon.exe) correctly traced back to trusted system paths (C:\Windows\System32) and exhibited valid digital signatures from Microsoft Corporation. Parent-child relationships followed standard OS architecture (e.g., services.exe spawning child services).

- **Automated Threat Intelligence Integration:** Enabling VirusTotal integration allowed instant multi-engine cryptographic hash verification. Clean binaries yielded a 0/72 detection ratio, whereas anomalous binaries immediately flagged high detection ratios across multiple security vendors.
- **Network & Resource Correlation:** Anomalous processes flagged during investigation exhibited unauthorized outbound TCP/IP socket connections to external.

5. RUBRICS

Criteria & Marks Assigned	Mark Allotted	Mark Awarded
1. GitHub Activity & Submission Regularity	3	
2. Application of Forensic Tools & Practical Execution	3	
3. Documentation & Reporting	2	
4. Engagement, Problem-Solving & Team Collaboration	2	
Total	10	

6. RESULT

Sysinternals Process Explorer was successfully utilized to monitor active system processes, verify digital signatures and execution paths, and analyze process trees. Malicious or unauthorized processes were effectively identified, isolated, and terminated, ensuring system integrity and security.