PORTFOLIO



Urban Planning
Architecture



SADIYA SHARMIN

Address – West Bengal, India

Date of Birth – 25th December 2000

Email – sadiya.Sharmin@outlook.com

LinkedIn - http://linkedin.com/in/sadiya-sharmin-41028815b

Languages – English, Hindi, Bengali

I am an urban planning student at CEPT University. With an keen interest on creating inclusive, climate-resilient cities which integrates data-driven planning with environmental and social insights to support holistic urban growth. With a background in architecture, the transition to urban planning stems from a keen interest in large-scale development strategies that shape cities beyond individual buildings.

SKILLS

- GIS
- Autocad
- Sketchup
- Adobe Photoshop
- Lumion
- Microsoft Suites

EDUCATION

Master of Urban Planning (2024- 2026)
CEPT University | Sem I G. P. A. – 3.90 / 5.00

Bachelor of Architecture (2017-2022)
School of Architecture | Techno India University |
C. G. P. A. – 9.04 / 10.00

Board – 12th (2016)
Burdwan Model School | Percentage 75.2 %

Board – 10th (2014)
Burdwan Model School |
C. G. P. A. – 10.00 / 10.00

AREA OF INTEREST

- Spatial Planning and Development
- Sustainability Planning
- Public Infrastructure Development
- Transportation Planning

WORK EXPERIENCE

Sustainability Intern (2 Months, 2025)
PwC India, DN 57 Kolkata

Junior Architect (17 Months, 2023-2024)
Prakalpa Space Kraft, Kolkata, India

Architectural Intern (6 Months, 2021)
Raj Agarwal & Associates, Kolkata.

ACADEMIC ACHIEVEMENTS

- CEPT Summer & Winter Exhibition (Semester Work Panel Exhibition)
- Annual NASA Design Competition 2021 (Special Mention)

CONTENTS

Urban Expansion & Regeneration Studio | Semester III

01

Development Plan Studio | Semester II

02

Understanding the City Studio | Semester I

03

Bus Terminus Design | Design Competition

04

Bengal Partition Museum | Architectural Thesis

05

Selected Academic Works
(Postgraduate & Undergraduate)




01 Urban Expansion & Regeneration Studio


Adalaj, Ghandhinagar

The Urban Expansion & Regeneration studio built an understanding of how macro-level plans translate into implementable micro-level interventions. through TPS, LAP, and land pooling mechanisms. The process strengthened skills in reading existing conditions, dealing with greenfield and brownfield complexity, structuring networks, zoning, and framing development regulations.

Studio Work (Semester III – Urban Planning)
Teamwork

01 Locating Adalaj










Adalaj lies between **Ahmedabad** and **Gandhinagar**, making it an important **connecting point for both cities.**

Holds strong regional significance due to the presence of heritage landmark—**Adalaj Ni Vav.**


Study Area Delineation

Area - **6.5 sq km**

Past Planning Efforts in the area




Development Plan (DP) of GUDA **identified Adalaj as a growth corridor** and focused on regional mobility, major roads, and broad zoning.




Existing TP schemes


The existing TP schemes are prepared in isolation and are in different stages of implementation.

Current Scenario at Adalaj ni Vav





Activity Mapping around the Stepwell



Existing Issues around the stepwell

Adalaj ni Vav is a national heritage and centrally protected monument. Managed by – **Archaeological Survey of India (ASI).**

02 Existing Situation Analysis

Population
17000 *(estimated)*

Tourists
3.86 lakh *(2023–24)*

Road Network & Transportation

Existing Road Length
5.4 km


Area under Road
1.05 sq km


PT Network

PT Options

	Route Length	Area served
GSRTC	3.0	2.2
BRTS	2.0	0.9
AMTS	2.2	1.1
	(in km)	*(in sq.km)*


Average Block Perimeter
900 m


























03 Vision and Approach



STRENGTH

- Heritage as the Anchor
- Strategic Location
- Area under Rapid Urbanisation

ISSUES

- Lack of public realm
- Poor Visitor Experience
- Insufficient Local Amenities

OPPURTUNITIES


- Tourism-Led Development Potential
- Enhancing the Public Realm
- Strengthening Connectivity

> *"To revive Adalaj into a world-class heritage precinct with improved access, enhanced public realm, and an integrated cultural district that strengthens local identity."*

The influence area around Adalaj Stepwell holds strong potential for **tourism-led development.**

Creating Multiple Anchors
Adalaj currently lacks multiple anchors, limiting tourist stays to 30–60 minutes.

Retain and Engage
Anchors function as **activity nodes** that retain and engage tourists beyond the monument.



OBJECTIVES

- **Developing Adalaj as Heritage Asset**
- **Enhance Accessibility**
- **Integrate Ecology**
- **Activating the Public Realm**

04 Masterplan

Planning Approach

The planning process follows a **zoom-in approach**



Proposed Masterplan

TP Scheme Planning & Reconstitution


Special Development Zone (Adalaj Stepwell)

Proposed Masterplan



05 TP Scheme

TP Scheme Proposal



Delineated TP Scheme Area **193 Ha**


Estimated Population **40,000**

(estimated by assumption of maximum floor space consumption)

Vision of the TP Scheme

Developing Adalaj as a **Heritage and Tourism-led** area, integrating cultural, economical and mobility aspects.

Plot Analysis




Government-owned land: **26%**

Avg. Jantri: **3600- 4500 (INR)**

Avg. Plot Size : **7000-9000 sqm**


Formation of OP Plots



Survey plot nos. **44,88,89** are under **one Ownership**

OP No. – 57
3 Survey Plots
Converted to 1 OP


06 Reconstituted TP Scheme



"The TP Scheme enables tourism-led development around Adalaj ni Vav while supporting the area's rising residential growth through planned infrastructure, amenities, and balanced land allocation."

07 Reconstitution Principles – TP Scheme

Principles of Reconstitution



01
Developed plots are retained without deduction.

02
Plots on the SDZ are amalgamated.



03
DP road reconstituted as Public Green to create a central green spine.

04
Sale for Commercial plots are placed along the green spine.

Reservation of Land Parcels

Total Site Area – 193 Ha

18%	9.5%	9.5%	6.5%	6%	1.5%
Roads	SDZ	Sale for Plots	Infrastructure	Green Spaces	SEWHS

Total Area of Land Appropriation – **98.43 Ha**

Reservation for SDZ



A **9.5% SDZ** is consolidated on predominantly government-owned land.

Green Spine



11.5 Ha of Green Space reserved

Proposed Reservations


Reservation Proposed		
Amenities	**Area (in sqm)**	**Percentage of the total TPS (in %)**
Roads	347697.95	18.0
Sale for Commercial	86924.49	4.5
Sale for Residential	57949.66	3.0
SEWS	28974.83	1.5
Gardens & Open Spaces	115899.32	6.0
Social Infrastructure	125557.59	6.5
Special Development Zone	183507.25	9.5
	Overall Deduction	**42.00**

To achieve equitable redistribution and provide for public amenities, **42% of the land is proposed to be deducted through reconstitution.**

08 Costing and Phasing

Costing

Road Development	*Underground Infra*	*Above Infrastructure*	*Garden & Open Space*
Rs 111.03 Cr.	**Rs 46.57 Cr.**	**Rs 41.17 Cr.**	**Rs 86.27 Cr.**



Net Cost of Scheme	313 CR.
SCHEME COST Per sq.m	1800/-
Revenue (Total Contribution)	298 CR.
Net Cost Of Scheme To Authority	10 CR.

Phasing



PHASING OF COST EXPENDITURE

Phase	Components	Y1	Y2	Y3	Y4	Y5	Y6	Y7	Y8	Y9	Y10
Phase 1	Construction of 30m and 24m road carriageway										
	Construction of 30m and 24m road carriageway, sidewalk & physical infrastructure(ESR),										
Phase 2	Remaining roads, carriageway, sidewalk & Special Open Space										
Phase 3	Above ground Infrastructure & Social Infrastructure										
	Garden & Parks										

PHASING OF REVENUE

Phase	Components	Y1	Y2	Y3	Y4	Y5	Y6	Y7	Y8	Y9	Y10
Phase 1	Sale of Plots & Betterment Charges on Major Roads										
Phase 2	Sale of Plots & Betterment Charges on Major Roads& Purchasable FAR										
Phase 3	Purchasable FAR										

09 Special Development Zone

Project Proposal

The **Special Development Zone** is proposed to **Revive Adalaj** and drive the **Tourism-led Development** vision.





Government-owned land around the Stepwell and Lake is unified as a single plot for **cohesive heritage planning.**




Existing private plots within the area are amalgamated in the unified plot are compensated through TP mechanism.





The SDZ integrates key cultural buildings, the lake, and Adalaj ni Vav into one precinct.



The Central Green Spine is an extension beyond the stepwell to retain and engage visitors.

10 Key Learnings

ITERATION 1 – ***Understanding the Existing Situation***


01 Adalaj demonstrated a **transitional condition between greenfield and brownfield development**, with parcels existing in mixed stages (survey plots, FP, OP). Recognizing these constraints highlighted the need for a more structured planning approach.

ITERATION 2 – ***Developing Spatial Strategies***

02 A unified masterplan was formulated to guide boundary delineation, integrate networks, streamline land development, and position heritage and ecological assets as structuring anchors.


ITERATION 3 – ***Implementation & Feasibility***

03 The scheme evolved into a **tourism-led TP**, shifting the lens from conventional land reconstitution to vision-based land reallocation supporting heritage and public realm activation.



REVIVING ADALAJ

A TOURISM DRIVEN TP SCHEME



02 Development Plan Studio

Ahmedabad, Gujarat

This studio focuses on applying the statutory urban planning process through an integrated approach to land use, transport, infrastructure, housing, economy, environment, and heritage. Centered on Ahmedabad—Gujarat's largest city and a UNESCO World Heritage Site—it examines its rapid urban growth, robust transport networks, and vibrant economic and cultural landscape.

Studio Work (Semester II – Urban Planning)
Teamwork

01 City Overview

Ahmedabad, the largest city in Gujarat, India is a major economic, industrial, and cultural hub with a rapidly expanding urban fabric.

Regulatory Authority

AUDA – Ahmedabad Urban Development Authority
AMC – Ahmedabad Municipal Corporation

Area


AUDA – **1866** sq km
AMC – **486** sq km

Population (2011 Census)

AUDA – **64.62** lakhs
AMC – **55.7** lakhs


Developed Land

AUDA – **628** sq km
AMC – **295** sqkm



Ahmedabad Base Map

Evolution and Planning History




02 Existing Situation Analysis

Strength

Robust road network
Planned growth centers
Strong economic base
Rich heritage
Prominent urban assets

Issues

Traffic congestion
Peripheral connectivity
Underutilized land
Lack of green spaces



Map highlighting key features of Ahmedabad

Drivers for Development



India bided to host Olympics 2035 in Ahmedabad



Urban Rejuvenation project implemented along the Sabarmati Rivefront




Upcoming High Speed Rail

Growth Analysis

Based on **Night Light Data,** spatial growth is evident beyond the AUDA boundary, while some areas within remain underserved and are reconsidered.

Leading to a re-delineation of the boundary guided by growth patterns and identified opportunity zones.



Added Areas Removed Areas


Map showing Spatial growth around AUDA(from Night Light Data)

Area excluded
101.6 sq km


Area included
272.95 sq km

Proposed AUDA Area
2037.35 sq km

Population Estimation



	Estimated Population	Land Requirement
2035	**1.29** crores	**82.55** sq km
2047	**1.57** crores	**237** sq km



Map showing Delineated Boundary


Development Potentiality

Connectivity – 50%

Economic Growth – 25%

Environment Resilient – 25%

Northern Ahmedabad shows **high development potential,** improving connectivity to **underserved areas** can unlock economic opportunities.



Map showing Development Potentiality

04 Envisioning the Development Plan

Vision

Ahmedabad 2047
THE INCLUSIVE METROPOLIS

*"Transform Ahmedabad, a thriving **metropolis**, into a **livable, inclusive**, and **environmentally resilient city,** fostering **economic growth** and **heritage preservation**, while positioning it as a global hub for sports events and planning a legacy-driven city aligned with Viksit Bharat by **2047**."*


Phasing

The Development Plan is divided into two phases to meet the dual focus, with a long-term vision structured along two key timelines.

Phase 1
2025 - 2035
Foundation for Livable Growth & Global Rebranding


Phase 2
2035 - 2047
Inclusive and Resilient growth

Aims and Objectives




05 Zoning Proposals

Zoning Framework




Zoning Distribution




Proposed Zoning Map

Floor Space Index Distribution



	CBD	SDZ	TOZ*	KI	R1	RAH*	C	EZ	CW	GM	R2	IG	L
Chargeable FSI	3.6	3.6	2.2	2.2	0.9	0.9	0.9	0.9	0	0.2	0.6	0.8	0.5
BASE FSI	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	2	1.8	1.2	1	1

06 Road Network



Existing Road Network

5766 km

The proposal focuses on **completing missing links, restructuring the road hierarchy**, expanding sub-arterial and collector roads.

Road Network as per the DP 21

Existing Road Length - **1369** km


Proposed Road Networks

Proposed Road Length - **702** km

07 Expanding Public Transportation

Existing Public Transportation systems in Ahmedabad

Metro
BRTS – Bus Rapid Transit System
AMTS – Ahmedabad Municipal Transport Service




Proposed Metro Network

Existing Metro Network - 60 km

Proposed

Phase 1 (2025 – 2035) **- 26** km
Phase 2 (2035 – 2047) **- 20** km




Proposed BRTS Network

Existing BRTS Network - 89 km

Proposed

Phase 1 (2025 – 2035) **- 174** km
Phase 2 (2035 – 2047) **- 67** km




Proposed AMTS Network

Existing AMTS Network - 208 km

Proposed

Phase 1 (2025 – 2035) **- 34** km




60 M Wide Road Section with BRTS & Metro Lane

08 Environmental Proposals

Increase in built-up 60 %


Decrease in Green Spaces 50 %

Ahmedabad is likely to face increased environmental stress due to rising urbanization and vegetation decline.



Proposed Riverfront Extension

Proposals



P2. Riverfront Extension
Extending Sabarmati Riverfront to create ecological corridor

P3. Sponge Park for Flood prone Areas
Adopting Sponge city model in low lying area

P4. Wetland Integration
Integrating wetlands into open space network for flood control.

09 Other Proposals

Heritage Proposals


Proposal for citywide (outside the walled city) **Heritage Planned Development** for broader, context-sensitive conservation and reuse.

Planning Interventions – Sarkhej Roza





Proposed Area
118 sq.km




Heritage Planned Development

Economic Proposal

- Strengthening Connectivity
- Promoting new High-Density zoning
- Incentivizing equitable economic zones
- Focusing on Sports Infrastructure

Investing in sports infrastructure will boost urban growth and will create a lasting legacy.



Sports Infrastructure

10 Development Control Regulations

Zone Based

Permissible Uses and FSI

Road Based

Defines Building heights

Form Based

Defines the urban Character

Environmental

Restrictions and recommendations

Special Development

Constricted to specific zones

Zones	Codes	Base FSI	Chargeable FSI	Max. Permissible FSI	Area in sq.km
Residential Zone I	R1	1.8	0.9	2.7	445.02
Residential Zone II	R2	1.2	0.6	1.8	214.95
Residential Affordable Housing*	RAH	As per base zone		2.7	57.26
Core walled City	CW	2	Nil	2	5.68
Gamtal	GM	2	Nil	2	24.00
Gamtal Extension	GME	1.2	0.6	1.8	78.70
Central Business District	CBD	1.8	3.6	5.4	1.20
Transit Oriented Zone*	TZ	As per base zone		4	208.14
Commercial	C	1.8	0.9	2.7	29.10
Logistics Zone	L	1.0	0.5	1.5	98.74
Industrial Zone	IG	1.0	0.8	1.8	182.51
Knowledge and Institutional Zone	KZ	1.8		4	34.97
Parks and Gardens	PO	0.15		0.15	2.10
General Agricultural Zone	A1	0.1-0.45	Nil	As per Base FSI	195.03
Prime Agricultural Zone	A2	0.1-0.45	Nil	As per Base FSI	147.12
SPD- Sabarmati Riverfront Development	SPD-1		Nil	As applicable	5.40
SPD- Science Park	SPD-2		Nil	As applicable	3.90
SPD- Gandhi Ashram	SPD-3		Nil	As applicable	1.10
Heritage Planned Development	HPD		Nil	As applicable	2.70
Airport and Cantonment**	-				8.70
Water Treatment Plant & Sewage Treatment Plant**	-				12.90
Road and Rail**	-				89.20
Waterbodies**					85.00
Special Development Zone*	SDZ	As per base zone	Nil	5.4	28.27
Economic Zone	EZ	1.8	0.9	2.7	50.19
Eco-Sensitive Zone	ESZ	Nil	Nil	0	25.46
				Total	2037.35

Special Development Zone – Form Based



Podium Tower built-form

Parameters	Proposed Regulations	Current GDCR Norms
Setback for Plots (< 500 sqm)	**No setback required**	Front - 3 m; Side – 3m, Rear - 3m
Podium and Tower Concept	**The first 2-3 floors house retail, public spaces, or amenities.**	No mandatory podium concept
Proposed FSI	**5.4**	Not proposed

11 Phasing & Costing

Existing Developed Land 628 sq km

Existing Zoned Area 780 sq km


Proposed Zoning 1160 sq km

Proposed Phasing (Time Bound)

Phase 1	Phase 2
2025-35	2035-47

Proposed Town Planning Schemes - 197

Town Planning (TP) are micro-plans, used as the major tool to implement the Development Plan (DP)



Proposed TP Schemes

	Road	Road Infrastructure	Public Transport	Green & Blue Infrastructure	Housing	Physical Infrastructure
Phase 1	12996 Cr.	3762 Cr.	6856 Cr.	10931 Cr.	8660 Cr.	2704 Cr.
Phase 2	6639 Cr.	729 Cr.	5834 Cr.	363 Cr.	-	32 Cr.

Total cost of Proposed Development Plan **46815 Cr.**




03 Understanding The City

Ahmedabad, Gujarat


The foundation studio involved an extensive study of a 1 sq. km area in Ahmedabad's Rabari Colony, analyzing physical aspects such as land use, built form, land value, and street networks, along with intangible factors like public realm, transport choices, and user perception. The studio culminated in a citywide synthesis to understand the impact of Transit-Oriented Development (TOD) on land utilization.

Studio Work (Semester I – Urban Planning)

01 Precinct Overview



Precinct Area – Rabari Colony (1 sq km)
City - Ahmedabad



1. Rabari Colony Metro
2. Rabari Colony BRTS
3. Revolution Cinemas

Interpreting the Grain



A. Densely packed fine grain sizes.



B. Fine grain sizes.
Building Height : **1-3 Floors**



C. Coarse grain sizes.
Building Height : **1-2 Floors**

The precinct features predominantly fine grain built form with majorly residential character.

02 Precinct Overview

- The precinct get divided into 2 major segment by the arterial road.
- There are two major junctions which connects to the BRTS and metro stops.
- Due to its dense urban fabric the precinct is experiencing stagnation.




Existing Base Map (Rabari Colony)



Despite urban growth, overcrowding, and infrastructure challenges, the precinct retains its unique identity, showcasing the resilience and adaptability.

Street Hierarchy


The street network is moderately connected and complex but not highly efficient.



The street hierarchy is **not maintained**, with local roads merging directly into arterial and sub-arterial roads.




22.8% area under roads in the precinct.



33 Km of road network in the precinct.





Issues

Limited connectivity

Restricted route choices

Increased travel time



Connected Node Ratio
0.56

Link Node Ratio
1.18



89% of the roads in the precinct are **local roads.**

But **44%** of those terminates as **dead ends.**



Block Size Analysis

258m Smallest Block Perimeter

6mins Walking Time

1981m Highest Block Perimeter

38mins Walking Time


945m Average block perimeter

Presence of larger blocks despite having such a dense road network indicating low connectivity.



Dependency on the Arterial Road

The challenges in mobility within the precinct leads to the high dependency of the people on the **arterial road.**



45 m wide Arterial Road

04 Connectivity & Accessibility

Walkability Analysis

0% footpaths of >1.5m on both sides.

100% of Streets have poor walkability.



Due to poor walkability pedestrians in the area are forced to walk on broken footpaths and compete with vehicles for space.




The automobile-centric approach of the street design have affected **human accessibility.**




05 Land Development

Land use distribution



53%

Residential Landuse
(Based on Floor Space)



Low rise, high density development leads to high ground coverage and limited open space.


06 Floor Space Distribution

2.2
Net FSI

0.9
Gross FSI

32 m^2
Per capita floor space

402
Population/ha



Bigger Blocks – Lower FSI

Bigger block sizes and low FSI result in high built density but limited vertical development.

Low rise, high density development leads to high ground coverage and limited open space.

Dense settlement patterns result in overcrowded and congested areas.

07 Built form Development

Figure Ground Map

64% Built

36% Un-Built



Built Un-built


Distribution of Unbuilt



Roads Vacant Marginal Spaces Open Spaces




Built Unbuilt Plots



07 Built form Development

Built Type Distribution



6-9 m
(2- 3 floor height)
Average Height


41%
Semi-detached
Pre-dominant typology



Apartment Detached Row-Houses
Semi-Detached Chawls Others

Despite a lower FSI, the precinct has a high population density, resulting in overcrowding and cramped living spaces.

FSI Classification




Row Houses (Informal)
FSI-2.2




Row Houses (Societies)
FSI-1.5





Semi - Detached Houses
FSI-2



Detached Houses
FSI-1.8



08 Public Realm


Activity Mapping

Peak Time
5:00 PM-7:00 PM




1:3
Female : Male


Male-dominated Public Spaces




A lot of public interaction can be seen on the commercial frontage.


Parts of the arterial road transforms into a bustling street market during the peak hours.






09 Streets as Third Space





Prominent activity happening around the streets due to a lack of dedicated open space.




Streets as a third space refers to the idea that streets serve as more than just pathways — they also function as important social and communal space.

10 Public Transportation

Public Transportation Catchment


63%
Area above **10 minutes** of walking distance from PT stop

Despite have 2 rapid transit system option due to poor street network public transport it takes longer to reach PT stops.



Perception Analysis

A survey of 30 participants revealed that non-PT users value connectivity and accessibility, while PT users prioritize **affordability, reliability, and safety,** showing differing perceptions based on transit familiarity




10 Public Transportation

PT Route Mapping


Public transport is
1.7X
more affordable
than private transport.

Public transport takes
2.4X
more time than
private transport.



Trip Duration vs. Trip Mode

For short trips, non-PT modes like **2-wheelers** are most preferred, while for longer durations, **PT modes such as BRTS** see significantly higher usage.





04 Bus Terminus Design

Kolkata, West Bengal

This project reimagines the bus terminus for the post-COVID era, focusing on safer, accessible, and resilient public transport in response to the pandemic's dramatic impact on ridership and mobility. The work highlights the importance of rethinking mobility infrastructure during crises, making it both timely and impactful.


Design Competition (Architecture)

01 Design Strategy

Project Post Covid Bus Terminus Design

Location Newtown, Action Area I, Kolkata

To create an integrated, safe, and flexible multimodal bus terminus that enhances transit connectivity, supports pandemic resilience.



Existing Service areas and Modes of Transit around Newtown

Operational Hours

Bus Service Starts – **6:30 am**

Bus Service Ends – **11:30 pm**

Peak Hours

7:30 am - 10:00 am

5:30 pm – 7:30 pm


36,000 residents with a visiting population of **80,000** every day, it is expected that its population will grow to nearly **1 million** residents and a transient population of nearly half a million in the next decade.

600 buses plying on **40** routes.


METRO LINE 6 construction on going. Connecting Newtown & Airport to the rest of Kolkata.




02 Masterplan



BRIDGING THE GAP



Movement Concourse



Existing Situation



Reimagined Bus Terminus



03 Design Interventions



- Defined entry exit points strictly restricted for passenger's entry.
- Sanitization tunnels for passengers entering the platform.




- Separating and aligning the bus bay queuing areas as per the number of routes.
- Charging ports for electric buses along with a plant room.
- Sanitization tunnel for buses while entering the terminus.



- Providing permanent bus bays for respective routes.
- Separate parking for buses other than bus bays.
- Maintenance area for regular checkups and moderate service for buses.





04 Proposed Bus Terminus

Response to Covid Sensitivity

Minimizing the chances of gathering the crowd at one place.


Restricting & controlling the entry exit points to manage the crowd.

Distributing the crowd in an organized and planned manner.

Sanitization tunnels for buses before heading into the bus bays.

Separated zones for officials and staff for minimal interaction.

Expanding the site led to increased number of routes and buses, ensuring less crowding per bus.



05 Bengal Partition Museum

Kolkata, West Bengal

The proposed museum is envisioned as the first contemporary Bengali museum devoted exclusively to the subject of Partition: its cataclysm, its victims and perpetrators, its aftermath, and the path to healing. The Bengal Partition Museum aims to portray intimate stories of loss, separation, bereavement, pain, rootlessness, and existential crisis as well as of hope, shared values, and the ‘quiet continuities’ though our common heritage that exist even after partition.

Architectural Thesis

01 Design Proposition

Design Aim

This thesis envisions an institution that embodies Bengal's partition history, using architecture to evoke remembrance and reflection on its enduring impact..




Objectives

To memorialize Bengal's Partition through spatial narratives that bridge its past and present.

To educate and foster understanding of the Partition's socio-cultural discourse locally and globally.

To design an engaging public space integrating formal and informal zones for reflection and interaction.

Timeline



02 Spatial Design Programming


Museums are communicating environments in which complex meanings can be imbibed and consumed in a multitude of different ways by visitors.

	CALM & SERENE	ADMIRATION	GRIEF	ANGER	FEAR	SURPRISE	NOSTALGIA	PEACE & TRANQUILITY
FORM	OPEN	Enclosed	Open and Closed	Closed	Intimate	Monumental	Intimate	Open
SCALE								
EXPRESSION	Liberation	Impactful	Subjective to People	Response to direct communication and information	Imposing	Extricate	Dynamic	Symbolic
MOVEMENT	Free Flowing	Static (confined)	Static/ Unidirection	Jagged (Directional)	Jagged	Free Flowing	Free flowing	Unidirectional
LIGHTING	Well – lit Natural & Artificial	Well – lit Natural	Low-Lit	Warm Artificial Lighting	Dark/ Artificial	Natural & Artificial	Low-Lit	Well Lit
MATERIAL	Texture : Smooth Wood, Glass Vibrant Colours	Dull colours Rough Texture	Exposed and unfinished structures	Reflective texture Use of Black& Red Colours	Black and Grey colours Polished Surfaces	Mixed	Non-reflective White colours	White & Green colour Stone and earthy texture
DENSITY	Sparse, unorganised	Sparse, Focused	Sparse, Organised	Unorganised	Dense , Unorganised	Dense , Unorganised	Dense Organised	Sparse , Focused


The conceptual proposition aims to develop an experiential space through design processes; giving new tools for thinking and experiencing architecture as a network of 'mixed' emotions.

Visitor Movement Circuit

The museum is designed as a series of spaces that invokes the 'memory' of Partition through empathy and spectacle with help of the architectural interventions.




03 Design Strategy



The museum design is a conscious attempt to celebrate the ties between the two Bengals.

Translating of Design Ideology into Concept



Symbolic representation of Bengal through its script


Conceptual Planning

Site Plan Concept




The Site is divided into two halves through the axis of the intersection. This axis translates to the **'Imaginary Border'** axis.


Built Form Concept




Two Blocks of the Museum depicts two Bengals divided by an axis that depicts the imaginary border.



Connected at the top through the **Independence gallery.**



Water Channels as a metaphor for the rivers border between both sides.



Shared visual connection between the two Blocks.

04 Masterplan




Masterplan Showing Roof Plan

05 Floor Plans


Site with Ground Floor Plan



Museum Block 1




Floor Plan
at +2400 lvl.




Floor Plan
at +6900 lvl.

Museum Block 2



Floor Plan
at +2400 lvl.




Floor Plan
at +6900 lvl.


Restaurant and Souvenir Shop



Floor Plan
at +900 lvl.




Section AA'



Ramp Section

06 3D View



The Bengal Partition Museum



Sadiya Sharmin

sadiya.sharmin@outlook.com