In [6]:

```
import pandas as pd
import matplotlib.pyplot as plt

df = pd.read_csv("C:/Users/SADIYA/Downloads/netflix_titles.csv/netflix_titles.cs

df.head()
df.info()
df.columns
df.isnull().sum()
df['type'].value_counts().plot(kind='bar')
plt.title('movies vs tv shows on netflix')
plt.xlabel('type')
plt.ylabel('count')
plt.show()
print("insight1:people watch more movies compared to tv shows")
df['country'].value_counts().head(10).plot(kind='bar')
plt.title('top 10 countries producing netflix content')
plt.xlabel('countries')
plt.ylabel('count')
plt.show()
print("insight2: united states is the highest netflix content producing country"
plt.figure(figsize=(12,6))
df['release_year'].value_counts().sort_index().plot(kind='bar')
plt.title('content growth over years')
plt.xlabel('years')
plt.ylabel('count')
plt.show()
print("insight3: u can see how the graph has grown over the years in recent yrs
df['rating'].value_counts().head(10).plot(kind='bar')
plt.title('most common netflix ratings')
plt.xlabel('ratings')
plt.ylabel('count')
plt.show()
print("insight4:TV-MA and TV-14 have the highest rating indicating a strong targ
plt.figure(figsize=(14,6))
df['director'].value_counts().head(10).plot(kind="bar")
plt.title("top 10 director on netflix")
plt.xlabel("director")
plt.ylabel("counts")
plt.show()
print("insight5:Rajiv Chilaka has the most netflix content directed")
df['listed_in'].value_counts().head(10).plot(kind="barh")
plt.title("top 10 netflix genre")
plt.xlabel("count")
plt.ylabel("genre")
plt.show()
print("inisght6: while netflix has a lot of genre's dramas,international movies,
print()
df.isnull().sum()
df_clean=df.dropna(subset=['director'])
print(df_clean['director'].isnull().sum())
print("inight7:The dataset contained missing values in several columns such as d
print()
movies = df[df['type'] == 'Movie']
print(movies['duration'].value_counts().head(10))
print("insight 8:Most Netflix movies fall within a similar duration range, indic
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 8807 entries, 0 to 8806
Data columns (total 12 columns):
 #   Column        Non-Null Count  Dtype 
---  ------        --------------  ----- 
 0   show_id       8807 non-null   object
 1   type          8807 non-null   object
 2   title         8807 non-null   object
 3   director      6173 non-null   object
 4   cast          7982 non-null   object
 5   country       7976 non-null   object
 6   date_added    8797 non-null   object
 7   release_year  8807 non-null   int64 
 8   rating        8803 non-null   object
 9   duration      8804 non-null   object
 10  listed_in     8807 non-null   object
 11  description   8807 non-null   object
dtypes: int64(1), object(11)
memory usage: 825.8+ KB
```




```
insight1:people watch more movies compared to tv shows
```




```
insight2: united states is the highest netflix content producing country
```




```
insight3: u can see how the graph has grown over the years in recent yrs it has i
ncreased with 2018 being the higgest
```



insight4:TV-MA and TV-14 have the highest rating indicating a strong target audia nce is teens and adults



insight5:Rajiv Chilaka has the most netflix content directed




```
inisght6: while netflix has a lot of genre's dramas,international movies,stand up comendy and documentaries are the highest and move frequent

0
inight7:The dataset contained missing values in several columns such as director and cast. Data cleaning was performed to improve analysis accuracy

duration
90 min     152
97 min     146
94 min     146
93 min     146
91 min     144
95 min     137
96 min     130
92 min     129
102 min    122
98 min     120
Name: count, dtype: int64
insight 8:Most Netflix movies fall within a similar duration range, indicating a standard content length preference for viewers
```

In [ ]: