

Applied Data Analytics - Answer Sheet		
Username	Attempt start time	Attempt end time
U15FY25S0009	Tue Jun 30 2026 16:40:32 PM	Tue Jun 30 2026 16:55:15 PM
Total Questions (Includes Optional)	Attempted Questions	Unattempted Questions (Includes Optional)
55	35	20

Question No.	User Answer
Q. 1.	Option B. import pandas as pd
Q. 2.	Option B. Comma-Separated Values
Q. 3.	Option A. plt.show()
Q. 4.	Option B. Generates statistical summary of numerical columns
Q. 5.	Option C. pd.read_csv('file.csv')
Q. 6.	Option C. df['Sales'].mean()
Q. 7.	Option B. df.isnull().sum()
Q. 8.	Option C. Returns a DataFrame with rows containing NaN removed
Q. 9.	Option C. plt.title()
Q. 10.	Option A. df.types()

Q. 11.	Option C. Pie chart
Q. 12.	Option B. Replaces all NaN values with 0
Q. 13.	Option B. Frequency distribution of a single variable
Q. 14.	Option C. <code>np.zeros((3,4))</code>
Q. 15.	Option C. <code>df.drop_duplicates()</code>
Q. 16.	Option B. A sequence of data processing steps from collection to output
Q. 17.	Option B. <code>df.sort_values('col', ascending=False)</code>
Q. 18.	Option B. Displays trend over time
Q. 19.	Option B. Patterns and changes in data over time
Q. 20.	Option B. <code>df.rename(columns={'old':'new'})</code>
Q. 21.	Option A. <code>df.column('Age')</code>
Q. 22.	Option B. Using analyzed data results to guide business decisions
Q. 23.	Option D. Data encryption
Q. 24.	Option C. Groups data by City and computes mean of numerical columns
Q. 25.	Option B. Converting raw data into a format suitable for analysis

Q. 26.	Option B. df.groupby('Year')['Sales'].mean().idxmax()
Q. 27.	Option C. Median
Q. 28.	Option C. Investigate why 45% is missing then impute with median or domain logic
Q. 29.	Option B. Line chart, Pie chart, Bar chart
Q. 30.	Option B. Whether the removed rows contained disproportionately high-value records
Q. 31.	-
Q. 32.	-
Q. 33.	-
Q. 34.	-
Q. 35.	-
Q. 36.	-
Q. 37.	-
Q. 38.	-
Q. 39.	-
Q. 40.	-
Q. 41.	-
Q. 42.	-
Q. 43.	-
Q. 44.	-
Q. 45.	-
Q. 46.	-

Q. 47.	-
Q. 48.	-
Q. 49.	-
Q. 50.	-
Q. 51.	1.identify the missing values :discount_%has12%missing values and customer_age_group has 5%missing values 2. Handle discount _%: since it is numerical columns fill the missing values using the median 3. Handle customer_age_ group: catagorical 4. Do not removes rows 5.validate the data
Q. 52.	1.create revenue column using the formula revenue=units _sold_*unit_price *(1-discount_%/100) 2.group the data by city by using groupby('city')3calculate the total revenue for City using.sum()4find the City with the highest revenue.idxmax() 5. Display the result
Q. 53.	1. Use a grouped bar chart to compare product categories 2. The chart clearly shows which product categories has the highest sales in each age group 3. Compare cells of null product categories for every customer age group 4. Identify the best selling product category for each each group 5. This help the company understand customer reference for make better marketing
Q. 54.	1. Use a line chart 2. So monthly sales friends(b) of a discount in low cells month improve self planning and inventory
Q. 55.	1. Present ki sales inside with simple charts and graphs 2. Highlight top product cities monthly trends 3. You simple language for non technical stakeholders