Product: SurfTechs 4106 LC Review: 01 March 11, 2015

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product SurfTechs 4106 LC

Relevant Recommended Uses Textile Softener

Company American Textile, LLC.

Address 3235 Satellite Boulevard

Building 400, Suite 300 Duluth, GA 30096 USA

Phone Number +1 770 291 2226

Fax +1 678 547 3179

Email admin@americantextilellc.com

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion / irritation Category 2 H315
Serious eye damage / irritation Category 1 H318

Label Elements

• Symbols





Signal Word DANGER

• Hazard Statements H315 - Causes skin irritation.

H318 - Causes serious eye damage.

• Precautionary Statements P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash skin thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Product: SurfTechs 4106 LC Review: 01 March 11, 2015

• Response Statements P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 - IF ON SKIN: Wash with plenty of water/ soap.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 - Immediately call a POISON CENTER or doctor/physician. P332+313 - If skin irritation occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

Disposal
 P501 - Dispose of contents/container in accordance with local/regional/national

regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Name

Modified Fatty Acid Amide derivative

Component	CAS Registry No.	Weight %
Modified fatty acid amide quaternary	proprietary to supplier	50 - 65%
Water	7732-18-5	20 - 30%
Nonionic and cationic surfactants	proprietary to supplier	5 ~15%
Propylene Glycol	57-55-6	5 - 15%

Impurities which Contribute to the Classification of the Substance

There are no impurities which contribute to the classification of the substance.

4. FIRST-AID MEASURES

Procedure in Case of:

Inhalation
 Mist may cause irritation to nasal passages. Get victim to fresh air and get prompt medical

attention.

• Skin Contact Immediately wash exposed area with soap and water for at least 15 minutes. Then

flush with water for at least 5 minutes. If reddening persists, see a physician.

Remove contaminated clothing and launder before re-use.

• Eye Contact Immediately flush with large amounts of water for at least 15 minutes, lifting upper

and lower lids occasionally. Get medical attention immediately. If physician is not

immediately available, continue flushing with water.

Ingestion Immediately drink two large glasses of water, if conscious. Call a physician. Do not

induce vomiting.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemi

Dry chemical, water fog, regular foam.

Product: SurfTechs 4106 LC Review: 01 March 11, 2015

Unsuitable Extinguishing Media No data available.

Specific Hazards in Case of Fire Formation of oxides of carbon, nitrogen oxides and sulfur compounds.

In case of combustion it may generate carbon monoxide, besides CO₂.

Protective Measures for Fire Fighters

As in any fire, wear self-contained breathing apparatus pressure-demand,

(MSHA/NIOSH approved or equivalent) and full protective gear.

Water or foam may cause frothing which can be violent, especially if sprayed into

containers of hot, burning liquid.

NFPA Rating

Health 1
Flammability 0
Instability 0
Special D

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protection equipment as indicated in Section 8, in order to avoid

contact with spilled product.

Environmental Precautions Prevent product from entering into soil and waterways.

Methods and Materials for Containment and Cleaning up

Stop if possible

Contain and dike spilled product with earth or sand.

Transfer to proper container.

Collect remnants with an appropriate absorbent material.

Wash the contaminated surface with water, which should be collected for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling Use in a well-ventilated area.

Avoid inhalation and contact with eyes, skin or clothing through proper protection.

If occurs accidental contact, exposed area should be washed immediately. Emergency eyewashes and showers shall be located in accessible locations.

Wash hands and face thoroughly after handling. Wash contaminated clothing before reuse.

Conditions for Safe Storage Store in a covered and well-ventilated area, away from sunlight and sources of heat

or open flames.

Ensure that the storage location has adequate moisture, pressure and temperature.

Keep containers tightly closed when not in use. Protect from freezing.

Incompatibilities Avoid contact with:

Strong oxidizing agents.

Product: SurfTechs 4106 LC Review: 01 March 11, 2015

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits

TLV-TWA (ACGIH) Not established.

PEL-TWA (OSHA)
 Not established.

TLV-STEL (ACGIH) Not established.

LT(NR15) Not established.

Odor Threshold No data available.

IDLH No data available.

Biological Exposure Indices (ACGIH) Not established.

Engineering Control Measures Good general ventilation should be sufficient for most conditions. Local exhaust

ventilation may be necessary for some operations.

Individual Protection Measures

Eye Protection Chemical splash proof goggles.

Skin Protection PVC apron.

It is recommended to adopt safety boots/shoes.

Hand Protection Wear protective gloves such as: Neoprene or Buna-N.

• **Breathing Equipment** None required with normal use.

In case of emergency or contact with high concentrations of the product, wear an air supplied mask or self contained breathing apparatus. It is recommended to wear face mask with organic vapors cartridge in case of exposure to vapors/aerosols.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Soft Paste

Color Tan

Odor Characteristic Mild

Odor Threshold Not measured

pH (as is) 5.5 - 7.5

Initial Boiling Point and Boiling Range Not measured

Solids (Sartorius, MA30, 105°C),% 65 -66%

Product: SuuurfTechs 4106 LC Review: 01 March 11, 2015

Melting Point Not applicable

Flash Point > 100 °C

Method: Penskey-Marten CC

Evaporation Rate Slower than ether.

Flammability (solid, gas) Not applicable.

Upper/Lower Flammability or Explosive Limits No data available.

Vapor Pressure No data available.

Relative Vapor Density (air = 1) > 1 (in relation to air)

Specific Gravity 0.98 (water = 1.00 at 20 °C)

Water Solubility Dispersible

Partition Coefficient (n-octanol/water) No data available.

Auto-Ignition Temperature No data available.

Decomposition TemperatureNo data available.

Viscosity, kenematic No data available.

10. STABILITY AND REACTIVITY

Chemical StabilityThe product is stable under normal conditions.

Possibility of Hazardous Reactions No.

Conditions to Avoid Avoid contact with strong oxidizing agents.

Reactivity Reaction with oxidizing materials.

Incompatible Materials Unknown.

Hazardous Decomposition Products In case of combustion it may generate carbon monoxide, besides CO₂.

Considerations on the Use of the Product Not applicable.

11. TOXICOLOGICAL INFORMATION

The toxicological information is taken from an analogous substance

Acute Toxicity

• **oral** No Data Available.

SAFETY	DVIV	CHEET	- CDC
3A1 L 1 1		JIILLI	- 303

Product: SurfTechs 4106 LC Review: 01 March 11, 2015

dermal No Data Available.

• inhalation No Data Available.

Serious Eye Damage/Eye Irritation Result: This material may cause severe irritation to the eyes.

Skin Corrosion/IrritationSome people may experience skin sensitization from contact with this

product.

Respiratory or Skin SensitizationNo Data Available.

Repeated Dose ToxicityNo Data Available.

CMR Assessment

Carcinogenicity
 No Data Available.

Mutagenicity
 No Data Available.

Teratogenicity
 No Data Available.

Toxicity to Reproduction
 No Data Available.

Carcinogenicity Not listed by NTP, IARC, ACGIH, or OSHA as a carcinogen.

Specific Target Organ Toxicity - Single ExposureNo Data Available.

Specific Target Organ Toxicity - Repeated Exposure No Data Available.

Aspiration Hazard No Data Available.

Other Information Irritant to skin

Risk of serious damage of eyes.

12. ECOLOGICAL INFORMATION

The toxicological information is taken from an analogous substance

Ecotoxicology Assessment

• Acute Aquatic Toxicity No data available.

• Chronic Aquatic Toxicity No data available.

Toxicity

Aquatoxicity, fish
 No data available.

Aquatoxicity, invertebrates
 No data available.

• Aquatoxicity, algae / aquatic plants No data available.

	SAFETY DATA SHE	ET - SDS		
Product:	SurfTechs 4106 LC	Review : 01	March 11, 2015	
	Toxicity in Microorganisms	No data available.		
	• Chronic Toxicity in Fish	No data available.		
	Chronic Toxicity Aquatic Invertebrates	No data available.		
	Toxicity in Terrestrial Plants	No data available.		
	Toxicity to Above- Ground Organisms	No data available.		
Persiste	nce and Degradability			
	• Photodegradation	No data available.		
	Biological degradability	Result: not readily deg The product is not read according to OECD crit	dily biodegradable	
	Physico-chemical removability	No data available.		
	Biochemical Oxygen Demand (BOD)	No data available.		
	■ Chemical Oxygen Demand (BOD)	No data available.		
	• Relation of BOD/COD	No data available.		
	Dissolved organic carbon (DOC)	No data available.		
	Adsorbed organic bound halogens (AOX)	No data available.		
	Distribution among environmental compartments	No data available.		
Bioaccur	nulative potential			
	Bioaccumulation	No data available.		
Mobility	in Soil			
	Environmental distribution	No data available.		
Results o	of PBT and vPvB Assessment			
	PBT and vPvB Assessment	No data available.		
Other Ad	dverse Effects	No data available.	No data available.	
Remarks		No data available.		
General Information		Do not allow to enter swater canal.	soil, waterways or waste	

Product: SurfTechs 4106 LC Review: 01 March 11, 2015

13. DISPOSAL CONSIDERATIONS

Recommended Methods of Waste Disposal

You must test your waste using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Incineration in an authorized and permitted thermal treatment facility or chemical or biological treatment in authorized and permitted facilities is recommended.

14. TRANSPORT INFORMATION

Department of Transportation (DOT)

Not regulated

International Maritime Dangerous Goods (MDG)
 Not regulated

International Air Transport Association Dangerous Good Regulation (IATA-DGR)
 Not regulated

15. REGULATORY INFORMATION

California Proposition65 Statement

Notification: No

This product does not contain any substance(s) which are defined by the state of

California to cause cancer, birth defects, or other reproductive effects.

Canada <u>WHMIS CLASSIFICATION</u>

Class D, Division 2B Corrosive Material

SARA Title III Section311/312 Hazard Categories

Acute Health Hazard

State Right to Know No components subject to "Right-To-Know" legislation in the following States: NJ, PA,

MA and RI

SARA 313: SARA 313: This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established

by SARA Title III, Section 313.

HMIS Ratings

Health: 1
Flammability: 0
Reactivity: 0
Personal Protection: D

Notification Status USA (TSCA): listed/registered or exempted

Product: SurfTechs 4106 LC Review: 01 March 11, 2015

16. OTHER INFORMATION

Remarks Not applicable.

Abbreviations and Acronyms

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADNR European agreement concerning the international carriage of dangerous goods by inland

waterways (ADN)

ASTM American Society for Testing and Materials

ATP Adaptation to Technical Progress

BCF Bioconcentration factor

BetrSichV German Ordinance on Industrial Safety and Health

c.c. closed cup

CAS Chemical Abstract Services

CESIO European Committee of Organic Surfactants and their Intermediates

ChemG German Chemicals Act

CMR carcinogenic-mutagenic-toxic for reproduction

DIN German Institute for Standardization

DMEL Derived minimum effect level

DNEL Derived no effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EC50 half maximal effective concentration

GefStoffV German Ordinance on Hazardous Substances

GGVSEB German ordinance for road, rail and inland waterway transportation of dangerous goods

GGVSee German ordinance for sea transportation of dangerous goods

GMO Good Laboratory Practice
GMO Genetic Modified Organism

IATA International Air Transport Association
 ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 ISO International Organization For Standardization

LOAEL Lowest observed adverse effect level

LOELLowest observed effect levelNOAELNo observed adverse effect levelNOECno observed effect concentration

NOEL no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit

PBT Persistent, bioaccumulative, toxic

PEC Predicted effect concentration

PNEC Predicted no effect concentration

REACH REACH registration

RID Convention concerning International Carriage by Rail

STOT Specific Target Organ Toxicity
SVHC Substances of Very High Concern

TA Technical Instructions

TPR Third Party Representative (Art. 4)
TRGS Technical Rules for Hazardous Substances
VCI German chemical industry association
vPvB very persistent, very bioaccumulative

Product: SurfTechs 4106 LC Review: 01 March 11, 2015

VOC volatile organic compounds

VwVwS German Administrative Regulation on the Classification of Substances Hazardous to Waters

into Water Hazard Classes

WGK Water Hazard Class

WHO World Health Organization

This Safety Data Sheet was authored according to our current knowledge and experience, however cannot imply guarantee of any nature. Considering the variety of factors that can affect their process or application, the information on this sheet does not exempt the processors from the responsibility of executing their own tests and experiments.

ELECTRONICALLY APPROVED