in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018 Page 1/10

Version 2.3 / D / EN Revision Date: 28.08.2017

replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

SECTION 1: Identification of the substance/preparation and company

1.1 Product identifier

Sera Lube M-CF PLDC120

1.2 Relevant Identified uses of the substance or mixture and uses advised against

Use pattern : Textile auxiliary

1.3 Details of the supplier of the safety data sheet

DyStar Colours Distribution GmbH

Am Prime Park 10-12 D - 65479 Raunheim Telephone no. +49 6142 4072 3172 Telefax no. +49 6142 4072 3000 MSDS@DyStar.com

1.4 Emergency telephone number

Emergency telephone number: +49 2365 4984140

SECTION 2: Hazards identification

2.1 Classification of the Substance or Mixture

According to regulation (EC) 1272/2008 on classification, labelling and packaging of substances and mixtures

No labelling is required in accordance with GHS directives.

2.2 Label elements

Not applicable

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018 Page 2/10

Version 2.3 / D / EN Revision Date: 28.08.2017

replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

2.3 Other hazards

If applicable in this section are given hazards which are not part of the overall classification but can contribute to the hazards which may be associated with the substance or mixture.

Not applicable

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical characterization

polymeric amides, aqueous preparation

Hazardous Ingredients (GHS) according Regulation (EC) 1272/2008

Ethylene glycol

Content: 4 - 6 % Acute Tox. 4 (oral) H302 EC Number 203-473-3 STOT RE 2 H373

EC index no. : 603-027-00-1 CAS number : 107-21-1

REACH registr. no. 01-2119456816-28

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take off immediately all contaminated clothing.

After inhalation: Upon inhalation of aerosol/vapour/dust: Take the patient into the fresh air; if there is difficulty in breathing, medical advice is required.

After contact with skin: Cleansing with plenty of water, soap or other non-irritating cleansing agents.

After contact with eyes: Contamination of the eyes must be treated by thorough irrigation with water, with the eyelids held open. Eventually a doctor (or eye specialist) should be consulted.

After ingestion: If the product is swallowed, the patient must at once drink water repeatedly, if possible with the addition of activated carbon. If the patient feels unwell, seek medical advice.

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018

Version 2.3 / D / EN Revision Date: 28.08.2017

replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

4.2 Most important symptoms and effects, both acute and delayed

Please see hazard statements in section 2.2 if given and information in this section if stated.

4.3 Indication of any immediate medical attention and special treatment needed

Please see precautionary statements in section 2.2 as well as first aid information in this section if stated.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray, CO2, foam, dry powder.

Extinguishing media that must not be used for safety reasons: not determined

5.2 Special hazards arising from the substance or mixture

not determined

5.3 Advice for firefighters

Special protective equipment for firefighting: Firemen have to wear self-contained breathing apparatus.

Further information: Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Use the necessary personal protection equipment during any work.

6.2 Environmental precautions

Environmental precautions: Do not empty into drains or waters.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up/taking up: Take up with absorbent material and fill into a closable container.

6.4 Reference to other sections

Additional information: For further disposal measures see chapter 13.

Page 3/10

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018 Page 4/10

Version 2.3 / D / EN Revision Date: 28.08.2017

replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling: Close container immediately after use, avoid excessive heat.

Advice on protection against fire and explosion: No special measures against fire or explosion required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Store sealed in original container in a cool place.

Storage class: 12 Non-combustible liquids

Storage stability: not determined

7.3 Specific end use(s)

not determined

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored

contains: Ethylene glycol

AGW value: 10 ppm 26 mg/m3

most tolerable limit category I

Pregnancy Group C

Observe national regulations.

8.2 Exposure controls

General protective measures: Do not breathe vapour/spray. Avoid contact with eyes and skin. Take off immediately all contaminated clothing.

Hygiene measures: Do not eat, drink or smoke at work.

Wash hands before breaks and at end of work and use skin-protecting ointment.

Keep away from food and drink stuffs.

Respiratory protection: combination filter, e.g. DIN 3181 ABEK, if product forms vapours.

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018 Page 5/10

Version 2.3 / D / EN Revision Date: 28.08.2017

replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

Hand protection: Wear suitable gloves e.g. of PVC or nitrile rubber. In the event of

contamination, change protective gloves immediately. Avoid skin contact

with the wetted surfaces of the protective gloves.

Eye protection : safety glasses with side protection shield

Body protection: Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form: liquid

Colour: colourless

Odour: weak odour

Melting point not determined

Boiling point: approx. 100 °C

Flash point : > 100 °C

Ignition temperature : not determined

flammability: not determined

Lower explosion limit : not determined

Upper explosion limit : not determined

Vapour pressure : not determined

Density: approx. 1,0 g/cm3

Solubility in water : miscible

pH value : 6 - 8

Octanol/water partition coefficient (log not determined

Pow):

Viscosity (dynamic): not determined

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018 Page 6/10

Version 2.3 / D / EN Revision Date: 28.08.2017

replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

Viscosity (kinematic): not determined

Viscosity (flow time): not determined

9.2 Other information

Combustion number : not determined

Dust explosion class : not determined

Bulk density: not determined

Further information (phys.-chem.) not necessary

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2 Chemical stability

Thermal decomposition No thermal decomposition when stored and handled correctly.

10.3 Possibility of hazardous reactions

Hazardous reactions: No hazardous reaction when used as directed.

Hazardous decomposition products: Not applicable

10.4 Conditions to avoid

For avoidable conditions: not necessary

10.5 Incompatible materials

For avoidable materials: not necessary

10.6 Hazardous decomposition products

Not applicable

SECTION 11: Toxicological information

11.1 Information on toxicological effects

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

000088001018 Page 7/10

PLDC120

Version 2.3 / D / EN Revision Date: 28.08.2017 replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

Acute oral toxicity: LD50 > 2.000 mg/kg (rat)

Acute inhalation toxicity: not determined

Acute dermal toxicity: not determined

Irritant effect on skin: non-irritant (rabbit)

Irritant effect on eyes: non-irritant (rabbit eye)

Sensitization: not determined

Repeated dose toxicity not determined

Mutagenicity: not determined

Teratogenicity: not necessary

Carcinogenicity: not necessary

SECTION 12: Ecological information

12.1 Toxicity

Fish toxicity: LC50 > 1.000 mg/l (96 h, golden orfe)

Method: OECD 203

Daphnia toxicity: EC50 > 100 mg/l (48 h, Daphnia magna)

Method: OECD 202

Algae toxicity: not determined

Bacteria toxicity: EC50 > 1.000 mg/l (activated sludge)

Method: OECD 209

Remarks: Product does not add to the AOX-value of the sewage. (DIN EN 1485)

The product does not contain heavy metals in concentrations of concern for waste water.

12.2 Persistence and degradability

Physico-chemical eliminability: not determined

Biodegradability: 87 % (28 d)

Method: OECD 301 F

The product is ready biodegradable.

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018 Page 8/10

Version 2.3 / D / EN Revision Date: 28.08.2017

replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

Behaviour in environmental

compartments:

not determined

Dissolved Organic carbon (DOC): not determined

Chemical oxygen demand (COD): 90 mg/g

Method: DIN 38409 T. 41

Biochemical oxygen demand (BOD5): 39 mg/g

5 d

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

not determined

12.6 Other adverse effects

not determined

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product: If utilisation or recycling of the product is not possible, it should be disposed of according to the local regulations and laws, e. g. by incineration in a suitable plant.

European Waste Catalogue (EWC) code: 040215 wastes from finishing other than those mentioned in 04 02 14

Uncleaned packaging: Soiled, empty containers are to be treated in the same way as the contents.

SECTION 14: Transport information

ADR	Non dangerous goods
ADNR	Non dangerous goods
RID	Non dangerous goods
IMDG	Non dangerous goods
IATA C	Non dangerous goods

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018 Page 9/10

Version 2.3 / D / EN Revision Date: 28.08.2017

replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

IATA_P Non dangerous goods

14.1 UN number

See above entry at the respective regulation.

14.2 UN proper shipping name

See above entry at the respective regulation.

14.3 Transport hazard class(es)

See above entry at the respective regulation.

14.4 Packing group

See above entry at the respective regulation.

14.5 Environmental hazards

See above entry at the respective regulation.

14.6 Special precautions for user

Keep separated from foodstuffs.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No transport in bulk according to Annex II of MARPOL 73/78 and the IBC code foreseen for this substance or mixture.:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TA-Luft (Ger.): Not applicable

Water Hazard Class (Ger.): WGK 1 - slightly hazardous to water WGK = Classification in

accordance with the German Water Resources Act Annex 3 VwVwS (Germany) dated Mai, 17th 1999

Other regulations: Self-commitment of TEGEWA on the classification of textile chemicals in accordance to their relevance to waste-water: ARS I: Less relevant to waste-water

in accordance with regulation (EC) No 1907/2006 (EC No 453/2010)



Sera Lube M-CF

PLDC120

000088001018 Page 10/10

Version 2.3 / D / EN Revision Date: 28.08.2017 replaces version: 2.2 on 04.02.2015

generated on: 31.01.2006

15.2 Chemical safety assessment

not determined

SECTION 16: Other information

Text of all shortcuts referred to in sections 2 and 3:

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

Acute Tox. 4 (oral) Acute Toxicity: Cat. 4 (oral)

STOT RE 2 Specific target organ toxicity — Repeated exposure, Category 2

This information is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application.