

in accordance with regulation (EC) No 1907/2006 (EC No 2015/830)

Lava Con Mex 02

000010006070 Page 1/12

Version 6.5 / D / EN Revision Date: 28.01.2019 replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

# SECTION 1: Identification of the substance/preparation and company

#### 1.1 Product identifier

### Lava® Con MEX 02

### 1.2 Relevant Identified uses of the substance or mixture and uses advised against

Use pattern : Textile auxiliary

### 1.3 Details of the supplier of the safety data sheet

DyStar Colours Distribution GmbH

Am Prime Park 10-12 D - 65479 Raunheim Telephone no. +49 6142 4072 3172 Telefax no. +49 6142 4072 3000 MSDS@DyStar.com

## 1.4 Emergency telephone number

Emergency telephone number: +49 2365 4984140

# SECTION 2: Hazards identification

### 2.1 Classification of the Substance or Mixture

# According to regulation (EC) 1272/2008 on classification, labelling and packaging of substances and mixtures

Causes serious eye irritation.

Causes skin irritation.

Harmful in contact with skin.

Harmful if swallowed.

May cause an allergic skin reaction.

Very toxic to aquatic life.

May be corrosive to metals.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

### Classification of the Substance or Mixture

in accordance with regulation (EC) No 1907/2006 (EC No 2015/830)



Lava Con Mex 02

000010006070 Page 2/12

Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

Acute Toxicity: Cat. 4 (oral) Acute Toxicity: Cat. 4 (dermal)

Corrosive to metals, Hazard Category 1 Skin corrosion/irritation: Irritant, Cat. 2

Serious eye damage/eye irritation: Irritating to eyes, Cat. 2 Respiratory or skin sensitization: Skin Sensitization, Cat. 1B

Carcinogenicity, Hazard Category 2

Specific target organ toxicity — Single exposure, Category 2 Hazardous to the aquatic environment: Acute Category 1

#### 2.2 Label elements

#### Pictograms:







exclamation mark



environment



health hazard

# Signal word: Warning

### contains:

Hydroxylammonium sulphate

#### Hazard Statements:

	<u>~·</u>
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H312	Harmful in contact with skin.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H290	May be corrosive to metals.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

# Precautionary Statements (Prevention):

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P202	Do not handle until all safety precautions have been read and understood.



in accordance with regulation (EC) No 1907/2006 (EC No 2015/830)

Lava Con Mex 02

000010006070 Page 3/12 Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P234 Keep only in original container.

Precautionary Statements (Response):

P311 Call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P361 Remove/Take off immediately all contaminated clothing.

P301+P330+P331 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. P362 Take off contaminated clothing and wash before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

P390 Absorp spillage to prevent material-dammage.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to waste treatment in accordance with national

regulations.

### 2.3 Other hazards

If applicable in this section are given hazards which are not part of the overall classification but can contribute to the hazards which may be associated with the substance or mixture.

not applicable

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

### **Chemical characterization**

hydroxyl ammonium sulphate

Hazardous Ingredients (GHS) according Regulation (EC) 1272/2008



in accordance with regulation (EC) No 1907/2006 (EC No 2015/830)

Lava Con Mex 02

000010006070 Page 4/12

Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

Hydroxylammonium sulphate

Content:	> 99 %	Met. Corr. 1	H290
EC Number	233-118-8	Acute Tox. 4 (oral)	H302
EC index no. :	612-123-00-2	STOT RE 2	H373
CAS number:	10039-54-0	Skin Irrit. 2	H315
		Skin Sens. 1B	H317
		Eye Irrit. 2	H319
		Aquatic. Acute 1	H400
		Acute Tox. 4 (dermal)	H312
		Carc. 2	H351

#### 3.2 Mixtures

not applicable

# SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: Take off immediately all contaminated clothing.

After inhalation: After inhalation move to uncontaminated area for fresh air treatment, keep warm, let rest. Consult a physician. If decomposition products are inhaled, remove the affected person to a source of fresh air and keep him calm. Provide medical aid. Cortisone spray should be inhaled immediately after inhalation of the substance to prevent toxic pulmonary oedema.

After contact with skin: Cleansing with plenty of water, soap or other non-irritating cleansing agents.

After contact with eyes: Contamination of the eyes must be treated by thorough irrigation with water, with the eyelids held open. A doctor (or eye specialist) should be consulted immediately.

After ingestion: Rinse mouth out immediately and drink plenty of water. Consult a doctor.

# 4.2 Most important symptoms and effects, both acute and delayed

Please see hazard statements in section 2.2 if given and information in this section if stated.

### 4.3 Indication of any immediate medical attention and special treatment needed

Please see precautionary statements in section 2.2 as well as first aid information in this section if stated.

# SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media



in accordance with regulation (EC) No 1907/2006 (EC No 2015/830)

Lava Con Mex 02

000010006070 Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

Suitable extinguishing media: Product itself is non-combustible; Fire extinguishing method of surrounding areas must be discussed., water mist, foam, dry powder

Extinguishing media that must not be used for safety reasons: not determined

### 5.2 Special hazards arising from the substance or mixture

Sulphur dioxide (SO2) Sulphur trioxide (SO3) Nitrous gases (NOx)

### 5.3 Advice for firefighters

Special protective equipment for firefighting: Firemen have to wear self-contained breathing apparatus.

Further information: In the event of an adjacent fire, cool container down with water spray, if possible removing it from the fire area. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid formation and deposition of dust. Do not breathe dust. Avoid contact with skin and eyes.

### 6.2 Environmental precautions

Environmental precautions: Do not empty into drains or waters.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up/taking up: Take up spilled product with dust-binding material or suitable vacuum cleaner. Fill into labelled, sealable containers.

#### 6.4 Reference to other sections

Additional information: For further disposal measures see chapter 13.

# SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling: Avoid formation and deposition of dust.

Ensure adequate ventilation and, if necessary, exhaust ventilation when handling or transferring the product.

Advice on protection against fire and explosion: Product is not combustible.



in accordance with regulation (EC) No 1907/2006 (EC No 2015/830)

Lava Con Mex 02

000010006070 Page 6/12 Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Store in original container in a cool, dry place. Do not allow product temperature to exceed 80 °C.

Advice on storage compatibility: Do not store together with alkali reactive substances or Nitrites. Keep away from oxidising agents. Do not store together with metals.

Further information on storage conditions: Explosives law (Germany): substance group C Regulation to the explosives law (Germany): storage group III (Substances which possess an AK value (substance throuput) below 60 kg/min)

Storage class: 4.1A Flammable solids

Storage stability: not determined

7.3 Specific end use(s)

not determined

# **SECTION 8:** Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored

contains: Hydroxylammonium sulphate

Observe national regulations.

### 8.2 Exposure controls

General protective measures: Do not breathe dust. Avoid contact with eyes and skin. Take off immediately all contaminated clothing.


Hygiene measures: Keep away from food and drink stuffs.

Do not eat, drink or smoke at work.

Wash hands before breaks and at end of work and use skin-protecting ointment.

Respiratory protection: Dust mask with particle filter. Respiratory protection in case of insufficient

exhaust ventilation or prolonged exposure.





Lava Con Mex 02

000010006070 Page 7/12

Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

Hand protection: Wear suitable gloves e.g. of PVC or nitrile rubber. In the event of

contamination, change protective gloves immediately.

Eye protection: safety glasses with side protection shield

Body protection: Wear protective clothing.

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form: crystalline

Colour: clear, white

Odour: odourless

Melting/softening point: from 120 °C

Decomposition temperature

Boiling point: not determined

Flash point: not determined

Ignition temperature: not determined

Flammability: not determined

Lower explosion limit: not determined

Upper explosion limit: not determined

Vapour pressure: not determined

Density: 1.880 g/cm3 (20 °C)

Solubility in water: 370 g/l (20 °C)

pH value: 3,6 (20 °C, 10 g/l)

Octanol/water partition coefficient (log not determined

Pow):

Viscosity (dynamic): not determined

Viscosity (kinematic): not determined



in accordance with regulation (EC) No 1907/2006 (EC No 2015/830)

Lava Con Mex 02

000010006070 Page 8/12

Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

Viscosity (flow time): not determined

9.2 Other information

Combustion number: not determined

Dust explosion class: not determined

Bulk density: 1.100 kg/m3

Further information (phys.-chem.): not necessary

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

### 10.2 Chemical stability

Thermal decomposition: from 120 °C

Decomposition may extend over the whole product quantity.

### 10.3 Possibility of hazardous reactions

Hazardous reactions: Reaction with Alkalis and Nitrites. oxidizing agents alkalis Reactions with metals in powder form. Heavy metal salts

Hazardous decomposition products: Sulphurous oxides (SOx) Nitrogen oxides (NOx) Hydroxylamine

# 10.4 Conditions to avoid

For avoidable conditions: Do not allow product temperature to exceed 80 °C.

# 10.5 Incompatible materials


For avoidable materials: bases nitrites oxidizing agent nitrates Heavy metal salts

### 10.6 Hazardous decomposition products

Sulphurous oxides (SOx) Nitrogen oxides (NOx) Hydroxylamine

# SECTION 11: Toxicological information

### 11.1 Information on toxicological effects





Lava Con Mex 02

000010006070 Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

Acute oral toxicity: not determined

Acute inhalation toxicity: not determined

Acute dermal toxicity: not determined

Irritant effect on skin: not determined

Irritant effect on eyes: not determined

Sensitization: not determined

Repeated dose toxicity: not determined

Mutagenicity: not determined

Teratogenicity: not necessary

Carcinogenicity: not necessary

# SECTION 12: Ecological information

### 12.1 Toxicity

Fish toxicity: not determined

Daphnia toxicity: not determined

Algae toxicity: not determined

Bacteria toxicity: not determined

Remarks: not determined

### 12.2 Persistence and degradability

Physico-chemical eliminability: not determined

Biodegradability: not determined


Behaviour in environmental r

compartments::

not determined

Dissolved Organic carbon (DOC): not determined

Chemical oxygen demand (COD): not determined





Lava Con Mex 02

000010006070 Page 10/12

Version 6.5 / D / EN Revision Date: 28.01.2019 replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

Biochemical oxygen demand (BOD5): not determined

## 12.3 Bioaccumulative potential

not determined

### 12.4 Mobility in soil

not determined

### 12.5 Results of PBT and vPvB assessment

not determined

#### 12.6 Other adverse effects

not determined

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product: If utilization or recycling of the product is not possible, it should be disposed of according to the local regulations and laws, e.g. by incineration in a suitable plant. Address manufacturer.


Uncleaned packaging: Soiled, empty containers are to be treated in the same way as the contents.

# SECTION 14: Transport information

ADR	UN 2865	Hydroxylamine sulphate
	Class: 8	PG:III Environmentally hazardous substance
ADNR	UN 2865	Hydroxylamine sulphate
	Class: 8	PG:III Environmentally hazardous substance
RID	UN 2865	Hydroxylamine sulphate
	Class: 8	PG:III Environmentally hazardous substance
IMDG	UN 2865	Hydroxylamine sulphate
	Class: 8	PG:III Marine pollutant EmS: F-A , S-B
IATA_C	UN 2865	Hydroxylamine sulphate
	Class: 8	PG:III
IATA_P	UN 2865	Hydroxylamine sulphate
	Class: 8	PG:III

# 14.1 UN number

See above entry at the respective regulation.





Lava Con Mex 02

000010006070 Page 11/12 Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

### 14.2 UN proper shipping name

See above entry at the respective regulation.

### 14.3 Transport hazard class(es)

See above entry at the respective regulation.

### 14.4 Packing group

See above entry at the respective regulation.

### 14.5 Environmental hazards

See above entry at the respective regulation.

# 14.6 Special precautions for user

Slightly corrosive Environmentally hazardous substance Keep separated from foodstuffs.

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No transport in bulk according to Annex II of MARPOL 73/78 and the IBC code foreseen for this substance or mixture.:

# SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TA-Luft (Ger.): not applicable

Water Hazard Class (Ger.): not determined

# 15.2 Chemical safety assessment

not determined

# SECTION 16: Other information

Text of all shortcuts referred to in sections 2 and 3:

H290 May be corrosive to metals.



in accordance with regulation (EC) No 1907/2006 (EC No 2015/830)

Lava Con Mex 02

000010006070 Page 12/12

Version 6.5 / D / EN Revision Date: 28.01.2019

replaces version: 6.4 on 20.09.2017

generated on: 05.03.2002

H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H351	Suspected of causing cancer.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
Aquatic. Acute 1 Acute Tox. 4 (dermal)	Hazardous to the aquatic environment: Acute Category 1 Acute Toxicity: Cat. 4 (dermal)	
Acute Tox. 4 (oral) Acute Toxicity: Cat. 4 (oral)		
Carc. 2	Carcinogenicity, Hazard Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation: Irritating to eyes, Cat. 2	
Met. Corr. 1	Corrosive to metals, Hazard Category 1	
Skin Sens. 1B	Respiratory or skin sensitization: Skin Sensitization, Cat. 1B	
Skin Irrit. 2	Skin corrosion/irritation: Irritant, Cat. 2	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	

This information is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application.