

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version Revision Date:
4.0 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : DENIMCOL SPEC-FIX 104 W

REACH Registration Number : 01-2119963929-15

Substance name : Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy}methyl)butyl 3-[2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy}methyl)butoxy]propanoate

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Raw material for textile auxiliaries
stance/Mixture

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier

CHT Germany GmbH
Bismarckstraße 102
72072 Tübingen
Germany
Tel.: +49 7071 154 0
info@cht.com

CHT Switzerland AG
Kriessernstrasse 20
9462 Montlingen
Switzerland
Tel.: +41 71 763 88 11
info.switzerland@cht.com

Importer : -
-
-
-
-
-

Responsible Department : CHT Germany GmbH
CHT Switzerland AG
Product Safety
sds.germany@cht.com
sds.switzerland@cht.com

1.4 Emergency telephone number

Emergency telephone : +49 7071 154 0 (Germany, 24 hours)
number +41 71 763 88 11 (Switzerland, 24 hours)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version 4.0
Revision Date: 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H341 Suspected of causing genetic defects.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :
Prevention:
P201 Obtain special instructions before use.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version 4.0
Revision Date: 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl}butyl 3-[2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl}butoxy]propanoate

Hazardous components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl}butyl 3-[2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl}butoxy]propanoate	Not Assigned	>= 90 - <= 100

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off all contaminated clothing immediately.
Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.
If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water.
If symptoms persist, call a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version Revision Date:
4.0 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

Call a physician immediately.

If swallowed : Rinse mouth with water.
Do NOT induce vomiting.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Refer to section 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO₂)
Dry powder
Foam
Water spray

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Hazardous decomposition products formed under fire conditions.
Can be released in case of fire:
Carbon oxides
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : In case of fire do not inhale smoke, conflagration gases and steam.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version Revision Date:
4.0 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
If the product contaminates rivers and lakes or drains inform respective authorities.
Pay attention to local or official regulations.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Clean contaminated surface thoroughly.
Dispose of in accordance with local regulations.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Keep away from direct sunlight. Use water spray to cool unopened containers.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not breathe vapours, aerosols.
Take off all contaminated clothing immediately.
Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Do always store in containers which correspond to the original ones.
Keep container tightly closed.

Further information on storage conditions : Store container in a well ventilated position. Protect from moisture. Protect from temperatures below + 5 °C. Protect from temperatures over + 25 °C. Keep away from heat and direct sunlight.

Advice on common storage : Do not store together with:
Oxidizing agents
Strong bases
Strong acids

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this substance/mixture.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version 4.0
Revision Date: 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy}methyl)butyl 3-[2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy}methyl)butoxy]propanoate	Workers	Inhalation	Long-term systemic effects	1,62 mg/m3
	Workers	Inhalation	Acute systemic effects	8,4 mg/m3
	Workers	Inhalation	Long-term local effects	11,1 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,023 mg/kg
	Workers	Skin contact	Acute systemic effects	0,417 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	0,972 mg/m3
	Consumers	Inhalation	Acute systemic effects	5,04 mg/m3
	Consumers	Inhalation	Long-term local effects	6,67 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,014 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,250 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	0,278 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-	Fresh water	5,5 µg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version 4.0
REG_EU_
RED / EN

Revision Date:
18.08.2017

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

propionate) and 2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis({[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propionate		
	Marine water	0,55 µg/l
	Intermittent use/release	55 µg/l
	STP	10 mg/l
	Fresh water sediment	0,66 mg/kg
	Marine sediment	0,003 mg/kg
	Soil	3,15 µg/kg

8.2 Exposure controls

Engineering measures

Solids with occupational exposure limits in liquid preparations do not cause an exposure in the workplace, because they are not present in a respirable form. Exposure can occur in the form of aerosols or after drying of the liquid the solids remain, possibly in a finely dispersed form. Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Material : butyl-rubber
Break through time : > 120 min
Glove thickness : >= 0,5 mm
Protective index : Class 4

Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.
The obtained break through times according to EN 374 Part III are not measured under normal operating conditions.
Therefore a maximum usage time of 50% of the break through time is recommended.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case the work place is not ventilated sufficiently and during spray processing, it is necessary to wear respiratory protective equipment.
filter AX

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version Revision Date:
4.0 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: light yellow
Odour	: amine-like
pH	: 10,2 Concentration: 10 g/l
Melting point/range	: < -20 °C
Boiling point/boiling range	: 243 °C
Flash point	: 200 °C Method: closed cup
Evaporation rate	: Not applicable
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: No data available
Relative vapour density	: Not applicable
Density	: ca. 1,07 g/cm ³ (20 °C) Method: OECD 109
Solubility(ies)	
Water solubility	: miscible
Partition coefficient: n-octanol/water	: log Pow: < 3
Ignition temperature	: 330 °C (1 013 hPa)
Decomposition temperature	: > 110 °C
Viscosity	
Viscosity, dynamic	: 311 mPa.s (20 °C) Method: OECD 114 83 mPa.s (40 °C) Method: OECD 114
Oxidizing properties	: Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version Revision Date:
4.0 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

9.2 Other information

Conductivity : Not determined

Self-ignition : not auto-flammable

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Strong acids and strong bases
 : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 500,05 mg/kg
 : Method: Calculation method

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propanoate

:

Acute oral toxicity : LD50 (Rat): > 300 - 2 000 mg/kg
 : Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): 252

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version 4.0
REG_EU_
RED / EN

Revision Date:
18.08.2017

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

Exposure time: 4 h
Test atmosphere: dust/mist

Skin corrosion/irritation

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propanoate

:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Serious eye damage/eye irritation

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propanoate

:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propanoate

:

Test Type: Maximisation Test
Species: Guinea pig
Method: Directive 67/548/EEC, Annex V, B.6.
Result: May cause sensitisation by skin contact.

Germ cell mutagenicity

Product:

Germ cell mutagenicity- As- : Mutagenic cat. 2
essment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version 4.0
REG_EU_
RED / EN

Revision Date:
18.08.2017

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propanoate

:

Germ cell mutagenicity- Assessment : In vitro tests showed mutagenic effects

Carcinogenicity

Product:

Carcinogenicity - Assessment : No data available

Reproductive toxicity

Product:

Reproductive toxicity - Assessment : No data available

STOT - single exposure

Product:

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propanoate

:

Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Product:

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version 4.0
REG_EU_
RED / EN

Revision Date:
18.08.2017

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

SECTION 12: Ecological information

12.1 Toxicity

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propanoate

:

Toxicity to fish : LC50 (Fish): > 1 - 10 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 1 - 10 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (algae): > 1 - 10 mg/l
Exposure time: 72 h

Toxicity to microorganisms : (activated sludge): > 1 000 mg/l
Exposure time: 3 h
Test Type: static test

12.2 Persistence and degradability

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl)butoxy]propanoate

:

Biodegradability : Test Type: O2 measuring
Biodegradation: 16,1 %
Exposure time: 28 d
Method: OECD 301 F (mineralisation)

12.3 Bioaccumulative potential

Product:

Bioaccumulation : No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: < 3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version 4.0
Revision Date: 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

Components:

Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([3-(2-methylaziridin-1-yl)propanoyloxy)methyl]butyl 3-[2,2-bis([3-(2-methylaziridin-1-yl)propanoyloxy)methyl]butoxy]propanoate

:

Partition coefficient: n-octanol/water : log Pow: < 3

12.4 Mobility in soil

Product:

Mobility : No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Adsorbed organic bound halogens (AOX) : According to our state of knowledge, the product does not contain organically linked halogens. The product does not increase the AOX-value of the waste water.

Additional ecological information : According to our knowledge, the product does not contain heavy metals and other compounds of EC directive 2000/60 EC.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Pay attention to local or official regulations.

Contaminated packaging : Pay attention to local or official regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version Revision Date:
4.0 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

SECTION 14: Transport information

14.1 UN number

ADR : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate))
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate))
IATA : Environmentally hazardous substance, liquid, n.o.s.
(2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate))

14.3 Transport hazard class(es)

ADR : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Segregation group : -

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous Dangerous Goods

IATA (Passenger)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version Revision Date:
4.0 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Marine pollutant : yes

IATA (Cargo)

Marine pollutant : yes

14.6 Special precautions for user

Remarks : see chapter 6 - 8

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : Currently no information available.

15.2 Chemical safety assessment

not required

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response;

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DENIMCOL SPEC-FIX 104 W

Version Revision Date:
4.0 18.08.2017
REG_EU_
RED / EN

Date of last issue: 30.05.2016
Date of first issue: 18.12.2012

EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.