

#### SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

#### **FALL SEMESTER 2021-22**

TITLE: HOME STAY
PROJECT REPORT

Submitted by

S.SAI LALITHA (19BCB0104)

Course Code: CSE 3002

Course Title: Internet and Web Programming

# **CONTENT TABLE**

S.NO	CONTENT
1.	TITLE, ABSTRACT, INTRODUCTION
2.	LITERATURE SURVEY
3.	HIGH- AND LOW-LEVEL DESIGNS
4.	TECHNOLOGIES USED
5.	CODE IMPLEMENTATION
6.	OUTPUT SCREENSHOTS
7.	REFERENCES

#### TITLE: HOMESTAY

#### **ABSTRACT:**

Homestay is the alternative accommodation facilities available in tourism destinations. Homestay is familiar at global level. According to Homestay.com, the global level market for homestay is estimated to be valued at \$15 billion. In India, people prefer to travel and explore the all kinds of destinations homestay is becoming a more of preferred accommodation. The number of homestays gone up from less than 100 in 2004 to 10,000 in 2016 with the highest number in Kodagu, Chikkamagaluru, Shivammoga and Hassan. More than 3000 homestays are available in Malnad region of Karnataka. Other than Malnad, homestays also operate in Belagavi, Dharwad, Ballari and Bangaluru rural. The major reason to choose homestay accommodation by the tourists is enjoy the fresh air, greenery and ambience of home, to taste the traditional food, understand the culture of the destination and cost of food and accommodation. The study focuses on the perception of tourists visiting Coorg about the quality facilities available at homestays. The focusses on profile of tourists, facilities, quality services of Homestays in Coorg and finally attempt to provide good suggestions for the better operation of Homestays.

### LITERATURE SURVEY:

- [1] Chan chai has presented framework for PHP for database management based on the MVC pattern, The MVC pattern is very useful for the architecture of web applications separating the model controller and view of a web app. In addition white box testing for code verification has been used in their module.
- [2] Talks about SQL injection attacks that are a major security threat for web applications. The open web application security project which is an international organization has placed SQL injections among the top ten attacks that a web application can have. The author further talks about solutions that can be given to avoid these attacks one of which is placing powerful network sql

injection intrusion detection systems. The paper analyses various latest techniques in sql injection attacks and its prevention methods.

- [3] Punam Kumari and Rainun Nandal discussed various useful tools and techniques that are used in developement of a website, they discussed about the procedure follow in a website mostly focused on a local host named xampp. Next they compare different developement frameworks web apps and discuss the life cycle model and framework developement of web applications.
- [4] Sushant Kumar Bhandi has discussed useful tips and techniques that are used while developing a professional website and tackling those problems, they have also discussed the appropriate architecture patterns that should be used in a website. Then he has went through common problems faced by the user and understand various technical terms such as code reusability, deployment, production, requirement gathering, etc.

[5] In this paper Poornima and Girish Naik have focused on implementation of object oriented programming concepts in PHP with special emphasis on encapsulation, polymorphism and encapsulation.

They have explored XAMPP in a larger detail and have given an insight to its core working.

[6] In this paper Ramesh Nagilla have compared various web developement technologies. Many technologies like Cold Fusion Markup Language (CFML) Active Server Pages (ASP.NET), Ruby on rails, PHP are available in the market. These technologies are useful for achieving goals of business organisations. Many points are taken in to consideration by the author in order to differentiate them and conclude which technology is finally better.


[7] Author Fhery Agustin and Helmi compare the quality between Appserv and Xampp webserver. After comparing on various factors they came to conclusion that xampp earn 0.4185 points and Appserv only earn 0.3996 points hence rendering Xampp to be worthy to be recommended to programmers as a base web application server that is more reliable.

[8] This paper talks about the whole installation and configuration process of XAMPP Apache server and step by step tutorial on developing an address book program and connecting MySOL database package


**HIGH- AND LOW-LEVEL DESIGNS:** 

**UML DIAGRAMS:** 


**ER-DIAGRAM:** 




#### **SCHEMA-DIAGRAM:**




### **USE-CASE DIAGRAM:**




## **CLASS-DIAGRAM:**




## **DFD FOR RECORD MODIFICATION**"




## **DFD FOR CHECKOUT OF CUSTOMER:**



# **DFD FOR LIST OF ALL RECORDS:**



## **SEQUENCE DIAGRAM:**



## **TECHNOLOGIES USED:**

- $\bullet PHP$
- •JavaScript
- •Jquery
- ${\color{red}\bullet} Bootstrap$
- $\bullet HTML$

```
•CSS
```

•MySQL

### **CODE IMPLEMENTATION:**

# Login.php

```
<?php
session_start();
error_reporting(1);
if($_SESSION['create_account_logged_in']!='''')
header('location:Booking Form.php');
error_reporting(1);
require('connection.php');
extract($_REQUEST);
if(isset($login))
 if($eid=='''' || $pass=='''')
 $error= ''<h4 style='color:red'>fill all details</h4>'';
 }
 else
 $sql=mysqli_query($con,''select * from create_account where email='$eid'
&& password='$pass' '');
  if(mysqli_num_rows($sql))
```

```
{
  $_SESSION['create_account_logged_in']=$eid;
  header('location:Booking Form.php');
  else
  $error= ''<h4 style='color:red'>Invalid login details</h4>'';
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Homestay.com</title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min.css"
''>
 <script
src=''https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js''></scrip</pre>
t>
 <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js"><
/script>
 <link href="css/style.css"rel="stylesheet"/>
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css''>
```

```
link
href="https://fonts.googleapis.com/css?family=Akronim|Libre+Baskerville"
rel="stylesheet">
</head>
<br/><body style="margin-top:50px;">
<?php
include('Menu Bar.php')
?>
<div class=''container-fluid''>
 <div class="container">
  <div class="row"><br>
   <div class="col-sm-4"></div>
    <div class="col-sm-4 text-center"style="box-shadow:2px 2px</pre>
2px;background-color:#f4ac41;''><br>
      <h1 align="center"><b><font style="font-family: 'Libre Baskerville',
serif;text-shadow:3px 3px #000;">User Login ?</font></b></h1>
      <img src=''image/clipart/login-user-icon.png'' class=''img-circle''</pre>
alt="Bird" width="130" height="120">
      <?php echo @$error; ?>
     <form method="post"><br>
        <div class="form-group">
         <input type=''Email'' class=''form-</pre>
control"name="eid"placeholder="Email Id" autocomplete="off"required >
        </div>
       <div class=''form-group''>
         <input type="Password" class="form-</pre>
control"name="pass"placeholder="Password"
autocomplete="off"required>
       </div>
```

```
<input type="submit" value="Login" name="login" class="btn btn-</pre>
primary btn-group btn-group-justified''required>
      <div class=''form-group forget''>
         <a href="Forgot account.php">Forget Account</a>&nbsp;
<b>/</b>&nbsp;
         <a href="Registation form.php">Create an Account</a>
       </div>
      </form><br>
    </div>
  </div><br>
 </div>
</div>
<?php
include('Footer.php')
?>
</body>
</html>
Logout.php
<?php
session_start();
$_SESSION['create_account_logged_in']=$eid;
header('location:index.php');
?>
Booking form.php:
```

```
<?php
include('Menu Bar.php');
include('connection.php');
if($eid=='''')
header('location:Login.php');
$sql= mysqli_query($con,''select * from room_booking_details where
email='$eid' '');
$result=mysqli_fetch_assoc($sql);
//print_r($result);
extract($_REQUEST);
error_reporting(1);
if(isset($savedata))
 $sql= mysqli_query($con,''select * from room_booking_details where
email='$email' and room_type='$room_type' '');
 if(mysqli_num_rows($sql))
 {
 $msg= ''<h1 style='color:red'>You have already booked this room</h1>'';
 else
 {
 $sql=''insert into
room_booking_details(name,email,phone,address,city,state,zip,contry,room_ty
pe,Occupancy,check_in_date,check_in_time,check_out_date)
 values('$name','$email','$phone','$address','$city','$state','$zip','$country',
 '$room_type','$Occupancy','$cdate','$ctime','$codate')'';
```

```
if(mysqli_query($con,$sql))
 $msg= ''<h1 style='color:blue'>You have Successfully booked this
room</h1><h2><a href='order.php'>View </a></h2>'';
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Homestay.com</title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min.css"
">
 <script
src=''https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js''></scrip</pre>
t>
 <script
src=''https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js''>
/script>
 <link href="css/style.css"rel="stylesheet"/>
<link href="https://fonts.googleapis.com/css?family=Lobster"</pre>
rel="stylesheet">
 k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
</head>
<br/><body style="margin-top:50px;">
```

```
<?php
 include('Menu Bar.php');
 ?>
<div class="container-fluid text-center"id="primary">
 <h1>| BOOKING Form |</h1><br>
 <div class="container">
  <div class="row">
   <?php echo @$msg; ?>
  <form class="form-horizontal" method="post">
    <div class="col-sm-6">
     <div class="form-group">
      <div class="row">
        <div class="control-label col-sm-4"><h4> Name :</h4></div>
         <div class="col-sm-8">
         <input type=''text'' value=''<?php echo $result['name']; ?>''
class="form-control" name="name" placeholder="Enter Your first
Name''required>
     </div>
    </div>
   </div>
    <div class="form-group">
     <div class="row">
      <div class="control-label col-sm-4"><h4>Email :</h4></div>
     <div class="col-sm-8">
        <input type="email" value="<?php echo $result['email']; ?>"
class="form-control" name="email" placeholder="Enter Your Email-
Id''required/>
```

```
</div>
    </div>
    </div>
    <div class="form-group">
     <div class="row">
      <div class="control-label col-sm-4"><h4>Mobile :</h4></div>
      <div class="col-sm-8">
        <input type="number" value="<?php echo $result['mobile']; ?>"
class="form-control" name="phone" placeholder="Type Your Phone
Number''required>
     </div>
    </div>
    </div>
    <div class="form-group">
     <div class="row">
      <div class="control-label col-sm-4"><h4>Address :</h4></div>
      <div class="col-sm-8">
        <textarea name="address" class="form-control"
placeholder=''Enter Your Address''>
         <?php echo $result['address']; ?> </textarea>
     </div>
    </div>
    </div>
```

```
<div class="form-group">
      <div class="row">
      <div class="control-label col-sm-4"><h4>Country</h4></div>
      <div class="col-sm-8">
        <input type="text" class="form-control" value="<?php echo</pre>
$result['country']; ?>'' name=''city'' placeholder=''Enter Your City
Name''required>
      </div>
     </div>
     </div>
     <div class="form-group">
      <div class="row">
      <div class="control-label col-sm-4"><h4></h4></div>
      <div class="col-sm-8">
        <input type="hidden" name="state" class="form-</pre>
control"placeholder="Enter Your State Name"required>
      </div>
     </div>
     </div>
               <div class="form-group">
       <div class="row">
      <div class="control-label col-sm-4"><h4></h4></div>
      <div class="col-sm-8">
        <input type=''hidden'' name=''zip'' class=''form-control''</pre>
placeholder=''Enter Your Zip Code''required>
      </div>
     </div>
```

```
</div>
    </div>
      <div class="col-sm-6">
      <div class=''form-group''>
        <div class="row">
         <div class="control-label col-sm-5"><h4>Homestay
Type:</h4></div>
          <div class="col-sm-7">
         <select class=''form-control'' name=''room_type''required>
          <option>Hill View Homestay</option>
          <option>Evergreen Estate Homestay</option>
          <option>Summer Hill Homestay</option>
          <option>Riverside Homestay</option>
          <option>Happy Valley Homestay
        </select>
        </div>
        </div>
      </div>
     </div>
     <div class="col-sm-6">
      <div class=''form-group''>
        <div class="row">
         <div class="control-label col-sm-5"><h4>check In Date
:</h4></div>
          <div class="col-sm-7">
          <input type="date" name="cdate" class="form-control"required>
```

```
</div>
        </div>
       </div>
     </div>
     <div class="col-sm-6">
       <div class=''form-group''>
        <div class="row">
          <div class="control-label col-sm-5"><h4>Check In
Time:</h4></div>
           <div class="col-sm-7">
           <input type="time" name="ctime" class="form-</pre>
control''required>
          </div>
        </div>
       </div>
     </div>
      <div class="col-sm-6">
       <div class=''form-group''>
        <div class="row">
         <div class="control-label col-sm-5"><h4>Check Out Date
:</h4></div>
         <div class="col-sm-7">
          <input type="date" name="codate" class="form-</pre>
control''required>
         </div>
        </div>
       </div>
     </div>
```

```
<div class="col-sm-6">
       <div class="form-group">
        <div class="row">
         <label class="control-label col-sm-5"><h4 id="top">Occupancy
:</h4></label>
         <div class="col-sm-7">
          <div class="radio-inline"><input type="radio" value="single"</pre>
name="Occupancy"required >Single</div>
          <div class="radio-inline"><input type="radio" value="double"</pre>
name="Occupancy" required>Double</div>
          <div class="radio-inline"><input type="radio" value="triple"</pre>
name="Occupancy" required>Triple</div>
         </div>
        </div>
       </div>
       <input type="submit"value="submit" name="savedata" class="btn</pre>
btn-danger''required/>
     </div>
     </form><br>>
    </div>
   </div>
  </div>
 </div>
<?php
include('Footer.php')
?>
</body>
</html>
```

```
Cancel_order.php
<?php
include('connection.php');
$oid=$_GET['order_id'];
$q=mysqli_query($con,''delete from room_booking_details where id='$oid'
");
if(\$q)
{
header('location:order.php');
?>
Connection.php
<?php
son=mysqli\_connect("localhost", "root", "", "homestay") or
die('DATABASE connection failed');
?>
Footer.php
<?php
include('connection.php');
extract($_REQUEST);
if(isset($send))
```

```
mysqli_query($con,''insert into feedback values('','$n','$e','$mob','$msg')'');
$msg= ''<h4 style='color:green;'>feedback sent successfully</h4>'';
?>
<footer style="background-color: #393939;">
  <div class="container-fluid">
     <div class="col-sm-4">
          <img
src=''logo/ahwlogo2.png''width=''200px''height=''50px''/><br>
  Welcome to Azure Homestays - A safe haven. We
hope you have a comfortable stay.
   <center><a href=''about.php'' class=''btn btn-danger''><b>Read
More..</b></a></center><br><br>
<?php
include('Social ican.php')
?>
     </div>&nbsp;&nbsp;
     <div class="col-sm-4 text-justify">
        <h3 style="color:#cdd51f;">Contact Us</h3>
   <strong>Address:&nbsp;</strong>No. 13, Raja
Ram Mohan Roy Road, Bangalore Karnataka – 560025
   <strong>Email-
Id: </strong>homestay@gmail.com
   <strong>Contact
Us: </strong>(+91)1234567890<br><br><br>
  <center><img src=''image/devlop/img2.jpg''class=''img-</pre>
responsive"style="width:200px;height:150px;border-
radius:100%;"></center>
```

```
</div>&nbsp;
      <div class="col-sm-4 text-center">
   <div class="panel panel-primary">
    <div class="panel-heading">Feedback</div>
     <div class="panel-body">
       <?php echo @$msg; ?>
   <div class="feedback">
   <form method="post"><br>
    <div class="form-group">
     <input type="text" name="n" class="form-control"</pre>
id=''#''placeholder=''Enter Your Name''required>
    </div>
    <div class=''form-group''>
      <input type="Email" name="e" class="form-control"</pre>
id="#"placeholder="Email"required>
    </div>
    <div class="form-group">
     <input type=''Number'' name=''mob'' class=''form-control''</pre>
id=''#''placeholder=''Mobile Number''required>
    </div>
    <div class=''form-group''>
      <textarea type="Text" name="msg" class="form-control"
id=''#''placeholder=''Type Your Massage''required></textarea>
    </div>
     <input type="submit" value="send" name="send" class="btn btn-</pre>
primary btn-group-justified''required>
   </form>
    </div>
```

```
</div>
   </div>
  </div>
 </div>
</footer>
<footer class="container-fluid text-center"style="background-
color:#000408;height:40px;padding-top:10px;color:#f0f0f0;''>
 Developed with love by Lalitha | All Rights Reserved 2021 
</footer>
Forgot account.php
<?php
include('connection.php');
error_reporting(1);
extract($_REQUEST);
if(isset($submit))
{
 $sql=mysqli_query($con,"select * from create_account where
email='$email' ");
  if(mysqli_num_rows($sql))
  $res=mysqli_fetch_assoc($sql);
  $error= "<h3 style='color:blue'>Your Passwrod is
:".$res['password']."</h3>";
```

```
}
  else
  $error= "<h3 style='color:red'>Invalid details</h3>";
  }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Homestay.com</title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min
.css">
 <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></sc</pre>
ript>
 <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js
"></script>
 <link href="css/style.css"rel="stylesheet"/>
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
</head>
<body style="margin-top:50px;">
<?php
```

```
include('Menu Bar.php')
?>
<div class="container-fluid"id="primary">
 <div class="container">
  <div class="row">
   <div class="col-sm-3"></div>
    <div class="col-sm-6">
    <h1 style="margin-top:50px;padding-top:50px;">Forgot
Account?</h1><hr>
    <?php echo @$error; ?>
    Please Enter your Email-id or Phone Number to
Find Your Account.<br>
    <form method="post">
   <div class="form-group">
    <input type="Email" name="email" class="form-control"</pre>
id="#"placeholder="Email Id or Phone Number"required>
    </div><hr>
    <input type="submit" value="submit" name="submit" class="btn btn-</pre>
primary btn-group-justified"required>
    </div>
  </div>
 </div>
</div>
<?php
include('Footer.php')
```

```
?>
</body>
</html>
Image gallery.php
<!DOCTYPE html>
<html lang="en">
<head><!--Head Open Here-->
 <title>Homestay.com</title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min.css"
''>
 <script
src=''https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js''></scrip</pre>
t>
 <script
src=''https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js''>
/script>
 <link href="css/style.css"rel="stylesheet"/>
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css''>
</head>
<br/><body style="margin-top:50px;">
 <?php
   include('Menu Bar.php')
 ?>
```

```
<div class="container">
 <h2>Image Gallery</h2>
 <div class="row">
  <div class="col-md-4">
   <div class="thumbnail">
    <a href="image/image gallery/g1.jpg" target="_blank">
      <img src=''image/image gallery/g1.jpg'' alt=''img1 Not Show''</pre>
style="width:100%;height:160px;">
    </a>
   </div>
  </div>
  <div class="col-md-4">
   <div class=''thumbnail''>
    <a href="image/image gallery/g2.jpg" target="_blank">
     <img src=''image/image gallery/g2.jpg'' alt=''img2 Not Show''</pre>
style="width:100%;height:160px;">
    </a>
   </div>
  </div>
  <div class="col-md-4">
   <div class=''thumbnail''>
    <a href="image/image gallery/g3.jpg" target="_blank">
      <img src=''image/image gallery/g3.jpg'' alt=''img3 Not Show''</pre>
style="width:100%;height:160px;">
    </a>
   </div>
  </div>
  <div class="col-md-4">
```

```
<div class="thumbnail">
               <a href="image/Delux Room Single Bed Ac Room/img1.jpg" <
target=''_blank''>
                    <img src=''image/Luxury Room/Luxury_img8.jpg'' alt=''img3 Not</pre>
Show" style="width:100%;height:160px;">
               </a>
            </div>
        </div>
        <div class="col-md-4">
            <div class=''thumbnail''>
               <a href="image/Delux Room Single Bed Ac Room/img3.jpg" <
target="_blank">
                   <img src=''image/Luxury Room/Luxury_img9.jpg'' alt=''img3 Not</pre>
Show" style="width:100%;height:160px;">
               </a>
            </div>
        </div>
        <div class="col-md-4">
            <div class=''thumbnail''>
               <a href="image/Delux Room Single Bed Ac Room/img4.jpg" < a href="image/Delux Room Single Bed Ac Room Sing
target=''_blank''>
                   <img src=''image/Luxury Room/Luxury_img10.jpg'' alt=''img3 Not</pre>
Show" style="width:100%;height:160px;">
               </a>
            </div>
        </div>
        <div class="col-md-4">
            <div class=''thumbnail''>
               <a href="image/image gallery/g4.jpg" target="_blank">
```

```
<img src=''image/image gallery/g4.jpg'' alt=''img4 Not Show''</pre>
style="width:100%;height:160px;">
    </a>
   </div>
  </div>
  <div class="col-md-4">
   <div class="thumbnail">
    <a href="image/image gallery/g5.jpg" target="_blank">
      <img src=''image/image gallery/g5.jpg'' alt=''img5 Not Show''</pre>
style="width:100%;height:160px;">
    </a>
   </div>
  </div>
  <div class="col-md-4">
   <div class="thumbnail">
    <a href="image/image gallery/g6.jpg" target="_blank">
      <img src=''image/image gallery/g6.jpg'' alt=''img6 Not Show''</pre>
style="width:100%;height:160px;">
    </a>
   </div>
  </div>
  <div class="col-md-4">
   <div class=''thumbnail''>
    <a href="image/image gallery/g7.jpg" target="_blank">
      <img src=''image/image gallery/g7.jpg'' alt=''img7 Not Show''</pre>
style="width:100%;height:160px;">
    </a>
   </div>
  </div>
```

```
</div>
</div>
<?php
 include('Footer.php')
?>
</body>
</html>
Index.php
<?php
session_start();
error_reporting(1);
include('connection.php');
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Homestay.com</title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min.css"
''>
 <script
src=''https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js''></scrip</pre>
t>
```

```
<script
src=''https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js''>
/script>
 <link href=''https://fonts.googleapis.com/css?family=Abril+Fatface''</pre>
rel="stylesheet">
 <link href="css/style.css"rel="stylesheet"/>
</head>
<body style="margin-top:50px;">
 <?php
   include('Menu Bar.php')
 ?>
<div id="myCarousel" class="carousel slide" data-ride="carousel">

    class="carousel-indicators">

   data-target="#myCarousel" data-slide-to="0" class="active">
   data-target="#myCarousel" data-slide-to="1">
       data-target="#myCarousel" data-slide-to="2">
  <div class="carousel-inner" role="listbox">
   <?php
           i=1:
       $sql=mysqli_query($con,''select * from slider'');
           while($slider=mysqli_fetch_assoc($sql))
           {
           $slider_img=$slider['image'];
           $slider_cap=$slider['caption'];
```

```
$path=''image/Slider/$slider_img'';
              if(\$i==1)
        ?>
   <div class="item active">
 <img src=''<?php echo $path; ?>'' alt=''Image''>
 <div class="carousel-caption">
              <h2><?php echo $slider_cap; ?></h2>
        </div>
</div>
        <?php
        else
              {
        <div class="item">
 <img src=''<?php echo $path; ?>'' alt=''Image''>
 <div class="carousel-caption">
 <h2><?php echo $slider_cap; ?></h2>
        </div>
</div>
        <?php } ?>
        <?php $i++; } ?>
```

```
</div>
  <a class=''left carousel-control'' href=''#myCarousel'' role=''button'' data-</pre>
slide="prev">
   <span class=''glyphicon glyphicon-chevron-left'' aria-</pre>
hidden="true"></span>
   <span class="sr-only">Previous</span>
  </a>
  <a class="right carousel-control" href="#myCarousel" role="button"</pre>
data-slide="next">
   <span class="glyphicon glyphicon-chevron-right" aria-</pre>
hidden="true"></span>
   <span class="sr-only">Next</span>
  </a>
</div>
<div class="container-fluid"id="red">
<div class="container text-center">
 <h1>Welcome To <font color="#a6e22b;"><b>Azure Homestays - A safe
haven</b></font></h1><hr><
 <div class="row">
  <div class="hov">
      <?php
```

```
$sql=mysqli_query($con,''select * from rooms'');
     while($r_res=mysqli_fetch_assoc($sql))
     {
     ?>
     <div class="col-sm-4">
   <img src=''image/rooms/<?php echo $r_res['image']; ?>''class=''img-
responsive thumbnail''alt=''Image''id=''img1''>
   <h4 class="Room_Text">[ <?php echo $r_res['type']; ?>]</h4>
   <?php echo substr($r_res['details'],0,100);</pre>
?><br>
        <a href="room_details.php?room_id=<?php echo $r_res['room_id'];</pre>
?>" class="btn btn-danger text-center">Read more</a><br>
  </div>
     <?php } ?>
 </div>
 </div>
</div>
</div>
<?php
include('Footer.php')
?>
</body>
</html>
Luxurious.php
```

```
<!DOCTYPE html>
<html>
<head>
<title>Homestay.com</title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min.css"
">
 <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></scrip
 <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js"><
/script>
 <link href="css/style.css"rel="stylesheet"/>
 k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css''>
 <link href="https://fonts.googleapis.com/css?family=Abril+Fatface"</pre>
rel="stylesheet">
</head>
<br/><body style="margin-top:50px;">
      <?php
   include('Menu Bar.php')
 ?><br><br>
      <div class="container-fluid"style="margin-top:2%;">
            <div class="continer">
                  <div class="row">
                        <div class="col-sm-2"></div>
                        <div class="col-sm-7">
```

```
<div id=''myCarousel'' class=''carousel slide''</pre>
data-ride="carousel">

    class="carousel-indicators">

  data-target="#myCarousel" data-slide-to="0" class="active">
  data-target="#myCarousel" data-slide-to="1">
  data-target="#myCarousel" data-slide-to="2">
  data-target="#myCarousel" data-slide-to="3">
  data-target="#myCarousel" data-slide-to="4">
 <div class="carousel-inner">
  <div class=''item active''>
   <img src=''image/Luxury Room/img1.jpg''class=''thumbnail''</pre>
alt="img1">
  </div>
  <div class="item">
   <img src=''image/Luxury Room/img2.jpg''class=''thumbnail''</pre>
alt="im2">
  </div>
  <div class="item">
    <img src=''image/Luxury Room/img3.jpg''class=''thumbnail''</pre>
alt="im3">
  </div>
  <div class="item">
    <img src=''image/Luxury Room/img4.jpg''class=''thumbnail''</pre>
alt=''img4''>
```

```
</div>
  <div class="item">
   <img src=''image/Luxury Room/img5.jpg''class=''thumbnail''</pre>
alt="img5">
  </div>
 </div>
 <a class="left carousel-control" href="#myCarousel" data-slide="prev">
  <span class=''glyphicon glyphicon-chevron-left''></span>
  <span class="sr-only">Previous</span>
 </a>
 <a class="right carousel-control" href="#myCarousel" data-slide="next">
  <span class=''glyphicon glyphicon-chevron-right''></span>
  <span class=''sr-only''>Next</span>
 </a>
</div>
           <h2 class="Ac_Room_Text">Luxurious Room</h2>
           Engulf yourself in the plush luxury of
our premier rooms. An upgraded version of the Suite room, these rooms offer
an elegant design with larger room space..
  <div class="row">
   <h2>Amenities</h2>
   <img src="image/icon/wifi.png">
   </div>
     </div>
                       <div class="col-sm-3">
                            <div class="panel panel-primary">
```

```
<div class="panel-heading">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                <h4 align="center">Room Type</h4>
                                                                                                                                                                                                                                                                                                                                                                                                                  </div><br>
                                                                                                                                                                                                                                                                                                                                                                                                                <div class="panel-body-right text-center">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                <a href="Delux"><a href="Delux
Room.php''>De</a><hr>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                <a href="Standard"><a href="Stan
Room.php''>Standard Room</a><hr>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               <a href="Luxurious"><a hre
Suite.php">Luxurious Suite</a><hr>
                                                                                             <a href="Twin Delux Room.php">Twin Delux Room</a><hr>
                                                                                             <a href="Suit Room.php">Suit Room</a><hr>
                                                                                                                                                                                                                                                                                                                                                                                                                </div>
                                                                                                                                                                                                                                                                                                                                 </div>
                                                                                                                                                                                                                                                                                                                                  </div>
                                                                                                                                                                                                                                                 </div>
                                                                                                                                                               </div>
                                                                                 </div>
              <?php
                                            include('footer.php')
                  ?>
</body>
 </html>
Menubar.php
<?php
```

```
session_start();
$eid=$\sum_SESSION['create_account_logged_in'];
error_reporting(1);
?>
<nav class="navbar navbar-inverse navbar-fixed-top">
 <div class="container">
  <div class="navbar-header">
   <button type="button" class="navbar-toggle" data-toggle="collapse"</pre>
data-target="#myNavbar">
    <span class=''icon-bar''></span>
    <span class=''icon-bar''></span>
    <span class="icon-bar"></span>
   </button>
   <img
src=''logo/ahwlogo2.png''/width=''160px''height=''40px''style=''margin-
top:5px;">     
  </div>
  <div class="collapse navbar-collapse" id="myNavbar">
   <a href="index.php"title="Home">Home</a>
    <a href="about.php"title="About">About </a>
            <a href="image gallery.php"title="Gallery">Gallery</a>
</a>
   <a href="admin/index.php"title="Admin Login"><span</a>
class=''glyphicon glyphicon-user''></span>&nbsp;&nbsp;Admin
Login < /a >
```

```
<?php
  if($_SESSION['create_account_logged_in']!='''')
   ?>
   <a class="dropdown-toggle" data-</pre>
toggle="dropdown" href="#">View Status <span
class="caret"></span></a>
    <a href="profile.php">Profile</a>
      <a href="order.php">Booking Status</a>
      <a href="logout.php">Logout</a>
    <?PHP } else
         {
         ?>
         <a href="Login.php"title="login"><span class="glyphicon"</a>
glyphicon-log-in''></span>&nbsp;&nbsp;User Login</a>
   <?php
         } ?>
  </div>
 </div>
</nav>
Order.php
```

```
<?php
session_start();
error_reporting(1);
include('connection.php');
$eid=$_SESSION['create_account_logged_in'];
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Homestay.com</title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min.css"
''>
 <script
src=''https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js''></scrip</pre>
t>
 <script
src=''https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js''>
/script>
 <link href="css/style.css"rel="stylesheet"/>
<link href="https://fonts.googleapis.com/css?family=Lobster"</pre>
rel="stylesheet">
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css''>
</head>
<br/><body style="margin-top:50px;">
 <?php
```

```
include('Menu Bar.php');
 ?>
<div class="container-fluid"><!--Primary Id-->
 <h1 class="text-center text-primary">[ Booking Details ]</h1><br>
 <div class="container">
  <div class="row">
   <table class="table table-striped table-bordered table-hover table-
responsive''style=''height:150px;''>
       <tr>
         Name
         Email
         Mobile Number
         Address
         Contury
         Homestay Type
         Check In Date
         Check In Time
         Check Out Date
         Occupancy
                         Cancel
       <?php
$sql= mysqli_query($con,''select * from room_booking_details where
email='$eid' '');
while($result=mysqli_fetch_assoc($sql))
$oid=$result['id'];
```

```
echo ''<tr>'';
echo ''''.$result['name'].'''';
echo ''''.$result['email'].'''';
echo ''''.$result['phone'].'''';
echo ''''.$result['address'].'''';
echo ''''.$result['contry'].'''';
echo ''''.$result['room_type'].'''';
echo ''''.$result['check_in_date'].'''';
echo ''''.$result['check_in_time'].'''';
echo ''''.$result['check_out_date'].'''';
echo ''''.$result['Occupancy'].'''';
echo ''<a href='cancel_order.php?order_id=$oid'
style='color:Red'>Cancel</a>'';
echo ''</tr>'';
        ?>
     </div>
  </div>
 </div>
<?php
include('Footer.php')
?>
</body>
</html>
```

Pay.js

```
var $form = $('#payment-form');
$form.on('submit', payWithStripe);
/* If you're using Stripe for payments */
function payWithStripe(e) {
  e.preventDefault();
  /* Visual feedback */
  $form.find('[type=submit]').html('Validating <i class=''fa fa-spinner fa-
pulse''></i>');
  var PublishableKey = 'pk_test_b1qXXwATmiaA1VDJ1mOVVO1p'; //
Replace with your API publishable key
  Stripe.setPublishableKey(PublishableKey);
  /* Create token */
  var expiry = $form.find('[name=cardExpiry]').payment('cardExpiryVal');
  var ccData = {
     number: $form.find('[name=cardNumber]').val().replace(/\s/g,''),
    cvc: $form.find('[name=cardCVC]').val(),
     exp_month: expiry.month,
    exp_year: expiry.year
  };
  Stripe.card.createToken(ccData, function stripeResponseHandler(status,
response) {
     if (response.error) {
       /* Visual feedback */
```

```
$form.find('[type=submit]').html('Try again');
       /* Show Stripe errors on the form */
       $form.find('.payment-errors').text(response.error.message);
       $form.find('.payment-errors').closest('.row').show();
     } else {
       /* Visual feedback */
       $form.find('[type=submit]').html('Processing < i class=''fa fa-spinner
fa-pulse''></i>');
       /* Hide Stripe errors on the form */
       $form.find('.payment-errors').closest('.row').hide();
       $form.find('.payment-errors').text('''');
       // response contains id and card, which contains additional card
details
       console.log(response.id);
       console.log(response.card);
       var token = response.id;
       // AJAX - you would send 'token' to your server here.
       $.post('/account/stripe_card_token', {
            token: token
         })
         // Assign handlers immediately after making the request,
          .done(function(data, textStatus, jqXHR) {
            $form.find('[type=submit]').html('Payment successful <i
class=''fa fa-check''></i>').prop('disabled', true);
         })
          .fail(function(jqXHR, textStatus, errorThrown) {
            $form.find('[type=submit]').html('There was a
problem').removeClass('success').addClass('error');
            /* Show Stripe errors on the form */
```

```
$form.find('.payment-errors').text('Try refreshing the page and
trying again.');
            $form.find('.payment-errors').closest('.row').show();
         });
    }
  });
/* Fancy restrictive input formatting via jQuery.payment library*/
$('input[name=cardNumber]').payment('formatCardNumber');
$('input[name=cardCVC]').payment('formatCardCVC');
$('input[name=cardExpiry').payment('formatCardExpiry');
/* Form validation using Stripe client-side validation helpers */
jQuery.validator.addMethod("cardNumber", function(value, element) {
  return this.optional(element) || Stripe.card.validateCardNumber(value);
}, ''Please specify a valid credit card number.'');
jQuery.validator.addMethod("cardExpiry", function(value, element) {
  /* Parsing month/year uses jQuery.payment library */
  value = $.payment.cardExpiryVal(value);
  return this.optional(element) || Stripe.card.validateExpiry(value.month,
value.year);
}, ''Invalid expiration date.'');
jQuery.validator.addMethod("cardCVC", function(value, element) {
  return this.optional(element) || Stripe.card.validateCVC(value);
}, ''Invalid CVC.'');
```

```
validator = $form.validate({
  rules: {
     cardNumber: {
       required: true,
       cardNumber: true
    },
    cardExpiry: {
       required: true,
       cardExpiry: true
    },
    cardCVC: {
       required: true,
       cardCVC: true
  },
  highlight: function(element) {
     $(element).closest('.form-
control').removeClass('success').addClass('error');
  },
  unhighlight: function(element) {
     $(element).closest('.form-
control').removeClass('error').addClass('success');
  },
  errorPlacement: function(error, element) {
     $(element).closest('.form-group').append(error);
});
```

```
paymentFormReady = function() {
  if ($form.find('[name=cardNumber]').hasClass(''success'') &&
     $form.find('[name=cardExpiry]').hasClass(''success'') &&
     $form.find('[name=cardCVC]').val().length > 1) {
     return true;
  } else {
    return false;
$form.find('[type=submit]').prop('disabled', true);
var readyInterval = setInterval(function() {
  if (paymentFormReady()) {
     $form.find('[type=submit]').prop('disabled', false);
    clearInterval(readyInterval);
  }
}, 250);
/*
https://goo.gl/PLbrBK
*/
Registrationform.php
<?php
include('connection.php');
```

```
extract($_REQUEST);
if(isset($save))
 $sql= mysqli_query($con,''select * from create_account where
email='$email' '');
 if(mysqli_num_rows($sql))
 $msg= ''<h1 style='color:red'> account already exists</h1>'';
 else
 {
   $sql=''insert into
create_account(name,email,password,mobile,address,gender,country,pictrure
values('$fname','$email','$Passw','$mobi','$addr','$gend','$countr','$pict')'';
 if(mysqli_query($con,$sql))
 {
 $msg= ''<h1 style='color:green'>Data Saved Successfully</h1>'';
 header('location:Login.php');
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Homestay.com</title>
 <meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/css/bootstrap.min.css"
''>
 <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></scrip
t>
 <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js"><
/script>
 <link href="css/style.css"rel="stylesheet"/>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
  <link href="https://fonts.googleapis.com/css?family=Baloo+Bhai"</pre>
rel="stylesheet">
</head>
<body style="margin-top:50px;">
 <?php
include('Menu Bar.php');
 ?>
<div class="container-fluid"style="background-color:#4286f4;color:#000;">
 <div class="container">
  <div class="row">
   <center><h1 style=''background-color:#ed2553; border-</pre>
radius:50px;display:inline-block;''><b><font color=''#080808''>Create New
Account?</font></b></h1></center>
    <center><?php echo @$msg;?></center><br>
   <div class="col-sm-2"></div>
   <div class="col-sm-6">
    <form class="form-horizontal"method="post">
      <div class="form-group">
```

```
<div class="control-label col-sm-5"><h4>Name :</h4></div>
     <div class="col-sm-7">
        <input type=''text'' name=''fname'' class=''form-</pre>
control"placeholder="Enter Your Name"required>
     </div>
    </div>
    <div class="form-group">
       <div class="control-label col-sm-5"><h4>Email-Id:</h4></div>
     <div class="col-sm-7">
        <input type="text" name="email" class="form-</pre>
control"placeholder="Enter Your Email-id" autocomplete="off"required>
     </div>
    </div>
    <div class="form-group">
       <div class="control-label col-sm-5"><h4>Password :</h4></div>
     <div class="col-sm-7">
        <input type="password" name="Passw" class="form-</pre>
control"placeholder="Enter Your Password"autocomplete="off"required>
     </div>
    </div>
    <div class=''form-group''>
       <div class="control-label col-sm-5"><h4>Mobile No:</h4></div>
     <div class="col-sm-7">
        <input type="text" name="mobi" class="form-</pre>
control"placeholder="Enter Your Mobile Number"required>
```

```
</div>
    </div>
    <div class="form-group">
      <div class="control-label col-sm-5"><h4>Address :</h4></div>
     <div class="col-sm-7">
       <textarea name="addr" class="form-control"required></textarea>
     </div>
    </div>
    <div class="form-group">
      <div class="control-label col-sm-5"><h4 id="top">Gender
:</h4></div>
     <div class="col-sm-7">
        <input type="radio"
name=''gend''value=''male''required><b>Male</b>&emsp;
        <input type="radio"
name="gend"value="Female"required><b>Female</b>&emsp;
        <input type="radio"
name="gend"value="Other"required><b>Other</b>
     </div>
     </div>
     <div class=''form-group''>
      <div class="control-label col-sm-5"><h4>Country :</h4></div>
     <div class="col-sm-7">
      <select name="countr" class="form-control"required>
        <option>India</option>
        <option>Pakistan</option>
```

```
<option>China</option>
       </select>
    </div>
    </div>
    <div class="form-group">
       <div class="control-label col-sm-5"><h4 id="top">profile pic
:</h4></div>
      <div class="col-sm-7">
        <input type="file" name="pict"accept="image/*"required>
     </div>
      <div class="row">
       <div class="col-sm-6"style="text-align:right;"><br>
       <input type="submit" value="Submit" name="save"class="btn btn-</pre>
success btn-group-justified''required style="color:#000;font-family: 'Baloo
Bhai', cursive; height: 40px; "/>
     </div>
     </div>
     </div>
    </form>
    </div>
   </div>
    <div class="col-sm-4">
    </div>
  </div>
 </div>
</div>
<?php
```

```
include('Footer.php')
?>
</body>
</html>
database
-- phpMyAdmin SQL Dump
-- version 4.6.5.2
-- https://www.phpmyadmin.net/
-- Host: 127.0.0.1
-- Generation Time: May 12, 2019 at 07:49 AM
-- Server version: 10.1.26-MariaDB
-- PHP Version: 7.1.9
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
/*!40101 SET
@OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS
*/;
/*!40101 SET
@OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION
*/;
/*!40101 SET NAMES utf8mb4 */;
```

```
-- Database: `hotel`
-- Table structure for table `admin`
CREATE TABLE `admin` (
 `id` int(11) NOT NULL,
 `username` varchar(100) NOT NULL,
 `password` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `admin`
INSERT INTO `admin` (`id`, `username`, `password`) VALUES
(1, 'admin@gmail.com', '12345');
```

```
-- Table structure for table `create_account`
CREATE TABLE `create_account` (
 `id` int(11) NOT NULL,
 `name` char(50) NOT NULL,
 `email` varchar(50) NOT NULL,
 `password` varchar(100) NOT NULL,
 `mobile` bigint(20) NOT NULL,
 `address` varchar(255) NOT NULL,
 `gender` enum('male', 'female', 'other') NOT NULL,
 `country` varchar(50) NOT NULL,
 `pictrure` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `create_account`
INSERT INTO `create_account` (`id`, `name`, `email`, `password`, `mobile`,
`address`, `gender`, `country`, `pictrure`) VALUES
(4, 'sunil Vishwakarma', 'amitvish9999@gmail.com', '8190', 7275308190,
'kolpanday,azamgarh', 'male', 'China', 'img2.png'),
(7, 'suraj vishwakarma', 'suraj@gmail.com', '8190', 9120140055,
'kolpanday,azamgarh', 'male', 'India', 'Capture.PNG'),
(8, 'Om', 'om@gmail.com', '8090', 7890809, 'bnjkghjbjb', 'male', 'india', ''),
(9, 'Ragini Vishwakarma', 'ragini@gmail.com', '1234`', 7275540965,
'kolpanday(Kolgghat), Azamgarh', 'male', 'India', '6cy5bLaei.jpg'),
```

```
(10, 'Anjali Vishwakarma', 'anjali@gmail.com', '123', 7275308190,
'kolpanday azamgarh', 'male', 'India', 'God_Shiva_Wallpaper.jpg'),
(11, 'mrityunjai', 'mr8090@gmail.com', '8190', 71727534567, 'kolpghta',
'male', 'India', 'amazing-shiv-shankar-images-3d-shiva-on-pinterest-shiv-
shankar-images-3d.jpg'),
(12, 'sanjeev', 'sanjeevtech2@gmail.com', '1234', 9015501897, 'Noida',
'male', 'India', '20171120_175518.jpg');
-- Table structure for table `details_slider`
CREATE TABLE `details_slider` (
 `id` int(11) NOT NULL,
 `img` varchar(255) NOT NULL,
 `caption` varchar(50) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Table structure for table `feedback`
CREATE TABLE `feedback` (
 `id` int(11) NOT NULL,
 `name` varchar(100) NOT NULL,
```

```
`email` varchar(100) NOT NULL,
 `mobile` bigint(20) NOT NULL,
 `message` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `feedback`
INSERT INTO `feedback` (`id`, `name`, `email`, `mobile`, `message`)
VALUES
(1, 'Amit', 'amitvish9999@gmail.com', 7275308190, 'Nice');
-- Table structure for table `rooms`
CREATE TABLE `rooms` (
 `room_id` int(11) NOT NULL,
 `room_no` int(11) NOT NULL,
 `type` varchar(100) NOT NULL,
 `price` bigint(20) NOT NULL,
 `details` text NOT NULL,
 `image` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

-- Dumping data for table `rooms`

INSERT INTO `rooms` (`room\_id`, `room\_no`, `type`, `price`, `details`, `image`) VALUES

- (28, 512, 'Deluxe Room', 15000, 'The Contemporary yet simple designed King bedded rooms are well equipped with modern amenities. Fresh Decor and refined ambiance is the winning combination to make these rooms an ideal choice for discerning business traveler.', 'delux\_img1.jpg'),
- (30, 504, 'Luxurious Suite', 16000, 'Engulf yourself in the plush luxury of our premier rooms. An upgraded version of the Suite room, these rooms offer an elegant design with larger room space.', 'Luxury\_img10.jpg'),
- (31, 302, 'Standard Room', 14000, 'Simple design king bedded room are well equipped with modern amenities.', 'Standard \_img16.jpg'),
- (32, 312, 'Suite', 13000, 'Enjoy the view of Anand from attach sitting area, An upgraded version of the Deluxe room, these rooms offer an elegant design with larger room space.', 'Suit\_img22.jpg'),
- (33, 205, 'Twin Deluxe Room', 120000, 'The Contemporary yet simple designed twin bedded rooms are well equipped with modern amenities. Fresh Decor and refined ambiance is the winning combination to make these rooms an ideal choice for discerning business traveler.', 'Twin\_img24.jpg'),
- (34, 0, 'Parking Area', 0, 'ON-SITE PARKING Comfort Hotel Perth City provides 33 secure car parking spaces, free-of-charge for house guests which are subject to availability and on a ...\r\n', 'parking.jpg');

--

-- Table structure for table `room\_booking\_details`

--

```
CREATE TABLE `room_booking_details` (
 `id` int(11) NOT NULL,
 `name` char(50) NOT NULL,
 `email` varchar(50) NOT NULL,
 `phone` bigint(20) NOT NULL,
 `address` varchar(255) NOT NULL,
 `city` varchar(100) NOT NULL,
 `state` varchar(100) NOT NULL,
 `zip` int(20) NOT NULL,
 `contry` varchar(50) NOT NULL,
 `room_type` varchar(100) NOT NULL,
 `check_in_date` date NOT NULL,
 `check_in_time` varchar(6) NOT NULL,
 `check_out_date` date NOT NULL,
 `Occupancy` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1
ROW_FORMAT=COMPACT;
-- Dumping data for table `room_booking_details`
INSERT INTO `room_booking_details` (`id`, `name`, `email`, `phone`,
`address`, `city`, `state`, `zip`, `contry`, `room_type`, `check_in_date`,
`check_in_time`, `check_out_date`, `Occupancy`) VALUES
(5, 'Sumit', 'sumit@gmail.com', 7398713060, 'kolpanday,azamgarh',
'Azamgarh', 'U.P.', 276001, 'India', 'Deluxe Room', '2019-12-05', '12:00',
'2019-01-06', 'single'),
```

```
(6, 'Om', 'om@gmail.com', 7890809, 'bnjkghjbjb', 'azamgarh', 'up', 276001,
'India', 'Deluxe Room', '2019-05-08', '08:00', '2019-06-04', 'single'),
(7, 'Ragini Vishwakarma', 'ragini@gmail.com', 727550965,
'Kolpanday, Kolghat, Azamgarh', 'Azamgarh', 'U.P', 276001, 'India',
'Standard Room', '2019-12-06', '08:00', '2019-12-06', 'single'),
(8, 'Anlaji viahwakarma', 'anjali@gmail.com', 7275308190, 'kolpanday
azamgarh', 'azamgarh', 'U.P', 276001, 'India', 'Standard Room', '2019-12-
06', '08:00', '2019-12-06', 'single'),
(12, 'sanjeev', 'sanjeevtech2@gmail.com', 0, 'dfjdlfj', '', '', 0, '', 'Suite Room',
'2019-05-22', '22:57', '2017-10-31', 'single');
-- Table structure for table `slider`
CREATE TABLE `slider` (
 `id` int(11) NOT NULL,
 `image` varchar(100) NOT NULL,
 `caption` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `slider`
INSERT INTO `slider` (`id`, `image`, `caption`) VALUES
(3, 'img3.jpg', ''),
```

```
(6, 'img2.jpg', ''),
(8, 'img1.png', '');
-- Indexes for dumped tables
-- Indexes for table `admin`
ALTER TABLE `admin`
 ADD PRIMARY KEY (`id`);
-- Indexes for table `create_account`
ALTER TABLE `create_account`
 ADD PRIMARY KEY (`id`);
-- Indexes for table `details_slider`
ALTER TABLE `details_slider`
 ADD PRIMARY KEY (`id`);
-- Indexes for table `feedback`
```

```
ALTER TABLE `feedback`
 ADD PRIMARY KEY (`id`);
-- Indexes for table `rooms`
ALTER TABLE 'rooms'
 ADD PRIMARY KEY (`room_id`);
-- Indexes for table `room_booking_details`
ALTER TABLE `room_booking_details`
 ADD PRIMARY KEY (`id`);
-- Indexes for table `slider`
ALTER TABLE `slider`
 ADD PRIMARY KEY (`id`);
-- AUTO_INCREMENT for dumped tables
```

```
-- AUTO_INCREMENT for table `admin`
ALTER TABLE `admin`
 MODIFY 'id' int(11) NOT NULL AUTO_INCREMENT,
AUTO_INCREMENT=2;
-- AUTO_INCREMENT for table `create_account`
ALTER TABLE `create_account`
MODIFY 'id' int(11) NOT NULL AUTO_INCREMENT,
AUTO_INCREMENT=13;
-- AUTO_INCREMENT for table `details_slider`
ALTER TABLE `details_slider`
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
-- AUTO_INCREMENT for table `feedback`
ALTER TABLE `feedback`
 MODIFY 'id' int(11) NOT NULL AUTO_INCREMENT,
AUTO_INCREMENT=2;
-- AUTO_INCREMENT for table `rooms`
ALTER TABLE `rooms`
MODIFY `room_id` int(11) NOT NULL AUTO_INCREMENT,
AUTO_INCREMENT=35;
```

```
--- AUTO_INCREMENT for table `room_booking_details`

---

ALTER TABLE `room_booking_details`

MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,
AUTO_INCREMENT=13;

---

--- AUTO_INCREMENT for table `slider`

---

ALTER TABLE `slider`


MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,
AUTO_INCREMENT=9;


/*!40101 SET
CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;


/*!40101 SET
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;


/*!40101 SET
COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```


## **OUTPUT SCREENSHOTS:**

























## **REFERENCES:**

[1]https://www.researchgate.net/publication/228405543\_PHP\_Framework\_for\_Database\_Management\_Based\_on\_MVC\_Pattern
[2]

https://www.researchgate.net/publication/278242567\_Security\_Assessment\_of \_PHP\_Web\_Applications\_from\_SQL\_Injection\_Attacks

[3] http://www.ijarcs.info/index.php/Ijarcs/article/view/3792

[4] http://www.iosrjournals.org/iosr-jce/papers/Vol20-issue3/versioon-4/I2003046368.pdf

*[51]* 

https://www.researchgate.net/publication/334304361\_Exploring\_Object\_Oriented\_and\_Database\_Programming\_Concepts\_of\_PHP\_-

\_Harnessing\_the\_Power\_of\_XAMPP

[6] https://www.semanticscholar.org/paper/Comaparison-of-Web-

Developement-Technologies-

Nagilla/6b3a8e453d8742588a9df03be12ca7db672ab494

[7] https://www.semanticscholar.org/paper/Comparative-Analysis-of-

Application-Quality-Between-Agustin-

Kurniawan/a0df 77 de 588a 275b 65d 45d 4c9e 5ead 7464330f 1f

*[8]* 

http://dalibor.dvorski.net/downloads/docs/InstallingConfiguringDevelopingWithXAMPP.pdf