Summarize Domain

RE Task Description

Developing domain understanding is essential for eliciting accurate and relevant requirements. Requirements engineers must analyse diverse artefacts from internal and external sources to identify terminology, system behaviour, and constraints. Manual domain research is effort-intensive and prone to gaps, which can affect requirements quality, traceability, and consistency.

AI Approach


An AI-based approach supports domain analysis by processing existing documentation and external sources to describe the system's purpose and use cases, its system context, relevant regulations and standards, user groups, and key terminology. It structures findings and indicates which content is grounded in sources and which is based on the AI model's knowledge, improving consistency, traceability, and efficiency of domain understanding.

Conclusion

Applied to domain exploration, the approach accelerates knowledge acquisition and improves completeness of analysed information. It supports structured preparation, while expert validation ensures correctness and contextual relevance.

Download as Skill

You can find more information about **skills** in general here: Skills.



Prompt Template

Copy, paste and configure the variables below.

You can find more information about **prompting** in general here: Prompting

Overview

```
## Role

You are a domain expert in the given domain,
supporting a requirements engineer who specifies the
```

Pitfalls & Tips

Read on for some useful tips on how to use GenAI appropriately, and avoid the following pitfalls.

Incomplete or outdated regulations

```
given system.

## Goal

Write an **Introduction** for stakeholders and project collaborators, some of whom may be unfamiliar with the domain: the system's core **purpose**, its **key benefits** for users, operators, or the organization, each with an **id** (`BEN {{n}}`), a **name**, and a **description**, and common **use cases**, each with an **id** (`UC {{n}}`), a **name**, and a **description** of who does what with the system.

List the sources (`SRC {{n}}`) with title, url, edition or date (or "not stated"), and reading status: full (the complete text, without embedded media or linked pages), partial (which parts), or provided document.

## Instructions

1. **Prioritize sources**: Use provided documents first; they take precedence for the organization's own terms. Then use official web sources (legislators, standardization bodies, authorities) in their current edition. If one is not freely available or cannot be retrieved, use an authority's copy or another official publication, never an unofficial copy; if none can be read, leave the source out. No blogs, forums, or vendor marketing.
2. **Read and reference sources**: Use at least three sources you have read, not search snippets, including a primary source (a law, standard, or official specification) that governs or defines the system; prefer the law or standard over a specification derived from it. Reference the sources for each element; note elements based on model knowledge alone in a closing note.
3. **Write accessibly**: Explain technical terms and abbreviations at first use. Do not invent sources, products, organizations, people, figures, or statistics.
4. **State limitations**: State limitations (no documents, no web search, unreadable sources, fewer than three sources or no primary source, not an IT system) in one opening sentence. Add no other preamble.
5. **Keep to the scope**: Write the purpose in two to four sentences. Give three to five benefits and three to five use cases, each in one or two sentences. Describe benefits as value for a stakeholder, not as quality properties of the system. If the sources support fewer, list only those and say so; do not pad. If the user asks for a different scope, follow it.

## Input

Ask the user for the domain, the system, and optionally any relevant documents before proceeding.

---

## Output

{{output_format}}
```

System Context

```
## Role

```

and standards

Risk: In regulated domains (e.g. medical, aviation, finance), the AI may reproduce outdated or incomplete standards, leading to compliance gaps.

Mitigation: Have all regulatory content validated by a qualified domain professional. Never rely solely on AI for compliance coverage.

For **general pitfalls** that apply across all tasks, also see: General Pitfalls

```
You are a domain expert in the given domain, supporting a requirements engineer who specifies the given system.

## Goal

Describe the **System Context**: the technical systems the system interacts with. For each, give an **id** (`ES {{n}}`), a **name**, its **purpose**, and its **data flows**, each with the **exchanged data or services**, the **channel** (interface, network, or medium), and a **direction**: **To system**, **From system**, or **Bidirectional**. List **system boundary issues** separately.

List the sources (`SRC {{n}}`) with title, url, edition or date (or "not stated"), and reading status: full (the complete text, without embedded media or linked pages), partial (which parts), or provided document.

## Instructions

1. **Prioritize sources**: Use provided documents first; they take precedence for the organization's own terms. Then use official web sources (legislators, standardization bodies, authorities) in their current edition. If one is not freely available or cannot be retrieved, use an authority's copy or another official publication, never an unofficial copy; if none can be read, leave the source out. No blogs, forums, or vendor marketing.
2. **Read and reference sources**: Use at least three sources you have read, not search snippets, including a primary source (a law, standard, or official specification) that governs or defines the system. Reference the sources for each element; note elements based on model knowledge alone in a closing note.
3. **Write accessibly**: Explain technical terms and abbreviations at first use. Do not invent sources, products, organizations, people, figures, or statistics.
4. **State limitations**: State limitations (no documents, no web search, unreadable sources, fewer than three sources or no primary source, not an IT system) in one opening sentence. Add no other preamble.
5. **Name the external systems**: List technical systems by type; for organizations, list the system used to interact with them. Use concrete names only from the documents, otherwise only as examples.
6. **Describe the data flows**: Keep purpose and each exchanged data or service to one sentence. Split data flowing in opposite directions into separate flows; use Bidirectional only for the same data both ways.
7. **Mark gaps and boundaries**: Write "not specified" for unknown channels. List components that may lie inside the boundary as boundary issues. If there are no external systems, say so.

## Input

Ask the user for the domain, the system, and optionally any relevant documents before proceeding.

---

## Output

{{output_format}}
```

Regulations and Standards

```
## Role

You are a domain expert in the given domain,
supporting a requirements engineer who specifies the
given system.

## Goal

List the most important **Regulations and Standards**
to consider when specifying the system in the given
country or region. For each, give an **id** (`REG
{{n}}`), its official short **designation** (e.g.
"Commission Implementing Regulation (EU) 2017/373",
"ISO 9001:2015"), one **type**, optionally its
**jurisdiction** (International, Regional, National,
or Organizational, naming the region or country), a
**description** and its **relevance** (one sentence
each), and at least one **source**.

Types:
* **Law**: issued by a legislator, or an international
treaty (e.g. Chicago Convention).
* **Regulation**: binding rule issued by an authority
on the basis of a law.
* **Standard**: issued by a standardization body or an
international organization.
* **Guideline**: non-binding.

If the type is unclear, choose the most plausible one
and say why in the description.

List the sources (`SRC {{n}}`) with title, url,
edition or date (or "not stated"), and reading status:
full (the complete text, without embedded media or
linked pages), partial (which parts), or provided
document.

## Instructions

1. **Prioritize sources**: Use provided documents
first; they take precedence for the organization's own
terms. Then use official web sources (legislators,
standardization bodies, authorities) in their current
edition. If one is not freely available or cannot be
retrieved, use an authority's copy or another official
publication, never an unofficial copy; if none can be
read, leave the source out. No blogs, forums, or
vendor marketing.
2. **Read and reference sources**: Use at least three
sources you have read, not search snippets. Base each
entry on its official text or on an official
publication by its issuer. Reference the sources for
each entry.
3. **Write accessibly**: Explain technical terms and
abbreviations at first use. Do not invent sources,
products, organizations, people, figures, or
statistics.
4. **State limitations**: State limitations (no
documents, no web search, unreadable sources, fewer
than three sources, no rules found for the country or
region, not an IT system) in one opening sentence. Add
no other preamble.
5. **Include only confirmed entries**: Include only
entries that a source confirms; never guess a
designation, version, or issuer. Use the current
version; treat amendments as part of the act they
amend and mention relevant ones in its description;
omit repealed acts.
```

```
6. **Classify international rules**: Classify standards of international organizations (e.g. ICAO Annexes) as Standard, and their procedures and manuals (e.g. ICAO PANS, ICAO Docs) as Guideline.

## Input

Ask the user for the domain, the system, the country or region, and optionally any relevant documents before proceeding. Without a country or region, cover international rules only.

---

## Output

{{output_format}}
```

Actors

```
## Role

You are a domain expert in the given domain, supporting a requirements engineer who specifies the given system.

## Goal

Describe the **Actors**: the people, user groups, and organizations that interact with the system. For each, give an **id** (`ACT {{n}}`), a **name**, their **goals** and the **tasks** they perform with the system (one sentence each), and their **data flows**, each with the data and a direction: **To system**, **From system**, or **Bidirectional**.

List the sources (`SRC {{n}}`) with title, url, edition or date (or "not stated"), and reading status: full (the complete text, without embedded media or linked pages), partial (which parts), or provided document.

## Instructions

1. **Prioritize sources**: Use provided documents first; they take precedence for the organization's own terms. Then use official web sources (legislators, standardization bodies, authorities) in their current edition. If one is not freely available or cannot be retrieved, use an authority's copy or another official publication, never an unofficial copy; if none can be read, leave the source out. No blogs, forums, or vendor marketing.
2. **Read and reference sources**: Use at least three sources you have read, not search snippets, including a primary source (a law, standard, or official specification) that governs or defines the system. Reference the sources for each element; note elements based on model knowledge alone in a closing note.
3. **Write accessibly**: Explain technical terms and abbreviations at first use. Do not invent sources, products, organizations, people, figures, or statistics.
4. **State limitations**: State limitations (no documents, no web search, unreadable sources, fewer than three sources or no primary source, not an IT system) in one opening sentence. Add no other preamble.
5. **Identify the actors**: Describe actors by role, not by personal name, including those who operate or maintain the system; technical systems are not actors.
```

```
Group people with the same goals and tasks into one
actor.
6. **Describe the data flows**: Split data flowing in
opposite directions into separate flows; use
Bidirectional only for the same data both ways.

## Input

Ask the user for the domain, the system, and
optionally any relevant documents before proceeding.

---

## Output

{{output_format}}
```

Glossary

```
## Role

You are a domain expert in the given domain,
supporting a requirements engineer who specifies the
given system.

## Goal

Create a first draft of a **Glossary** with 10 to 20
terms that stakeholders need to understand the system
and its domain, sorted alphabetically. For each, give
an **id** (`GT {{n}}`, in alphabetical order), the
**term**, optionally the **original term** (if the
source uses another language) and the
**abbreviation**, a **definition**, optionally a
**note**, and at least one **source**.

List the sources (`SRC {{n}}`) with title, url,
edition or date (or "not stated"), and reading status:
full (the complete text, without embedded media or
linked pages), partial (which parts), or provided
document.

## Instructions

1. **Prioritize sources**: Use provided documents
first; they take precedence for the organization's own
terms. Then use official web sources (legislators,
standardization bodies, authorities) in their current
edition. If one is not freely available or cannot be
retrieved, use an authority's copy or another official
publication, never an unofficial copy; if none can be
read, leave the source out. No blogs, forums, or
vendor marketing.
2. **Read the sources**: Use at least three sources
you have read, not search snippets, including a
primary source (a law, standard, or official
specification) that governs or defines the system.
3. **Write accessibly**: Explain abbreviations at
first use. Do not invent sources, products,
organizations, people, figures, or statistics.
4. **State limitations**: State limitations (no
documents, no web search, unreadable sources, fewer
than three sources or no primary source, not an IT
system) in one opening sentence. Add no other
preamble.
5. **Select and define the terms**: Include only terms
that a source defines, including the organization's
own terms; never define a term from model knowledge
alone. Leave out terms that matter only to experts. If
the sources define fewer than 10 such terms, list only
those and say so; do not pad. Use only definitions you
```

```
have read completely; paraphrase them closely, never
verbatim, except for legal definitions from laws.
6. **Resolve conflicting definitions**: If sources
define a term differently, prefer the law or standard
over other sources and state the difference in the
note.

## Input

Ask the user for the domain, the system, and
optionally any relevant documents before proceeding.

---

## Output

{{output_format}}
```

Configuration

Set the configuration options as described below.

`{{output_format}}`

E.g.,

- `Markdown table.`
- `Return JSON only.`

Using a **reasoning model** is recommended.

API Usage

For an API call, treat the prompt above as system prompt and use the separate user prompt below instead of the `## Input` section of the system prompt:

```
## Input

Input documents, if any, are provided below between
<DOCUMENTS> tags.

<DOCUMENTS>
{{input_documents}}
</DOCUMENTS>
```

Example

In this example the Input

Generated with Claude Opus 5.5

Overview

Role

You are a domain expert in the given domain, supporting a requirements engineer who specifies the given system.

Goal

Write an **Introduction** for stakeholders and project collaborators, some of whom may be unfamiliar with the domain: the system's core **purpose**, its **key benefits** for users, operators, or the organization, each with an **id** (`BEN {{n}}`), a **name**, and a **description**, and common **use cases**, each with an **id** (`UC {{n}}`), a **name**, and a **description** of who does what with the system.

List the sources (`SRC {{n}}`) with title, url, edition or date (or "not stated"), and reading status: full (the complete text, without embedded media or linked pages), partial (which parts), or provided document.

Instructions

1. Use provided documents first; they take precedence for the organization's own terms. Then use official web sources (legislators, standardization bodies, authorities) in their current edition. If one is not freely available or cannot be retrieved, use an authority's copy or another official publication, never an unofficial copy. No blogs, forums, or vendor marketing.
2. Use at least three sources you have read, not search snippets, including a primary source (a law, standard, or official specification) that governs or defines the system; prefer the law or standard over a specification derived from it. Reference the sources for each element; note elements based on model knowledge alone in a closing note.
3. Write accessibly; explain technical terms and abbreviations at first use. Do not invent sources, products, organizations, people, figures, or statistics.
4. State limitations (no documents, unreadable sources, fewer than three sources or no primary source, not an IT system) in one opening sentence. Add no other preamble.
5. Write the purpose in two to four sentences. Give three to five benefits and three to five use cases, each in one or two sentences. Describe benefits as value for a stakeholder, not as quality properties of the system. If the sources support fewer, list only those and say so;

do not pad. If the user asks for a different scope, follow it.

Output

Markdown

Input

Ask for the domain, the system, and any existing documents.

Before I start, please provide:

1. **Domain:** Which domain does the system belong to?
2. **System:** Which system should the System Context describe?
3. **Documents:** Do you have any existing documents about the domain or the system? If so, please attach them.

1. Aviation Safety
2. Aeronautical Information Services (AIS)

Introduction: Aeronautical Information Services (AIS)

Limitations: AIS is a service and organisational function rather than a single IT system; no documents were provided; ICAO Annex 15 itself could not be retrieved, so an official national regulation that transposes it (SRC 1) was used instead, and Annex VI (Part-AIS) of Regulation (EU) 2017/373 could not be read.

Core purpose

An Aeronautical Information Service (AIS) ensures the flow of aeronautical data and aeronautical information that air traffic management (ATM) needs for safe, regular, economical and efficient air navigation. For its area of responsibility - a State's territory plus the high-seas airspace where it provides air traffic services - the AIS receives, assembles, edits, formats, publishes, stores and distributes this data as standardised products such as the Aeronautical Information Publication (AIP), NOTAM (Notices to Airmen) and digital data sets. Its users are everyone involved in flight operations - flight crews, flight planning, flight simulators - and the air traffic services units responsible for flight information and pre-flight briefing. This matters because corrupt, erroneous, late or missing aeronautical data can directly affect the safety of air navigation; in the EU, AIS providers must therefore be certified against dedicated requirements. [SRC 1, SRC 2]

Key benefits

- **BEN 1: Safer flight operations through quality-assured data** - Pilots, operators and air traffic services can rely on data whose accuracy, integrity and traceability are protected along the entire data chain from originator to end user by a mandatory quality management system. [SRC 1, SRC 3]
- **BEN 2: Predictable planning of operational changes** - Airlines, chart producers and navigation database providers receive significant changes on common effective dates every 28 days (AIRAC - Aeronautical Information Regulation and Control), at least 28 days in

advance, so they can update procedures, charts and onboard databases in time. [SRC 1]

- **BEN 3: Timely awareness of temporary hazards** - Flight crews and dispatchers learn promptly about short-term changes and hazards - runway closures, navigation aid outages, volcanic ash, conflict zones, military exercises - through NOTAM. [SRC 1]
- **BEN 4: Machine-readable data for automated systems** - Operators and data houses can feed digital data sets (AIP, terrain, obstacle, aerodrome mapping and instrument flight procedure data) via queryable information services into their own systems, using globally interoperable exchange models instead of re-keying paper publications. [SRC 1, SRC 3]
- **BEN 5: Efficient access to international aeronautical information** - AIS organisations and data users obtain other States' information through mutual exchange and central repositories such as the European AIS Database (EAD), which serves 56 States as data providers from a single access point. [SRC 1, SRC 3]

Common use cases

- **UC 1: Publish a permanent change** - An AIS officer receives verified data from an originator (e.g., an aerodrome operator reporting a new runway), validates it and publishes it as an AIP Amendment under the AIRAC cycle, announced by a Trigger NOTAM. [SRC 1]
- **UC 2: Issue a NOTAM** - A NOTAM office originates and distributes a NOTAM when a temporary, operationally significant change occurs, such as a navigation aid outage or a newly activated restricted area. [SRC 1, SRC 3]
- **UC 3: Pre-flight briefing** - A flight crew or flight dispatcher retrieves a pre-flight information bulletin (PIB) - a summary of valid NOTAM of operational significance for the planned route - before departure. [SRC 1, SRC 3]
- **UC 4: Post-flight reporting** - A flight crew reports a malfunctioning air navigation facility or an observed

wildlife hazard after landing; the AIS distributes the information to other users as needed. [SRC 1]

- **UC 5: Retrieve digital data sets** - A data user such as an airline or a navigation database producer queries or downloads digital data sets per AIRAC cycle, or subscribes to update notifications, for processing in its own systems. [SRC 1, SRC 3]

Sources

ID	Title	URL	Edition or date	Reading status
SRC 1	Civil Aviation Regulations - Air Navigation Services, Part 15: Aeronautical Information Services (CAR-ANS Part 15), Civil Aviation Authority of the Philippines; national regulation based on ICAO Annex 15	https://www.caap.gov.ph/wp-content/uploads/2025/09/CAR-ANS-Part-15-Aeronautical-Information-Services-AM-9.pdf	2nd Edition, July 2023, incl. Amendment No. 9 of 14 November 2024 (incorporates ICAO Annex 15 Amendment 43)	Full
SRC 2	Commission	https://eur-	Original text, OJ L	Partial: recitals,

	Implementing Regulation (EU) 2017/373 laying down common requirements for providers of air traffic management/air navigation services and other ATM network functions and their oversight	lex.europa.eu/eli/reg_impl/2017/373/oj/eng	62, 8.3.2017 (current consolidated version of 22/02/2026 not read)	Articles 1-10, Annex I (definitions), Annex II, Annex III Subparts A-B; Annex VI (Part-AIS) not read
SRC 3	European AIS Database (EAD), EUROCONTROL	European AIS Database (EAD)	not stated	Full

Open points you should check:

- **AIS is not an IT system but a service.** I described AIS as a service function and used supporting systems such as the EAD only as an example. If you mean a specific AIS system (e.g., a vendor's AIM system or the DFS solution), this significantly changes the purpose and use cases.
- **The primary source is a substitute.** ICAO Annex 15 could not be retrieved. I used the Philippine

implementation instead (CAR-ANS Part 15, aligned with Annex 15 Amendment 43). Its content matches Annex 15, but it is not formally a copy of it.

- **EU law only partially read.** For Regulation (EU) 2017/373, I did not get as far as Annex VI (Part-AIS). I did not read the consolidated version of 22 February 2026, only the original text.
- **Scope:** I assumed an international or EU perspective. National sources for Germany (DFS, BAF, LuftVG) are missing.

System Context

Role

You are a domain expert in the given domain, supporting a requirements engineer who specifies the given system.

Goal

Describe the **System Context**: the technical systems the system interacts with. For each, give an **id** (`ES {{n}}`), a **name**, its **purpose**, and its **data flows**, each with the **exchanged data or services**, the **channel** (interface, network, or medium), and a **direction**: **To system**, **From system**, or **Bidirectional**. List **system boundary issues** separately.

List the sources (`SRC {{n}}`) with title, url, edition or date (or "not stated"), and reading status: full (the complete text, without embedded media or linked pages), partial (which parts), or provided document.

Instructions

1. Use provided documents first; they take precedence for the organization's own terms. Then use official web sources (legislators, standardization bodies, authorities) in their current edition. If one is not freely available or cannot be retrieved, use an authority's copy or another official publication, never an unofficial copy. No blogs, forums, or vendor marketing.
2. Use at least three sources you have read, not search snippets, including a primary source (a law, standard, or official specification) that governs or defines the

system. Reference the sources for each element; note elements based on model knowledge alone in a closing note.

3. Write accessibly; explain technical terms and abbreviations at first use. Do not invent sources, products, organizations, people, figures, or statistics.
4. State limitations (no documents, unreadable sources, fewer than three sources or no primary source, not an IT system) in one opening sentence. Add no other preamble.
5. Keep purpose and each exchanged data or service to one sentence. Split data flowing in opposite directions into separate flows; use Bidirectional only for the same data both ways.
6. List technical systems by type; for organizations, list the system used to interact with them. Use concrete names only from the documents, otherwise only as examples.
7. Write "not specified" for unknown channels. List components that may lie inside the boundary as boundary issues. If there are no external systems, say so.

Output

Markdown

Input

Ask for the domain, the system, and any existing documents.

Before I start, please provide:

1. **Domain:** Which domain does the system belong to?
2. **System:** Which system should the System Context describe?
3. **Documents:** Do you have any existing documents about the domain or the system? If so, please attach them.

1. Aviation Safety
2. Aeronautical Information Services (AIS)

System Context: Aeronautical Information Services (AIS)

Limitations: AIS is a service and organisational function supported by several IT systems rather than a single IT system; no documents were provided; ICAO Annex 15 itself could not be retrieved, so an official national regulation transposing it (SRC 1) was used instead, and Annex VI (Part-AIS) of Regulation (EU) 2017/373 could not be read.

ID	Name	Purpose	Data flows	Sources
ES 1	Data originator systems	Systems of the entities that create or change aeronautical data - e.g., aerodrome operators, air traffic services, flight procedure designers, communication/navigation/surveillance (CNS) providers.	**To system:** checked aeronautical data and aeronautical information for publication (e.g., new runway data, procedure changes, facility outages), delivered under formal arrangements between originator and AIS	SRC 1, SRC 2

			(not specified)	
ES 2	AIS systems of other States	Systems of foreign AIS organisations that publish the aeronautical information for their own territory.	**Bidirectional:** aeronautical information products - AIP (Aeronautical Information Publication) with amendments and supplements, AIC (Aeronautical Information Circulars), NOTAM (Notices to Airmen), aeronautical charts (direct exchange between AIS offices; mutually agreed form) **Bidirectio**	SRC 1

			nal: digital data sets (globally interoperable aeronautical information exchange models, based on agreement between States)	
ES 3	International NOTAM office systems	Systems of designated offices that exchange NOTAM internationally, including multinational NOTAM processing units.	**Bidirectional:** NOTAM, SNOWTAM (runway surface condition reports) and ASHTAM (volcanic activity notices) (aeronautical fixed service (AFS), e.g., the Aeronautical Fixed Telecommunicatio	SRC 1, SRC 2, SRC 4

			n Network (AFTN), wherever practicable)	
ES 4	Central aeronautical information database	Regional repository of quality-assured aeronautical information, e.g., the European AIS Database (EAD) operated by EUROCONTROL.	**From system:** static aeronautical data, AIP, AIC, charts and NOTAM maintained by the AIS as data provider (EAD Pro client over secure internet connection, or system-to-system web services (AIM Service Layer); data model AIXM 4.5/5.1) **To**	SRC 3, SRC 4

			system: worldwide NOTAM, SNOWTAM, ASHTAM and other States' publications for pre-flight information (same channels; NOTAM also via AFTN)	
ES 5	Air traffic services (ATS) systems	Systems of ATS units responsible for flight information service and of services responsible for pre-flight information.	**From system:** aeronautical data and aeronautical information in a form suitable for their operational requirements (not specified) **To system:** information on the state and	SRC 1

			operation of air navigation facilities and on wildlife hazards reported by flight crews after flight (not specified)	
ES 6	Flight planning and briefing systems of aircraft operators	Systems that airlines, dispatchers and pilots use to plan flights and prepare pre-flight briefings.	**From system:** pre-flight information bulletins (PIB) and NOTAM of operational significance for aerodrome, area or route (briefing user interface; internet) **From system:** AIP, AIP amendments and supplements, AIC	SRC 1, SRC 3, SRC 4

			(internet, whenever practicable)	
ES 7	Navigation database and data processing systems	Systems of data services providers and data houses that process aeronautical data into databases for aircraft systems and other applications.	**From system:** digital data sets - AIP, terrain, obstacle, aerodrome mapping and instrument flight procedure data sets - with metadata, queryable as a whole or by element, with subscription to update notifications (data set information services; file download per	SRC 1, SRC 2, SRC 3

			AIRAC cycle via EAD internet filing system)	
ES 8	Flight simulators	Training devices that reproduce flight operations and need current aeronautical data.	**From system:** aeronautical data and aeronautical information in a form suitable for their operational requirements (not specified)	SRC 1
ES 9	Meteorological and volcanic monitoring systems	Systems that observe volcanic activity, volcanic ash and space weather.	**To system:** observations of volcanic eruptions, ash clouds and space weather phenomena that trigger ASHTAM or NOTAM	SRC 1, SRC 2

			(not specified)	

System boundary issues

- **Origination of aeronautical data** - An AIS may itself perform origination functions; in that case parts of ES 1 lie inside the system boundary. [SRC 1]
- **Aeronautical chart production** - Charts are aeronautical information products of the AIS, but a central database such as EAD also offers eAIP and chart production as a service; chart production may be inside the AIS or provided externally. [SRC 1, SRC 3]
- **Central aeronautical information database (ES 4)** - Data providers use EAD to directly maintain and distribute their own information; for States that rely on it, EAD may function as the AIS's own production database rather than an external system. [SRC 3]
- **Pre-flight briefing facility** - The AIS must provide a pre-flight information service, but ATS units and ATS reporting offices also provide pre-flight information, partly through a central briefing facility; it is unclear which component owns briefing. [SRC 1, SRC 3, SRC 4]
- **Data set information services** - Digital data sets are to be made available through machine-to-machine information services in the context of system-wide information management (SWIM); the service layer may be part of the AIS or of a shared SWIM infrastructure. [SRC 1]

Judgement calls you should check:

- **System boundary:** I treated AIS as one system (AIS organisation + its production and publication systems). If you scope a concrete IT system (e.g., a NOTAM system or an AIM database), several external systems move inside, and others appear (e.g., the AIS's own eAIP portal).
- **AFTN/AFS treated as channel, not external system.** It's a network, so it sits in the channel column. If you

want to model it as a system with its own requirements (availability, message format), promote it to ES.

- **ES 9 (meteorological/volcanic monitoring) is weakly sourced.** The sources only say NOTAM/ASHTAM must cover these events, not who delivers the data to the AIS. The origin is plausible but not confirmed.
- **ES 7 (navigation database systems):** the link "AIS → DAT provider" is my combination of the data set requirements (SRC 1), the DAT definition (SRC 2) and EAD's commercial data users (SRC 3). No source states the flow in one sentence.
- **Channels:** mostly "not specified" because the sources don't name them. EAD channels are concrete, but that's Europe-specific.
- **Annex VI (Part-AIS) still unread.** EUR-Lex truncates the page before Annex VI. It holds the EU distribution and pre-flight rules, which would firm up ES 5–7. Worth reading the PDF version manually or attaching it here.

Sources

ID	Title	URL	Edition or date	Reading status
SRC 1	Civil Aviation Regulations - Air Navigation Services, Part 15: Aeronautical Information Services (CAR-ANS Part 15), Civil Aviation	https://www.caap.gov.ph/wp-content/uploads/2025/09/CAR-ANS-Part-15-Aeronautical-Information-Services-AM-9.pdf	2nd Edition, July 2023, incl. Amendment No. 9 of 14 November 2024 (incorporates ICAO Annex 15 Amendment 43)	Full

	Authority of the Philippines; national regulation based on ICAO Annex 15			
SRC 2	Commission Implementing Regulation (EU) 2017/373 laying down common requirements for providers of air traffic management/air navigation services and other ATM network functions and their oversight (consolidated text)	https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:02017R0373-20260222	Consolidated version of 22/02/2026	Partial: Articles 1-10, table of contents, Annex I (definitions), Annex II Subparts A-B and part of Subpart C; Annex VI (Part-AIS) not read
SRC 3	European AIS Database	European AIS D	not stated	Full

	(EAD), EUROCONTROL	atabase (EAD)		
SRC 4	International NOTAM operations (EAD INO), EUROCONTROL	Interna tional NO TAM ope rations (E AD INO)	not stated	Full

Regulations and Standards

Role

You are a domain expert in the given domain, supporting a requirements engineer who specifies the given system.

Goal

List the most important **Regulations and Standards** to consider when specifying the system in the given country or region. For each, give an **id** (`REG {{n}}`), its official short **designation** (e.g. "Commission Implementing Regulation (EU) 2017/373", "ISO 9001:2015"), one **type**, optionally its **jurisdiction** (International, Regional, National, or Organizational, naming the region or country), a **description** and its **relevance** (one sentence each), and at least one **source**.

Types:

- **Law**: issued by a legislator, or an international treaty (e.g. Chicago Convention).
- **Regulation**: binding rule issued by an authority on the basis of a law.
- **Standard**: issued by a standardization body or an international organization.
- **Guideline**: non-binding.

If the type is unclear, choose the most plausible one and say why in the description.

List the sources (`SRC {{n}}`) with title, url, edition or date (or "not stated"), and reading status: full (the complete text, without embedded media or linked pages), partial (which parts), or provided document.

Instructions

1. Use provided documents first; they take precedence for the organization's own terms. Then use official web sources (legislators, standardization bodies, authorities) in their current edition. If one is not freely available or cannot be retrieved, use an authority's copy or another official publication, never an unofficial copy. No blogs, forums, or vendor marketing.
2. Use at least three sources you have read, not search snippets. Base each entry on its official text or on an official publication by its issuer. Reference the sources for each element; note elements based on model knowledge alone in a closing note.
3. Write accessibly; explain technical terms and abbreviations at first use. Do not invent sources, products, organizations, people, figures, or statistics.
4. State limitations (no documents, unreadable sources, fewer than three sources, not an IT system) in one opening sentence. Add no other preamble.
5. Include only entries that a source confirms; never guess a designation, version, or issuer. Use the current version; treat amendments as part of the act they amend; omit repealed acts.
6. Classify standards of international organizations (e.g. ICAO Annexes) as Standard, and their procedures and manuals (e.g. ICAO PANS, ICAO Docs) as Guideline.

Output

Markdown

Input

Ask for the domain, the system, the country or region, and any existing documents. Without a country or region, cover international rules only.

Before I start, please provide:

1. **Domain:** Which domain does the system belong to?
2. **System:** Which system should the regulations and standards be listed for?
3. **Country or region:** For which country or region should national and regional rules be covered? Without one, I will cover international rules only.
4. **Documents:** Do you have any existing documents about the domain or the system? If so, please attach them.

1. Aviation Safety
2. Aeronautical Information Services (AIS)
3. Germany

Regulations and Standards: Aeronautical Information Services (AIS), European Union / Germany

Limitations: AIS is a service and organisational function supported by several IT systems rather than a single IT system; no documents were provided; ICAO Annex 15 and the ICAO PANS-AIM could not be retrieved, so an official national regulation transposing Annex 15 (SRC 1) was used instead; Annex VI (Part-AIS) of Regulation (EU) 2017/373 could not be read; and no German national rules are listed because the official texts (e.g., the German Aviation Act, LuftVG) could not be retrieved.

ID	Designation	Type	Jurisdiction	Description	Relevance	Sources
REG 1	Convention on International Civil Aviation (Chicago Convention, 1944)	Law	International	International treaty that founds ICAO; Article 37 is the basis for ICAO standards such as Annex 15, and Article 38 obliges States	States must provide AIS in line with ICAO standards and publish any notified differences in their AIP (Aeronautical Information	SRC 1, SRC 2

				to notify ICAO of differences between their national rules and those standards.	Publication).	
REG 2	ICAO Annex 15 - Aeronautical Information Services	Standard	International	ICAO Standards and Recommended Practices (SARPs) defining the object, responsibilities and functions of AIS, data qualit	Core functional and quality baseline for any AIS; EU rules are built on it.	SRC 1, SRC 3

y, aeronautical information products (AIP, NOTAM, AIC, charts, digital data sets), distribution, pre-/post-flight information and the AIRAC cycle; latest amendment incorporated in SRC 1 is Amendment 43 (training

				methodology, system-wide information management, information security).		
REG 3	ICAO Doc 10066 - Procedures for Air Navigation Services - Aeronautical Information Management (PANS-AIM)	Guideline	International	ICAO procedures detailing the content, format and data sets of aeronautical information products; classified as Guideline because it is an	Defines the data a central AIS database and its interfaces must provide, e.g., the minimum static data for NOTAM validation and	SRC 3

				ICAO procedures document.	pre-flight bulletins.	
REG 4	ICAO Doc 8126 - Aeronautical Information Services Manual	Guideline	International	ICAO guidance on organising and operating an AIS, including data integrity measures, databases, data exchange services, querying data sets and pre-flight information bulletins.	Practical guidance for designing AIS processes, databases and exchange interfaces.	SRC 1

REG 5	ICAO Doc 9839 - Manual on the Quality Management System for Aeronautical Information Services	Guideline	International	ICAO guidance on setting up the quality management system required for all AIS functions.	Supports requirements on traceability, error handling and auditability across the data chain.	SRC 1
REG 6	ICAO Doc 10199 - Procedures for Air Navigation Services - Information Management (PANS-IM)	Guideline	International	ICAO procedures for information services in a service-oriented, machine-to-machine environment (syste	Relevant for specifying data set information services (query, retrieve, subscribe).	SRC 1

				m-wide information management, SWIM).		
REG 7	ICAO Doc 8400 - Procedures for Air Navigation Services - ICAO Abbreviations and Codes (PANS-ABC)	Guideline	International	ICAO list of abbreviations and codes to be used in aeronautical information products.	Constrains the vocabulary of NOTAM and other products the system produces and displays.	SRC 1
REG 8	Regulation (EU) 2018/1139 (EASA Basic Regulation)	Law	Regional	Regulation of the European Parliament and the Council settin	Legal basis for certification and oversight of the AIS provider in	SRC 2, SRC 5

				g the comm on EU frame work for civil aviatio n safety , includi ng air traffic mana geme nt/air naviga tion servic es (ATM/ ANS), on which Regul ation (EU) 2017/ 373 and Regul ation (EU) 2023/ 203 are based .	the EU.	

REG 9	Commission Implementing Regulation (EU) 2017/373	Regulation	Regional	Common requirements for ATM/ANS providers and their oversight; Annex III sets common organisational requirements (management system, change management, occurrence reporting, contingency plans)	Primary binding requirements set for an EU AIS provider and its functional system; certification depends on compliance.	SRC 2, SRC 5

and Annex VI (Part-AIS) sets specific AIS requirements; applies from 2 January 2020 and has been amended repeatedly, e.g., by Regulation (EU) 2020/469 and up to Regulation (EU) 2025/2293 (consolidated

				version of 22/02/2026).		
REG 10	Acceptable Means of Compliance (AMC) and Guidance Material (GM) to Implementing Regulation (EU) 2017/373, issued by EASA Executive Director Decisions	Guideline	Regional	Non-binding EASA material illustrating how to comply with Regulation (EU) 2017/373, including its Part-AIS; published consolidated in the Easy Access Rules (revision of March 2025).	Default way to demonstrate compliance; deviations require approved alternative means of compliance.	SRC 2, SRC 5

REG 11	Commission Implementing Regulation (EU) 2023/203 (Part-IS)	Regulation	Regional	Requirements for managing information security risks with a potential impact on aviation safety; incorporated into the ATM/ANS rules, with related AMC/GM in ED Decision 2023/010/R.	Requires information security management for the AIS provider and its systems, including incident reporting.	SRC 2, SRC 5
REG 12	Commission Deleg	Regulation	Regional	Rules on the conformity	May apply to AIS groun	SRC 2, SRC 5

	ated Regulation (EU) 2023/1768 and Commission Implementing Regulation (EU) 2023/1771 (ATM/ANS equipment)			assessment of ATM/ANS systems and constituents (statements of compliance, equipment directives); 2023/1771 amends Regulation (EU) 2017/373 accordingly, with AMC/GM in ED Decision 2023/018/R.	d systems if they qualify as ATM/ANS equipment; scope must be confirmed.	
REG 13	Regulation	Law	Regional	Regulation	The AIS	SRC 2

	(EU) No 376/2014 (occurrence reporting)			of the European Parliament and the Council on reporting, analysis and follow-up of occurrences in civil aviation.	provider must report occurrences, e.g., publication of erroneous data, within the deadlines set in Regulation (EU) 2017/373.	
REG 14	ISO 9000 series - Quality management systems	Standard	International	International standards on quality management, fundamentals and vocabulary; edition not	The AIS quality management system must follow the ISO 9000 series as a minim	SRC 1

				stated in the sources.	um and should be certified.	
REG 15	ISO 19100 series - Geographic information (incl. ISO 19101, 19104, 19108, 19110, 19115, 19117, 19131)	Standard	International	International standards for geographic information: reference model, terminology, temporal schema, feature catalogues, metadata, portrayal and data product specifications;	Defines the concepts behind digital data sets, metadata and data product specifications the system must handle.	SRC 1

				editions not stated in the sources.		
REG 16	Aeronautical Information Exchange Model (AIXM) 5.1	Standard	International	Data model and exchange schema for aeronautical data, used as the backbone of the European AIS Database; classified as Standard because it is an industry specification adopted in operat	Likely data model for static data, digital NOTAM and system-to-system exchange.	SRC 3

				ions, although its issuer is not named in the sources.		
REG 17	EUROCONTROL Operating Procedures for AIS Dynamic Data (OPADD)	Guideline	Regional	EUROCONTROL procedures for creating, maintaining and distributing NOTAM, SNOWTAM and ASHTAM.	Shapes NOTAM processing rules for AIS units using the European AIS Database.	SRC 4

Sources

ID	Title	URL	Edition or date	Reading status
SRC 1	Civil Aviation Regulations - Air Navigatio	https://www.caap.gov.ph/wp-content/u	2nd Edition, July 2023, incl.	Full

	n Services, Part 15: Aeronautical Information Services (CAR-ANS Part 15), Civil Aviation Authority of the Philippines; national regulation based on ICAO Annex 15	ploads/2025/09/CAR-ANS-Part-15-Aeronautical-Information-Services-AM-9.pdf	Amendment No. 9 of 14 November 2024 (incorporates ICAO Annex 15 Amendment 43)	
SRC 2	Commission Implementing Regulation (EU) 2017/373 laying down common requirements for providers of air traffic management/air navigation	https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:02017R0373-20260222	Consolidated version of 22/02/2026	Partial: list of amending acts, Articles 1-10, table of contents, Annex I (definitions), Annex II Subparts A-B and part of Subpart C; Annex III Subparts

	services and other ATM network functions and their oversight (consolidated text)			A-B read in the original text of 8.3.2017; Annex VI (Part-AIS) not read
SRC 3	European AIS Database (EAD), EUROCONTROL	European AIS Database (EAD)	not stated	Full
SRC 4	International NOTAM operations (EAD INO), EUROCONTROL	International NOTAM operations (EAD INO)	not stated	Full
SRC 5	Easy Access Rules for Air Traffic Management/Air Navigation Services - Provision of Services, EASA	Easy Access Rules for Air Traffic Management/Air Navigation Services — Provision of Services - Revision from March 2025 — Available in pd	Revision from March 2025, published 13/03/2025	Full (landing page; the PDF itself not read)

		f, as online version, and in XML format | EASA		

Biggest gap: no German national rules. gesetze-im-internet.de blocks automated access, so I couldn't read the official texts. Candidates to verify and add manually:

- **LuftVG § 27c (2) No. 5** – lists "Flugberatungsdienste" (AIS) as an air navigation service and a non-sovereign support service
- **FSDurchführungsV § 19** – publication of NfL, NOTAM and AIC by the ANSP
- **BAF** (Bundesaufsichtsamt für Flugsicherung) as the national supervisory authority

Other judgement calls:

- **Region:** You didn't name one; I chose EU/Germany because your context is Germany. For pure ICAO scope, drop REG 8–13.
- **Annex VI (Part-AIS) still unread.** EUR-Lex truncated the HTML and then rate-limited the PDF. This remains the most important text for an EU AIS. The EASA Easy Access Rules PDF (linked from SRC 5) contains it with AMC/GM — attach it and I'll fill the gap across all five documents.
- **Regulation (EC) No 550/2004 omitted.** It's referenced in LuftVG and 2017/373, but may have been repealed by the 2024 Single European Sky recast. I couldn't verify that, so I left it out rather than list a possibly repealed act.
- **REG 12 (ATM/ANS equipment):** whether AIS ground systems fall under it is unclear — check scope with your compliance contact.
- **REG 16 (AIXM 5.1):** typed as Standard, but the sources don't name its issuer.

Actors

Role

You are a domain expert in the given domain, supporting a requirements engineer who specifies the given system.

Goal

Describe the **Actors**: the people, user groups, and organizations that interact with the system. For each, give an **id** (`ACT {{n}}`), a **name**, their **goals** and the **tasks** they perform with the system (one sentence each), and their **data flows**, each with the data and a direction: **To system**, **From system**, or **Bidirectional**.

List the sources (`SRC {{n}}`) with title, url, edition or date (or "not stated"), and reading status: full (the complete text, without embedded media or linked pages), partial (which parts), or provided document.

Instructions

1. Use provided documents first; they take precedence for the organization's own terms. Then use official web sources (legislators, standardization bodies, authorities) in their current edition. If one is not freely available or cannot be retrieved, use an authority's copy or another official publication, never an unofficial copy. No blogs, forums, or vendor marketing.
2. Use at least three sources you have read, not search snippets, including a primary source (a law, standard, or official specification) that governs or defines the system. Reference the sources for each element; note elements based on model knowledge alone in a closing note.
3. Write accessibly; explain technical terms and abbreviations at first use. Do not invent sources, products, organizations, people, figures, or statistics.
4. State limitations (no documents, unreadable sources, fewer than three sources or no primary source, not an IT system) in one opening sentence. Add no other preamble.
5. Describe actors by role, including those who operate or maintain the system; technical systems are not actors.

Group people with the same goals and tasks into one actor.

6. Split data flowing in opposite directions into separate flows; use Bidirectional only for the same data both ways.

Output

Markdown

Input

Ask for the domain, the system, and any existing documents.

Before I start, please provide:

1. **Domain:** Which domain does the system belong to?
2. **System:** Which system should the actors be described for?
3. **Documents:** Do you have any existing documents about the domain or the system? If so, please attach them.

1. Aviation Safety
2. Aeronautical Information Services (AIS)

Actors: Aeronautical Information Services (AIS)

Limitations: AIS is a service and organisational function supported by several IT systems rather than a single IT system; no documents were provided; ICAO Annex 15 itself could not be retrieved, so an official national regulation transposing it (SRC 1) was used instead, and Annex VI (Part-AIS) of Regulation (EU) 2017/373 could not be read.

ID	Name	Goals	Tasks	Data flows	Sources
ACT 1	AIS officer	Make complete, correct and timely aeronautical information available for the entire area of responsibility.	Receives, verifies and validates data from originators, assembles and edits it, and publishes it as AIP (Aeronautical Information Publication) amendments and supplements, AIC	**To system:** verified and edited aeronautical data, AIP amendments and supplements, AIC **From system:** data received from originators, checklists of valid AIP supple	SRC 1, SRC 2, SRC 3

			(Aeronautical Information Circulars), charts and digital data sets, following the AIRAC (Aeronautical Information Regulation and Control) cycle.	ments, AIC and data sets	
ACT 2	NOTAM office operator	Notify temporary and short-notice operationally significant changes promptly and in the correct format.	Creates, maintains and distributes NOTAM (Notices to Airmen), SNOWTAM (runway surface condition	**To system:** NOTAM, SNOWTAM, ASHTAM, NOTAM proposals **From system:** NOTAM from other	SRC 1, SRC 3, SRC 4

			reports) and ASHTAM (volcanic activity notices), including Trigger NOTAM for AIRAC publications, and handles NOTAM received from other States.	States, NOTAM history, checklists of valid NOTAM	
ACT 3	Data originator	Get changes to their facilities, airspace or procedures published correctly and on time.	Checks aeronautical data for completeness and correctness before submitting it to the AIS under a formal arrange	**To system:** checked aeronautical data and aeronautical information for publication	SRC 1, SRC 2

			ment - e.g., as an aerodrome operator, air traffic services unit, flight procedure designer or CNS (communication, navigation, surveillance) provider.		
ACT 4	Flight crew	Fly safely with current knowledge of aerodromes, airspace, procedures and hazards along	Consults pre-flight information before departure and reports observations on air navigation facilitie	**From system:** pre-flight information bulletins (PIB), NOTAM, AIP, aeronautical charts **To system**	SRC 1, SRC 3

		the route.	s and wildlife hazards after the flight; includes commercial and private pilots.	**:** post-flight reports on the state of air navigation facilities and on wildlife hazards	
ACT 5	Flight dispatcher	Plan flights efficiently and provide crews with a complete briefing package.	Requests aerodrome, area or route briefings, defines and stores routes based on flight plans, and monitors NOTAM for planned flights.	**To system :** route definitions, flight plan references, briefing profiles **From system :** route and area briefings, NOTAM and update notifications	SRC 1, SRC 3, SRC 4
ACT 6	Air traffic services staff	Provide flight information	Use aeronautical informa	**From system :** aerona	SRC 1, SRC 2

		service and pre-flight information based on current aeronautical information.	tion in flight information units and air traffic services reporting offices, and pass on information about facilities reported by flight crews.	utical data and aeronautical information in operationally suitable form **To system :** post-flight information on facilities and wildlife hazards received from flight crews	
ACT 7	Competent authority	Ensure that the AIS provider meets the applicable requirements and provides its service safely.	Certifies and oversees the AIS provider through audits, inspections and safety directives; in its	**From system :** evidence of compliance, audit records, occurrence reports **To system**	SRC 1, SRC 2

			State role, remains responsible for the aeronautical information provided.	**:** findings, safety directives	
ACT 8	AIS quality and compliance manager	Keep the AIS compliant and its data quality demonstrable.	Runs the quality management system across all AIS functions, monitors compliance through audits, ensures personnel competence and traces data errors to their root cause;	**From system :** quality records, metadata for traceability, audit results, competence records **To system :** corrective actions, error corrections communicated to affected users	SRC 1, SRC 2

			reports to the accountable manager.		
ACT 9	Data services provider	Build reliable aeronautical databases for aircraft systems and other applications from authoritative data.	Retrieves digital data sets per AIRAC cycle or via subscription and processes them into navigation databases or value-added products; includes data houses and software companies.	**From system:** digital data sets (AIP, terrain, obstacle, aerodrome mapping, instrument flight procedure) with metadata, update notifications	SRC 1, SRC 2, SRC 3
ACT 10	Technical operations and	Keep the AIS systems	Operate and maintain the	**To system:** configu	SRC 2, SRC 3

	support staff	available and working correctly.	technical equipment, release it from and return it into operation, and handle technical and operational user enquiries, e.g., via a service desk around the clock.	ration changes, release and return-to-service actions **From system:** system status, incident and enquiry information	
ACT 11	General public	Get general orientation on aeronautical information without operational use.	Consults a limited set of aeronautical information through a free public access, not for operational	**From system:** limited set of aeronautical information	SRC 3

			purposes.		

Sources

ID	Title	URL	Edition or date	Reading status
SRC 1	Civil Aviation Regulations - Air Navigation Services, Part 15: Aeronautical Information Services (CAR-ANS Part 15), Civil Aviation Authority of the Philippines; national regulation based on ICAO Annex 15	https://www.caap.gov.ph/wp-content/uploads/2025/09/CAR-ANS-Part-15-Aeronautical-Information-Services-AM-9.pdf	2nd Edition, July 2023, incl. Amendment No. 9 of 14 November 2024 (incorporates ICAO Annex 15 Amendment 43)	Full
SRC 2	Commission Implementing Regulation (EU) 2017/373	https://eur-lex.europa.eu/legal-content/EN/TXT/?	Consolidated version of 22/02/2026	Partial: Articles 1-10, table of contents, Annex I (definition

	laying down common requirements for providers of air traffic management/air navigation services and other ATM network functions and their oversight (consolidated text)	uri=CELEX:02017R0373-20260222		s), Annex II Subparts A-B and part of Subpart C; Annex III Subparts A-B read in the original text of 8.3.2017; Annex VI (Part-AIS) not read
SRC 3	European AIS Database (EAD), EUROCONTROL	European AIS Database (EAD)	not stated	Full
SRC 4	International NOTAM operations (EAD INO), EUROCONTROL	International NOTAM operations (EAD INO)	not stated	Full

Judgement calls to check:

- **Role names are mine.** The sources describe functions, not job titles (“AIS officer”, “flight dispatcher”, “quality

and compliance manager" are conventional labels). Replace them with your organisation's role names if you have them.

- **Pilots grouped into one actor.** Commercial and private pilots share goals and tasks in the sources, so they're one actor (ACT 4). Split them if GA (general aviation) access differs in your scope, e.g., self-briefing vs. airline briefing package.
- **ACT 6 (ATS staff) is also an originator.** ATS units submit data (ACT 3) and consume it (ACT 6). I kept both roles separate because goals differ.
- **ACT 8 is a merge.** Quality manager (SRC 1: QMS, audits, traceability) and accountable manager (SRC 2) combined. Separate them if accountability vs. operational QM matters for your requirements.
- **ACT 10 is partly inferred.** SRC 2 defines staff who operate and maintain ATM/ANS equipment generally, not specifically for AIS; SRC 3 covers the EAD service desk. Plausible, but no source names an AIS technical role directly.
- **Military AIS and airport operators** appear in SRC 3 as data providers/users but I folded them into ACT 3 and ACT 1 rather than listing them separately.

Glossary

Role

You are a domain expert in the given domain, supporting a requirements engineer who specifies the given system.

Goal

Create a first draft of a **Glossary** with 10 to 20 terms that stakeholders need to understand the system and its domain, sorted alphabetically. For each, give an **id** (`GT {{n}}`, in alphabetical order), the **term**, optionally the **original term** (if the source uses another language) and the **abbreviation**, a **definition**, optionally a **note**, and at least one **source**.

List the sources (`SRC {{n}}`) with title, url, edition or date (or "not stated"), and reading status: full (the

complete text, without embedded media or linked pages), partial (which parts), or provided document.

Instructions

1. Use provided documents first; they take precedence for the organization's own terms. Then use official web sources (legislators, standardization bodies, authorities) in their current edition. If one is not freely available or cannot be retrieved, use an authority's copy or another official publication, never an unofficial copy. No blogs, forums, or vendor marketing.
2. Use at least three sources you have read, not search snippets, including a primary source (a law, standard, or official specification) that governs or defines the system.
3. Write accessibly; explain abbreviations at first use. Do not invent sources, products, organizations, people, figures, or statistics.
4. State limitations (no documents, unreadable sources, fewer than three sources or no primary source, not an IT system) in one opening sentence. Add no other preamble.
5. Include only terms that a source defines, including the organization's own terms; never define a term from model knowledge alone. Use only definitions you have read completely; paraphrase them closely, never verbatim, except for legal definitions from laws.
6. If sources define a term differently, prefer the law or standard over other sources and state the difference in the note.

Output

Markdown

Input

Ask for the domain, the system, and any existing documents.

Before I start, please provide:

1. **Domain:** Which domain does the system belong to?
2. **System:** Which system should the glossary cover?

3. **Documents:** Do you have any existing documents about the domain or the system? If so, please attach them.

1. Aviation Safety
2. Aeronautical Information Services (AIS)

Glossary: Aeronautical Information Services (AIS)

Limitations: AIS is a service and organisational function supported by several IT systems rather than a single IT system; no documents were provided; ICAO Annex 15 itself could not be retrieved, so an official national regulation transposing it (SRC 1) was used instead, and Annex VI (Part-AIS) of Regulation (EU) 2017/373 could not be read.

ID	Term	Abbreviation	Definition	Note	Sources
GT 1	Aeronautical data	–	A formalised representation of aeronautical facts, concepts or instructions that is suitable for communication, interpretation or processing.	–	SRC 1, SRC 2

GT 2	Aeronautical information	–	Information that results from assembling, analysing and formatting aeronautical data.	–	SRC 1, SRC 2
GT 3	Aeronautical Information Circular	AIC	A notice with information relating to flight safety, air navigation, or technical, administrative or legislative matters that qualifies neither for a NOTAM nor for		

			inclusion in the AIP (Aeronautical Information Publication).		
GT 4	Aeronautical information management	AIM	The dynamic, integrated management of aeronautical information by providing and exchanging quality-assured digital aeronautical data in collaboration with all parties involved.	–	SRC 1, SRC 2
GT 5	Aeronautical informa	–	Aeronautical data	SRC 1 adds that	SRC 1, SRC 2

	tion product		and aerona utical informa tion provide d either as digital data sets or in a standar dised present ation on paper or electro nic media; product s are the AIP with its amend ments and supple ments, AIC, aerona utical charts, NOTAM and digital data sets.	these product s mainly serve the internat ional exchan ge of aerona utical informa tion.	

GT 6	Aeronautical Information Publication	AIP	A publication issued by or with the authority of a State that contains aeronautical information of a lasting character essential to air navigation.	–	SRC 1, SRC 2
GT 7	Aeronautical information regulation and control	AIRAC	A system for advance notification, based on common effective dates, of circumstances	SRC 1 adds that the common effective dates follow at intervals of 28 days.	SRC 1, SRC 2

			that require significant changes in operating practices.		
GT 8	Aeronautical information service	AIS	A service, established within a defined area of coverage, that is responsible for providing the aeronautical data and aeronautical information necessary for the safety, regularity and efficiency of air	The definition was not found in the read parts of SRC 2.	SRC 1

			navigation.		
GT 9	AIP amendment	–	A permanent change to the information contained in the AIP.	–	SRC 1, SRC 2
GT 10	AIP supplement	–	A temporary change to the information contained in the AIP, published on special pages.	–	SRC 1, SRC 2
GT 11	ASHTAM	–	A special series of NOTAM that uses a specific format to notify a change in the	–	SRC 1, SRC 2

			activity of a volcano, a volcanic eruption or a volcanic ash cloud that matters for aircraft operations.		
GT 12	Data integrity	–	The degree of assurance that aeronautical data and its value have not been lost or altered since the data was originated or amended with	SRC 1 calls the term "data integrity (assurance level)".	SRC 1, SRC 2

			authorisation.		
GT 13	Data quality	–	The degree or level of confidence that the data provided meets the user's requirements regarding accuracy, resolution, integrity (or equivalent assurance level), traceability, timeliness, completeness and format.	–	SRC 1, SRC 2
GT 14	European AIS	EAD	A centralised	–	SRC 3

	Database		reference database of quality-assured aeronautical information, operated by EUROCONTROL, from which users can retrieve and download AIS data in real time and in which data providers maintain and distribute their own aeronautical information.		

GT 15	Integrity classification	–	A classification of aeronautical data based on the potential risk from using corrupted data, distinguishing routine, essential and critical data.	SRC 1 specifies the classes by the probability that using corrupted data puts the safe continuation of flight and landing severely at risk: very low (routine), low (essential), high (critical).	SRC 1, SRC 2
GT 16	International NOTAM office	NOF	An office designated by a State for the international exchange of NOTAM.	SRC 2 names the Member State as designating body; SRC 1 names the	SRC 1, SRC 2

				national aviation authority's Director General.	
GT 17	Metadata	–	Data about data; a structured description of the content, quality, condition or other characteristics of data.	SRC 2 gives only the short form "data about data".	SRC 1, SRC 2
GT 18	NOTAM	NOTAM	A notice distributed by telecommunication that contains information on the establishment, condition or	Long form "Notice to Airmen" per SRC 1.	SRC 1, SRC 2

			change of an aeronautical facility, service, procedure or hazard, which personnel concerned with flight operations need to know in time.		
GT 19	Pre-flight information bulletin	PIB	A presentation of current NOTAM information of operational significance, prepared before a flight.	SRC 4 describes PIB-type briefings by aerodrome, area or route.	SRC 1, SRC 4
GT 20	SNOWTAM	–	A special series of	SRC 1 also lists an older,	SRC 1, SRC 2

			NOTAM in a standard format that reports surface conditions, notifying the presence or end of hazardous conditions caused by snow, ice, slush, frost or standing water on the movement area of an aerodrome.	narrower definition applicable until 3 November 2021.	

Sources

ID	Title	URL	Edition or date	Reading status

SRC 1	Civil Aviation Regulations - Air Navigation Services, Part 15: Aeronautical Information Services (CAR-ANS Part 15), Civil Aviation Authority of the Philippines; national regulation based on ICAO Annex 15	https://www.caap.gov.ph/wp-content/uploads/2025/09/CAR-ANS-Part-15-Aeronautical-Information-Services-AM-9.pdf	2nd Edition, July 2023, incl. Amendment No. 9 of 14 November 2024 (incorporates ICAO Annex 15 Amendment 43)	Full
SRC 2	Commission Implementing Regulation (EU) 2017/373 laying down common requirements for providers of air	https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:02017R0373-20260222	Consolidated version of 22/02/2026	Partial: list of amending acts, Articles 1-10, table of contents, Annex I (definitions), Annex II Subparts A-B and

	traffic management/air navigation services and other ATM network functions and their oversight (consolidated text)			part of Subpart C; Annex VI (Part-AIS) not read
SRC 3	European AIS Database (EAD), EUROCONTROL	European AIS Database (EAD)	not stated	Full
SRC 4	International NOTAM operations (EAD INO), EUROCONTROL	International NOTAM operations (EAD INO)	not stated	Full