





ELEVATION




ORIENTATION PLAN
SECTION "A-A"
(#17 THRU #19)




ORIENTATION PLAN
SECTION "B-B"
(#2 THRU #16)

## GENERAL INFORMATION

1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. ALL TOWER ATTACHMENTS SHOWN ON THIS DRAWING BE NOT ACTUAL FABRICATION DRAWING. THEREFORE, THE FABRICATION DRAWING SHOULD BE PREPARED BY VESSEL VENDOR.
3. ALL PARTS SHOWN ON THIS DRAWING SHALL BE SUPPLIED AND INSTALLED BY VESSEL FABRICATOR.
4. ALL TRAY ELEVATIONS ARE TO TOP OF THE TRAY SUPPORT RINGS.
5. SUPPORT RINGS ARE TO BE LEVEL ALL AROUND CIRCUMFERENCE OF TOWER, ACROSS TOWER, ACROSS SUPPORT RING FROM TOWER TO INNER EDGE.
6. GRIND OFF ALL BURRS AND SLUG ON THE TOP SURFACE OF SUPPORT RING.
7. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013

FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| 3 | 21/02/06 | FOR FINAL | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| 2 | 28/12/05 | FOR FINAL | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| 1 | 27/04/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| 0 | 05/03/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY


PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE

HMT | OIEC | IOEC


TITLE:
103-C-101/201
CONDENSATE STABILISER
VESSEL SKETCH

DWG No. VP-6340S-103-C1101-003 | SHEET No. 1 OF 11 | REV. F


THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.





PLAN VIEW OF EVEN NO. TRAY SUPPORT RING(#2 THRU #14)





PLAN VIEW OF #16 TRAY SUPPORT RING





PLAN VIEW OF ODD NO. TRAY SUPPORT RING(#3 THRU #15)
(EXCEPT #9)





SECTION THRU CENTER LINE FOR EVEN NO. BOLTING BAR(#4 THRU #14)





SECTION THRU CENTER LINE FOR #16 BOLTING BAR





SECTION THRU CENTER LINE FOR ODD NO. BOLTING BAR(#3 THRU #15)
(EXCEPT #9)





SECTION THRU CENTER LINE FOR #2 BOLTING BAR





PLAN VIEW OF #9 TRAY SUPPORT RING





PLAN VIEW OF SEAL PAN & DRAW-OFF PAN





SECTION THRU CENTER LINE FOR SEAL PAN & DRAW-OFF PAN





DETAIL OF DECK SEAT
(EVEN NO. #2 THRU #14)




SECTION THRU CENTER LINE FOR #9 BOLTING BAR, SEAL PAN & DRAW-OFF PAN VIEW "D-D"



DETAIL "A"



DETAIL "B"



DETAIL "C"


| NO. | | DESCRIPTION | MAT'L | Q'TY NET | Q'TY UNIT | REMARKS |
|---|---|---|---|---|---|---|
| 1 | | SUPPORT RING | A516GR60N | 7 | SETS | 16Tx65W |
| | -1 | BOLTING BAR | A516GR60N | 12 | EA | 16T |
| | -2 | BOLTING BAR | A516GR60N | 12 | EA | 16T |
| | -3 | BOLTING BAR | A516GR60N | 2 | EA | 16T |
| | -4 | BOLTING BAR | A516GR60N | 2 | EA | 16T |
| | -5 | DECK SEAT | A516GR60N | 14 | EA | 16T |
| | -5A | DECK SEAT | A516GR60N | 14 | EA | 16T |
| 2 | | SUPPORT RING | A516GR60N | 1 | SET | 16Tx65W |
| | -1 | BOLTING BAR | A516GR60N | 2 | EA | 16T |
| | -2 | BOLTING BAR | A516GR60N | 2 | EA | 16T |
| | -3 | SUMP | A516GR60N | 1 | EA | 16T |
| 3 | | SUPPORT RING | A516GR60N | 6 | SETS | 16Tx65W |
| | -1 | BOLTING BAR | A516GR60N | 12 | EA | 16T |
| | -2 | BOLTING BAR | A516GR60N | 12 | EA | 16T |
| 4 | | SUPPORT RING | A516GR60N | 1 | SET | 16Tx65W |
| | -1 | BOLTING BAR | A516GR60N | 4 | EA | 16T |
| 5 | | SEAL PAN SUPPORT | A516GR60N | 2 | SETS | 16T |
| | -1 | BOLTING BAR | A516GR60N | 4 | EA | 16T |
| | -2 | DRAW-OFF PAN | A516GR60N | 1 | SET | 16T |

(TOTAL; 2 SETS)

## GENERAL INFORMATION

1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. ALL TOWER ATTACHMENTS SHOWN ON THIS DRAWING BE NOT ACTUAL FABRICATION DRAWING. THEREFORE, THE FABRICATION DRAWING SHOULD BE PREPARED BY VESSEL VENDOR.
3. ALL PARTS SHOWN ON THIS DRAWING SHALL BE SUPPLIED AND INSTALLED BY VESSEL FABRICATOR.
4. ALL TRAY ELEVATIONS ARE TO TOP OF THE TRAY SUPPORT RINGS.
5. SUPPORT RINGS ARE TO BE LEVEL ALL AROUND CIRCUMFERENCE OF TOWER, ACROSS TOWER, ACROSS SUPPORT RING FROM TOWER TO INNER EDGE.
6. GRIND OFF ALL BURRS AND SLUG ON THE TOP SURFACE OF SUPPROT RING.
7. REFERENCE DWG. NO. : VP-6340S-103-C101-003 ~ 013.

TYPICAL WELD DETAILS




NOTE : All welds are continuous 11mm fillet welds unless otherwise specified.

FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| I | 23/06/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| 0 | 05/03/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY


| PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE |
|---|---|---|

HMT | OIEC | IOEC


TITLE:
103-C-101/201
CONDENSATE STABILISER
TOWER ATTACHMENT DWG.(1/3)

| DWG No. | VP-6340S-103-C101-004 | SHEET No. 2 OF 11 | REV. F |
|---|---|---|---|


THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.





PLAN VIEW OF #19 TRAY SUPPORT RING
ROTATED 180° FOR #18 TRAY SUPPORT RING





PLAN VIEW OF #17 TRAY SUPPORT RING





SECTION THRU CENTER LINE FOR #17, #18, #19 BOLTING BAR
& DOWNPIPE




VIEW "C-C"




DETAIL "B"




VIEW "A"


| NO. | | DESCRIPTION | MAT'L | Q'TY | | REMARKS |
|---|---|---|---|---|---|---|
| | | | | MCT | UNIT | |
| 6 | | SUPPORT RING | A516GR60N | 3 | SETS | 16Tx65W |
| | -1 | BOLTING BAR | A516GR60N | 2 | EA | 16T |
| | -2 | BOLTING BAR | A516GR60N | 2 | EA | 16T |
| | -3 | BOLTING BAR | A516GR60N | 2 | EA | 16T |
| | -4 | BOLTING BAR | A516GR60N | 1 | EA | 16T |
| | -5 | DECK | A516GR60N | 1 | EA | 16T |
| | -6 | DOWNPIPE | A312-TP304L | 1 | EA | 4" |
| | -7 | CLIP | A516GR60N | 1 | EA | 16T |
| | -8 | SIDE SUMP | A516GR60N | 1 | EA | 16T |
| | -9 | SIDE SUMP | A516GR60N | 2 | EA | 16T |
| | -10 | SIDE SUMP | A516GR60N | 3 | EA | 16T |

(TOTAL; 2 SETS)

## GENERAL INFORMATION

1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. ALL TOWER ATTACHMENTS SHOWN ON THIS DRAWING BE NOT ACTUAL FABRICATION DRAWING. THEREFORE, THE FABRICATION DRAWING SHOULD BE PREPARED BY VESSEL VENDOR.
3. ALL PARTS SHOWN ON THIS DRAWING SHALL BE SUPPLIED AND INSTALLED BY VESSEL FABRICATOR.
4. ALL TRAY ELEVATIONS ARE TO TOP OF THE TRAY SUPPORT RINGS.
5. SUPPORT RINGS ARE TO BE LEVEL ALL AROUND CIRCUMFERENCE OF TOWER, ACROSS TOWER, ACROSS SUPPORT RING FROM TOWER TO INNER EDGE.
6. GRIND OFF ALL BURRS AND SLUG ON THE TOP SURFACE OF SUPPROT RING.
7. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013.

TYPICAL WELD DETAILS




NOTE : All welds are continuous 11mm fillet welds unless otherwise specified.

FINAL
2006. 6. 19
HANBAL MASSTECH
LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.I.Moon | J.H.Kwon | |
| 2 | 23/06/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.I.Moon | J.H.Kwon | |
| 1 | 27/04/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.I.Moon | J.H.Kwon | |
| 0 | 05/03/05 | FOR APPROVAL | HMT | Y.P.KIM | K.I.Moon | J.H.Kwon | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY


PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE

HMT | OIEC | I.O.E.C


TITLE:
103-C-101/201
CONDENSATE STABILISER
TOWER ATTACHMENT DWG.(2/3)

DWG No. VP-6340S-103-C1101-005 | SHEET No. 3 OF 11 | REV. F


THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.





PLAN VIEW OF CHIMNEY TRAY SUPPORT RING
(BELOW #2)





PLAN VIEW OF FALSE DOWNCOMER
(UPPER #8)





PLAN VIEW OF "B2" NOZZLE
(UPPER #8)





PLAN VIEW OF "A" NOZZLE & FALSE DOWNCOMER
(UPPER #16)





SECTION THRU CENTER LINE FOR CHIMNEY TRAY SUPPORT





SECTION THRU CENTER LINE FOR FALSE DOWNCOMER





SECTION THRU CENTER LINE FOR "A" NOZZLE





SECTION "A-A"





SECTION THRU CENTER LINE FOR FALSE DOWNCOMER





PLAN VIEW OF "R" NOZZLE
(UPPER #19)





TYPICAL WELD DETAIL
(FOR "B2" NOZZLE)





VIEW "C"
(FLANGE & GASKET)





DETAIL "B-002" 13





VIEW "F-F"





VIEW "G-G"





SECTION "B-B"





TYPICAL WELD DETAIL
(FOR "A" NOZZLE)




VIEW "C"
(FLANGE & GASKET)




DETAIL "B-001" 10




VIEW "D-D"


| NO. | | DESCRIPTION | MAT'L | Q'TY NET | Q'TY UNIT | REMARKS |
|---|---|---|---|---|---|---|
| 7 | | SUPPORT RING | A516GR60N | 1 | SET | 16Tx65W |
| | -1 | SUMP | A516GR60N | 1 | EA | 16T |
| 8 | | FEED PIPE | A312-TP304L | 1 | SET | 18" PIPE/16T/10T |
| | -1 | FALSE DOWNCOMER | A516GR60N | 2 | EA | 16T |
| | -2 | FALSE DOWNCOMER | A516GR60N | 2 | EA | 16T |
| | -3 | CUP | A516GR60N | 1 | EA | 16T |
| | -4 | GSAKET | VALQUA-#6500 | 1 | EA | 3T(NON-ASBESTOS) |
| 9 | | FEED PIPE | A312-TP304L | 1 | SET | 12" PIPE/12T/10T |
| | -1 | GSAKET | VALQUA-#6500 | 1 | EA | 3T(NON-ASBESTOS) |
| | -2 | FALSE DOWNCOMER | A516GR60N | 1 | EA | 16T |
| | -3 | FALSE DOWNCOMER | A516GR60N | 1 | EA | 16T |
| | -4 | FALSE DOWNCOMER | A516GR60N | 1 | EA | 16T |
| | -5 | FALSE DOWNCOMER | A516GR60N | 1 | EA | 16T |
| 10 | | HEX BOLT/NUT | A193-B8/A194-8 | 8 | SETS | M16x50L |
| 11 | | HEX BOLT/NUT/2-WASHER | A193-B8/A194-8 A36-SS1 | 6 | SETS | M16x50L/ 3T |
| 12 | | FEED PIPE | A105-B | 1 | EA | 12" |
| 13 | | HEX BOLT/NUT | A193-B8/A194-8 | 12 | SETS | M16x60L |

(TOTAL; 2 SETS)

## GENERAL INFORMATION

1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. ALL TOWER ATTACHMENTS SHOWN ON THIS DRAWING BE NOT ACTUAL FABRICATION DRAWING. THEREFORE, THE FABRICATION DRAWING SHOULD BE PREPARED BY VESSEL VENDOR.
3. ALL PARTS SHOWN ON THIS DRAWING SHALL BE SUPPLIED AND INSTALLED BY VESSEL FABRICATOR.
4. ALL TRAY ELEVATIONS ARE TO TOP OF THE TRAY SUPPORT RINGS.
5. SUPPORT RINGS ARE TO BE LEVEL ALL AROUND CIRCUMFERENCE OF TOWER, ACROSS TOWER, ACROSS SUPPORT RING FROM TOWER TO INNER EDGE.
6. GRIND OFF ALL BURRS AND SLUG ON THE TOP SURFACE OF SUPPROT RING.
7. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013.

TYPICAL WELD DETAILS




NOTE : All welds are continuous 11mm fillet welds unless otherwise specified.

FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| 2 | 23/06/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| 1 | 27/04/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |
| 0 | 05/03/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.Moon | J.H.Kwon | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY


PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE

HMT | OIEC | TOPC


TITLE:
103-C-101/201
CONDENSATE STABILISER
TOWER ATTACHMENT DWG.(3/3)

DWG No. VP-6340S-103-C1101-005 | SHEET No. 4 OF 11 | REV. F


THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.





PLAN VIEW OF EVEN NO. TRAY(#2 THRU #14)




PLAN VIEW OF #8 DECK




PLAN VIEW OF #16 TRAY





| NO. | DESCRIPTION | MAT'L | Q'TY NET | Q'TY UNIT | REMARKS |
|---|---|---|---|---|---|
| | | | | | VP-6340S-103-C1101-012, 013. |

## GENERAL INFORMATION


1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. TRAY PARTS ARE DESIGNED TO PASS THROUGH 24"(575mm) MANHOLE.
3. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013.





KEY PLAN EVEN NO. TRAY(#2 THRU #14)





KEY PLAN #16 TRAY





SECTION THRU CENTER LINE FOR EVEN NO. TRAY(#4 THRU #14)





SECTION THRU CENTER LINE FOR FALSE DOWNCOMER





SECTION THRU CENTER LINE FOR #16 TRAY & FALSE DOWNCOMER






SECTION THRU CENTER LINE FOR #2 TRAY





DETAIL "A"





DETAIL OF LEVELING SHIM
(FOR EVEN NO. #2 THRU #14)




DETAIL OF D/C BRACKET
(EXCEPT #8, #16)




DETAIL OF INLET WEIR
(#8 ONLY)




DETAIL OF REINFORCEMENTS


THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.


FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 1 | 23/07/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 0 | 13/06/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES


N.I.O.C
PARS OIL AND GAS COMPANY

| PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE |
|---|---|---|


HMT | OIEC | POGC

TITLE:
103-C-101/201
CONDENSATE STABILISER
TRAY DETAIL DRAWING (1/5)


| DWG No. | VP-6340S-103-C1101-007 | SHEET No. 5 OF 11 | REV. F |
|---|---|---|---|





PLAN VIEW OF ODD NO. TRAY(#3 THRU #15)





SECTION THRU CENTER LINE FOR TRAY





PLAN VIEW OF SEAL PAN
(BELOW #9)





SECTION THRU CENTER LINE FOR ODD NO. TRAY(#3 THRU #15)
(EXCEPT #9)





HOLE PITCH





KEY PLAN ODD NO. TRAY(#3 THRU #15)





SECTION THRU CENTER LINE FOR #9 TRAY
& SEAL PAN




DETAIL OF D/C BRACKET




DETAIL OF D/C BRACKET
(FOR SEAL PAN)




DETAIL OF DOWNCOMER BRACES

## GENERAL INFORMATION

1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. TRAY PARTS ARE DESIGNED TO PASS THROUGH 24"(575mm) MANHOLE.
3. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013.

| NO. | DESCRIPTION | MAT'L | Q'TY NET | Q'TY UNIT | REMARKS |
|---|---|---|---|---|---|
| | | | | | VP-6340S-103-C1101-012, 013. |

FINAL
2006. 6. 19
HANBAL MASSTECH
LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 1 | 23/07/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 0 | 13/06/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY

| PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE |
|---|---|---|

HMT | OIEC | IOEC

TITLE:
103-C-101/201
CONDENSATE STABILISER
TRAY DETAIL DRAWING (2/5)


| DWG No. | VP-6340S-103-C1101-008 | SHEET No. 8 OF 11 | REV. F |
|---|---|---|---|

THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.


| NO. | DESCRIPTION | MAT'L | Q'TY NET | Q'TY UNIT | REMARKS |
|---|---|---|---|---|---|
| | | | | | VP-6340S-103-C1101-012, 013. |


## GENERAL INFORMATION

1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. TRAY PARTS ARE DESIGNED TO PASS THROUGH 24"(575mm) MANHOLE.
3. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013.





PLAN VIEW OF #17, #19 TRAY
ROTATED 180° FOR #18 TRAY





HOLE PITCH




SECTION THRU CENTER LINE FOR #17, #18, #19 TRAY




KEY PLAN #17, #19 TRAY
ROTATED 180° FOR #18 TRAY

FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 1 | 23/07/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 0 | 13/06/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY

| PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE |
|---|---|---|

HMT | OIEC | I.O.E.C

THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.


TITLE:
103-C-101/201
CONDENSATE STABILISER
TRAY DETAIL DRAWING (3/5)

| DWG No. | VP-6340S-103-C1101-009 | SHEET No. 7 OF 11 | REV. F |
|---|---|---|---|


| NO. | DESCRIPTION | MAT'L | Q'TY NET | Q'TY UNIT | REMARKS |
|---|---|---|---|---|---|
| | | | | | VP-6340S-103-C1101-012, 013. |

## GENERAL INFORMATION


1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. TRAY PARTS ARE DESIGNED TO PASS THROUGH 24"(575mm) MANHOLE.
3. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013.
4. CHIMNEY TRAY ARE FURNISHED BY HMT. INSTALLED BY VESSEL VENDOR.





PLAN VIEW OF CHIMNEY TRAY
(BELOW #2)





DETAIL OF INLET WEIR





TYP. RISER DETAIL





SECTION THRU CENTER LINE FOR CHIMNEY TRAY




DETAIL "A"




DETAIL OF D/C BRACKET




DETAIL "B"

FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 1 | 23/07/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 0 | 13/06/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY


PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE

HMT | OIEC | IOEC


TITLE: 103-C-101/201
CONDENSATE STABILISER
TRAY DETAIL DRAWING (4/5)

DWG No. VP-6340S-103-C1101-010 | SHEET No. 8 OF 11 | REV. F


THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.





DETAIL OF #2 SIDE DOWNCOMER





DETAIL OF CENTER DOWNCOMER(#3 THRU #15)
(EXCEPT #9)





DETAIL OF #17 DOWNCOMER





DETAIL OF CENTER DOWNCOMER(#9 ONLY)





DETAIL OF #18, #19 DOWNCOMER




DETAIL OF SIDE DOWNCOMER(#4 THRU #16)




DETAIL OF FALSE DOWNCOMER
(ABOVE #8)




DETAIL OF FALSE DOWNCOMER
(ABOVE #16)

| NO. | DESCRIPTION | MAT'L | QTY NET | QTY UNIT | REMARKS |
|---|---|---|---|---|---|
| | | | | | VP-6340S-103-C1101-012, 013. |

## GENERAL INFORMATION

1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. TRAY PARTS ARE DESIGNED TO PASS THROUGH 24"(575mm) MANHOLE.
3. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013.

FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 1 | 23/07/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 0 | 13/06/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY


PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE

HMT | OIEC | IOEC

TITLE:
103-C-101/201
CONDENSATE STABILISER
TRAY DETAIL DRAWING (5/5)

DWG No. VP-6340S-103-C1101-011 | SHEET No. 9 OF 11 | REV. F

THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DISCLOSED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.





## PARTS LIST

| PART NO. | DESCRIPTION | MATERIAL | SIZE | NET Q'TY | SPARES (CON. & COMM.) | SPARES (2 YEARS) | TOTAL Q'TY | Q'TY PER INTERNAL: EVEN NO. TRAY (#2 ONLY) (1) | EVEN NO. TRAY (#4 THRU #14) (EXCEPT #6) (5) | EVEN NO. TRAY (#6 ONLY) (1) | EVEN NO. TRAY (#16 ONLY) (1) | ODD NO. TRAY (#3 THRU #15) (EXCEPT #9) (6) | ODD NO. TRAY (#9 ONLY) (1) | SEAL PAN (BELOW #9) (1) | TRAY (#17 ONLY) (1) | TRAY (#18, #19) (2) | CHIMNEY TRAY (BELOW #2) (1) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| G-1 | GASKET | FIBER-GLASS | 31x30W | 73.8M | 18.5M | – | 92.3M | | | | | | | | 24.4M | 24.7M | |
| G-31 | M/W STUD BOLT | A193-B8 | M10x40L | 476 | 48 | – | 524 | 36 | 36 | 36 | | 32 | 32 | | | | |
| G-31 | M/W STUD BOLT | A193-B8 | M10x55L | 8 | 10 | – | 18 | | | | | | 8 | | | | |
| (B-001) | HEX BOLT/CLAMP | A193-B8/A240-304L | M10x45L/2T | 498 | 50 | – | 548 | 26 | 26 | 26 | | 44 | 44 | 8 | | | |
| | HEX BOLT | A193-B8 | M10x45L | 496 | 50 | – | 546 | 100 | 28 | 52 | | 28 | 28 | 8 | | | |
| | HEX BOLT | A193-B8 | M10x40L | 64 | 10 | – | 74 | 4 | 4 | 4 | | | 36 | | | | |
| | HEX BOLT | A193-B8 | M10x25L | 2022 | 203 | – | 2225 | 270 | 126 | 164 | | 134 | 134 | 18 | | | 2 |
| | HEX NUT | A194-8 | M10 NUT | 4542 | 455 | – | 4997 | 572 | 284 | 370 | | 298 | 350 | 42 | | | |
| | HEX NUT(TACK WELD) | A194-8 | M10 NUT | 2 | – | – | 2 | | | | | | | | | | 2 |
| G-32 | M/W CLAMP | A240-304L | 5T | 484 | 49 | – | 533 | 36 | 36 | 36 | | 32 | 40 | | | | |
| G-42 | M/W WASHER | A240-304L | 2T | 484 | 49 | – | 533 | 36 | 36 | 36 | | 32 | 40 | | | | |
| K-74452 | DOME WASHER | A240-304L | 2Tx1.D11x0.D38 | 1374 | 138 | – | 1512 | 86 | 86 | 86 | | 104 | 140 | 8 | | | |
| | FLAT WASHER | A240-304L | 2Tx1.D11x0.D39 | 2306 | 231 | – | 2537 | 546 | 114 | 232 | | 134 | 134 | 18 | | | 2 |
| | FLAT WASHER | A240-304L | 2Tx1.D11x0.D25 | 520 | 52 | – | 572 | 40 | 40 | 40 | | 32 | 32 | 16 | | | |
| 100 | LIGHT VALVE | A240-304L | MR2 | 1932 | 97 | – | 2029 | 138 | 138 | 138 | | 138 | 138 | | | | |
| 200 | HEAVY VALVE | A240-304L | MR2 | 3584 | 180 | – | 3764 | 256 | 256 | 256 | | 256 | 256 | | | | |
| G-31 | M/W STUD BOLT | A193-B8T | M10x40L | 88 | 10 | – | 98 | | | | 28 | | | | 20 | 20 | |
| G-31 | M/W STUD BOLT | A193-B8T | M10x55L | 8 | 10 | – | 18 | | | | 8 | | | | | | |
| (B-001) | HEX BOLT/CLAMP | A193-B8T/A240-321 | M10x45L/2T | 20 | 5 | – | 25 | | | | 20 | | | | | | |
| (B-001A) | HEX BOLT/CLAMP | A193-B8T/A240-321 | M10x45L/2T | 102 | 11 | – | 113 | | | | | | | | 34 | 34 | |
| | HEX BOLT | A193-B8T | M10x50L | 53 | 10 | – | 63 | | | | | | | | 21 | 16 | |
| | HEX BOLT | A193-B8T | M10x45L | 52 | 10 | – | 62 | | | | 52 | | | | | | |
| | HEX BOLT | A193-B8T | M10x40L | 69 | 10 | – | 79 | | | | 36 | | | | 11 | 11 | |
| | HEX BOLT | A193-B8T | M10x30L | 81 | 10 | – | 91 | | | | | | | | 27 | 27 | |
| | HEX BOLT | A193-B8T | M10x25L | 304 | 31 | – | 335 | | | | 118 | | | | 56 | 65 | |
| | HEX NUT | A194-8T | M10 NUT | 978 | 98 | – | 1076 | | | | 350 | | | | 210 | 209 | |
| G-32 | M/W CLAMP | A240-321 | 5T | 96 | 10 | – | 106 | | | | 36 | | | | 20 | 20 | |
| G-42 | M/W WASHER | A240-321 | 2T | 96 | 10 | – | 106 | | | | 36 | | | | 20 | 20 | |
| K-74452 | DOME WASHER | A240-321 | 2Tx1.D11x0.D38 | 296 | 30 | – | 326 | | | | 80 | | | | 72 | 72 | |
| | FLAT WASHER | A240-321 | 2Tx1.D11x0.D39 | 354 | 36 | – | 390 | | | | 212 | | | | 42 | 50 | |
| | FLAT WASHER | A240-321 | 2Tx1.D11x0.D25 | 208 | 21 | – | 229 | | | | 40 | | | | 56 | 56 | |
| 100 | LIGHT VALVE | A240-321 | MR2 | 309 | 16 | – | 325 | | | | 138 | | | | 57 | 57 | |
| 200 | HEAVY VALVE | A240-321 | MR2 | 658 | 33 | – | 691 | | | | 256 | | | | 134 | 134 | |

## ASSEMBLIES PER INTERNAL

| ASSEMBLY NUMBER | EVEN NO. TRAY (#2 ONLY) (1) | EVEN NO. TRAY (#4 THRU #14) (EXCEPT #6) (5) | EVEN NO. TRAY (#6 ONLY) (1) | EVEN NO. TRAY (#16 ONLY) (1) | ODD NO. TRAY (#3 THRU #15) (EXCEPT #9) (6) | ODD NO. TRAY (#9 ONLY) (1) | SEAL PAN (BELOW #9) (1) | TRAY (#17 ONLY) (1) | TRAY (#18, #19) (2) | CHIMNEY TRAY (BELOW #2) (1) | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|
| B-001 | 26 | 26 | 26 | 20 | 44 | 44 | 8 | | | | 518 |
| B-001A | | | | | | | | 34 | 34 | | 102 |
| B-002 | 36 | 36 | 36 | 28 | 32 | 32 | | | | | 504 |
| B-002A | | | | | | | | 20 | 20 | | 60 |
| B-003 | 60 | 60 | 60 | 24 | 60 | 60 | | | | | 864 |
| B-003A | | | | | | | | 27 | 27 | | 81 |
| B-004 | 40 | 40 | 40 | 40 | 32 | 32 | 16 | | | | 560 |
| B-004A | | | | | | | | 56 | 56 | | 168 |
| B-005 | 2 | 2 | | | 2 | 2 | 2 | | | | 28 |
| B-005A | | | | | | | | | | 2 | 2 |
| B-006 | | | | 8 | | 8 | | | | | 16 |
| B-007 | | | | 36 | | 36 | | | | | 72 |
| B-007A | | | | | | | | 11 | 11 | | 33 |
| B-008 | 4 | 4 | 4 | | | | | | | | 28 |
| B-009 | | | | | 2 | 2 | | | | | 14 |
| B-010 | | | | | 4 | 4 | | | | | 28 |
| B-011 | 100 | 28 | 52 | 52 | 28 | 28 | 8 | | | | 548 |
| B-011A | | | | | | | | 21 | 16 | | 53 |
| B-012 | 168 | 24 | 56 | 54 | 34 | 34 | | | | | 636 |
| B-012A | | | | | | | | | 9 | | 18 |
| B-013 | | | 8 | | | | | | | | 8 |




FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

### GENERAL INFORMATION

1. ALL DIMENSIONS ARE GIVEN IN MILLIMETERS.
2. REFERENCE DWG. NO. : VP-6340S-103-CI101-003 ~ 013.
3. SPARE PARTS
   1) FOR COMMISSIONING / CONSTRUCTION
   - BOLT/NUT/WASHER : 10% (MIN. 10 PCS OF EACH TYPE)
   - CLAMP : 10% (MIN. 5 PCS)
   - GASKET : 25% (10 FEET)
   - VALVE CAPS : 5%

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/05/06 | FINAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 1 | 23/07/05 | REVISED BY COMMENTS | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 0 | 13/06/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY

PROJECT No.: PGGC-760-81-156 | DOC. CLASS. | SCALE : NONE

HMT | OIEC | TOBC

TITLE:
103-C-101/201
CONDENSATE STABILISER
BOLTING ASS'Y DWG.

DWG No. VP-6340S-103-CI101-012 | SHEET No. 10 OF 11 | REV. F

THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.

## PARTS LIST

| PART NO. | DESCRIPTION | MATERIAL | SIZE | NET Q'TY | SPARES (CON. & COMM.) | SPARES (2 YEARS) | TOTAL Q'TY | Q'TY PER INTERNAL | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | EVEN NO. TRAY (#16 ONLY) | EVEN NO. TRAY (#4 THRU #14) | EXCEPT #8) | EVEN NO. TRAY (#8 ONLY) | ODD NO. TRAY (#16 ONLY) | ODD NO. TRAY (#3 THRU #15) EXCEPT #9) | ODD NO. TRAY (#9 ONLY) | SEAL PAN (BELOW #9) | TRAY (#17 ONLY) | TRAY (#18, #19) | CHIMNEY TRAY (BELOW #2) |
| | | | | | | | | (1) | (5) | (1) | (1) | (1) | (6) | (1) | (1) | (1) | (2) | (1) |
| 04-01 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | 2 | 2 | 2 | | | | | | | | |
| 04-02 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | 2 | 2 | 2 | | | | | | | | |
| 04-03 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | 2 | 2 | 2 | | | | | | | | |
| 04-04 | TRAY PLATE(M/W) | A240-304L | 2T | 14 | - | - | 14 | 2 | 2 | 2 | | | | | | | | |
| 04-05 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | 2 | 2 | 2 | | | | | | | | |
| 04-06 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | 2 | 2 | 2 | | | | | | | | |
| 04-07 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | 2 | 2 | 2 | | | | | | | | |
| 04-08 | CENTER DECK | A240-304L | 2T | 6 | - | - | 6 | 1 | 1 | | | | | | | | | |
| 04-09 | CENTER DECK | A240-304L | 2T | 1 | - | - | 1 | | | | 1 | | | | | | | |
| 04-09A | SEAL PLATE | A240-304L | 2T | 4 | - | - | 4 | | | | 4 | | | | | | | |
| 04-10 | TRAY PLATE | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-11 | TRAY PLATE | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-12 | TRAY PLATE | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-13 | TRAY PLATE(M/W) | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-14 | TRAY PLATE | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-15 | TRAY PLATE | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-16 | TRAY PLATE | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-17 | SHIM PLATE | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-18 | LEVELING SHIM | A240-304L | 1.5T | 112 | - | - | 112 | 16 | 16 | 16 | 16 | | | | | | | |
| 04-19 | DOWNCOMER BRACKET | A240-304L | 3T | 28 | - | - | 28 | 2 | 2 | | | | 2 | 2 | | | | 2 |
| 04-20 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-21 | SEAL PAN | A240-304L | 2T | 1 | - | - | 1 | | | | | | | | 1 | | | |
| 04-22 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-23 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-24 | TRAY PLATE(M/W) | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-25 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-26 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-27 | TRAY PLATE | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-28 | SEAL PAN | A240-304L | 2T | 1 | - | - | 1 | | | | | | | | 1 | | | |
| 04-29 | SIDE DECK | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-30 | DOWNCOMER BRACE | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-31 | DOWNCOMER BRACKET | A240-304L | 3T | 2 | - | - | 2 | | | | | | | | 2 | | | |
| 04-32 | TRAY PLATE | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-33 | TRAY PLATE | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-34 | TRAY PLATE | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-35 | TRAY PLATE | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-36 | TRAY PLATE(M/W) | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-37 | TRAY PLATE | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-38 | TRAY PLATE | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-39 | TRAY PLATE | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-40 | TRAY PLATE | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-42 | SHIM PLATE | A240-321 | 4T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-43 | CHIMNEY TRAY SECTION | A240-304L | 3T | 2 | - | - | 2 | | | | | | | | | | | 2 |
| 04-44 | CHIMNEY TRAY SECTION | A240-304L | 3T | 2 | - | - | 2 | | | | | | | | | | | 2 |
| 04-45 | INLET WEIR | A240-304L | 3T | 2 | - | - | 2 | | | | | | | | | | | 2 |
| 04-46 | SEAL PLATE | A240-304L | 3T | 4 | - | - | 4 | | | | | | | | | | | 4 |
| 04-47 | RISER SECTION | A240-304L | 3T | 4 | - | - | 4 | | | | | | | | | | | 4 |
| 04-48 | RISER SECTION | A240-304L | 3T | 4 | - | - | 4 | | | | | | | | | | | 4 |
| 04-49 | RISER SECTION | A240-304L | 3T | 4 | - | - | 4 | | | | | | | | | | | 4 |
| 04-50 | OUTLET WEIR | A240-304L | 2T | 14 | - | - | 14 | 2 | 2 | 2 | | | | | | | | |
| 04-51 | DOWNCOMER | A240-304L | 2T | 2 | - | - | 2 | 2 | | | | | | | | | | |
| 04-52 | DOWNCOMER | A240-304L | 2T | 12 | - | - | 12 | 12 | | | | | | | | | | |
| 04-53 | DOWNCOMER | A240-304L | 2T | 2 | - | - | 2 | 2 | | | | | | | | | | |
| 04-54 | DOWNCOMER | A240-304L | 2T | 12 | - | - | 12 | | 2 | 2 | | | | | | | | |
| 04-55 | DOWNCOMER | A240-304L | 2T | 12 | - | - | 12 | | 2 | 2 | | | | | | | | |
| 04-56 | OUTLET WEIR | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-57 | DOWNCOMER | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-58 | DOWNCOMER | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-59 | OUTLET WEIR | A240-304L | 2T | 14 | - | - | 14 | | | | | | 2 | 2 | | | | |
| 04-60 | DOWNCOMER | A240-304L | 2T | 12 | - | - | 12 | | | | | | 2 | | | | | |
| 04-61 | DOWNCOMER | A240-304L | 2T | 12 | - | - | 12 | | | | | | 2 | | | | | |
| 04-62 | OUTLET WEIR | A240-321 | 2T | 3 | - | - | 3 | | | | | | | | | 1 | 1 | |
| 04-63 | DOWNCOMER | A240-321 | 2T | 1 | - | - | 1 | | | | | | | | | 1 | | |
| 04-64 | DOWNCOMER | A240-321 | 2T | 2 | - | - | 2 | | | | | | | | | | 1 | |
| 04-65 | DOWNCOMER | A240-321 | 2T | 2 | - | - | 2 | | | | | | | | | | 1 | |
| 04-66 | DOWNCOMER | A240-304L | 2T | 2 | - | - | 2 | | | | | | | 2 | | | | |
| 04-67 | DOWNCOMER | A240-304L | 2T | 2 | - | - | 2 | | | | | | | 2 | | | | |
| 04-68 | FALSE DOWNCOMER | A240-304L | 2T | 2 | - | - | 2 | | | | 2 | | | | | | | |
| 04-69 | FALSE DOWNCOMER | A240-304L | 2T | 2 | - | - | 2 | | | | 2 | | | | | | | |
| 04-70 | FALSE DOWNCOMER | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |
| 04-71 | FALSE DOWNCOMER | A240-321 | 2T | 2 | - | - | 2 | | | | | 2 | | | | | | |

## PARTS LIST

| PART NO. | DESCRIPTION | MATERIAL | SIZE | NET Q'TY | SPARES (CON. & COMM.) | SPARES (2 YEARS) | TOTAL Q'TY | Q'TY PER INTERNAL |
|---|---|---|---|---|---|---|---|---|

FINAL
2006. 6. 19
HANBAL MASSTECH LIMITED

GENERAL INFORMATION

1. REFERENCE DWG. NO. : VP-6340S-103-C1101-003 ~ 013

| REV. | DATE | DESCRIPTION | ORIG. | PREP. | CHKD. | APPD. | AUTH. |
|---|---|---|---|---|---|---|---|
| F | 19/06/06 | FINAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 1 | 23/07/05 | CONFIRMED THE COMMENTS | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |
| 0 | 13/06/05 | FOR APPROVAL | HMT | Y.P.KIM | K.T.MOON | J.H.KWON | |

SOUTH PARS GAS FIELD DEVELOPMENT-
PHASES 9 & 10, ASSALUYEH-IRAN
ONSHORE FACILITIES

N.I.O.C
PARS OIL AND GAS COMPANY

PROJECT No.: POGC-760-81-156 | DOC. CLASS. | SCALE : NONE

HMT | OIEC | IOEC

THIS DRAWING CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND SHALL NOT BE COPIED OR OTHERWISE DIVULGED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF HANBAL MASSTECH LIMITED.

TITLE:
103-C-101/201
CONDENSATE STABILISER
PART LIST DWG.

| DWG No. | SHEET No. 11 OF 11 | REV. F |
|---|---|---|
| VP-6340S-103-C1101-013 | | |