



Jio Business Messaging User Guide

Version 3.3

Changelog

12 June 2026

- UPDATED: Dimensions for media in Rich Cards

12 Feb 2026

- ADDED: New guidelines regarding Reputations and Traffic Limits
- CHANGED: Dimensions for media in Rich Card Carousels

23 Oct 2025

- ADDED: New guidelines regarding the Domain Verification for Assistants.
- REMOVED: Section for FAQs – Shifted into a standalone documentation

17 Sep 2024

- ADDED: New Webhook verification process for Assistants, Refer pg 7.0.
- UPDATED: Assistant Character limits and best practices.
- ADDED: FAQ Section added.

Contents

Changelog	2
Introduction:	4
Getting Started:.....	4
Account Details:	4
Company Registration Details:.....	4
User details:	4
Assistant Creation & Elements:.....	5
Set Up Your Test Device:.....	5
Assistant creation:	6
Billing Categories:.....	6
Use Cases and Business Rules:.....	6
Traffic Limits Based on Reputation:	7
Assistant elements:	8
TPS Allocation:	10
Assistant Approval:	10
Workflow.....	10
Assistant Webhook:	12
JBM to Assistant Requests:	13
Outbound IPs Whitelisting:	13

JBM User Guide

Introduction:

JBM allows brand partners and aggregators to reach their audience in the native messaging app inbox using rich media and drive engagement via Assistants.

Assistants bring intelligence to A2P communications, allowing the user to engage in a conversation with a business. By allowing rich content to be sent to users, and by providing suggested actions and suggested replies, businesses can drive their communication with customers and bring engagement to a higher level.

In order to start sending messages using JBM, an Account needs to be created and onboarded, post which Assistant creation process can begin. Account onboarding requires the Administrator to complete a management form.



1. Getting Started

Getting Started:

JBM will create the Account and an associated user as the first step, the partner needs to provide the following information for their Account and User creation:

Account Details:

1. Billing Name [Company Name]
2. Billing Email ID
3. Billing address [Company Address]
4. Contact number
5. Website URL

Company Registration Details:

1. PAN (Permanent Account Number)
2. GSTIN (Goods and Services Tax Identification Number)
3. Certificate of Incorporation
4. TAN (Tax Deduction and Collection Account Number)


User details:

1. Name
2. Email ID

Assistant Creation & Elements:

An Assistant is a program that sends messages to users on behalf of a brand. It includes both the user interface and the underlying code or infrastructure that enables interactions. Assistants can send one-way notifications or engage in two-way conversations by responding to user inputs.

The Assistant Management section of JBM allows partner accounts to oversee Assistants associated with their Accounts. Here, you can create, view, and edit assistants.



2.Assistant components

Before creating an Assistant, partners would be recommended to have the following:

- The name of the brand the Assistant would represent
- The Assistant's name
 - Name
 - Use Case
 - Billing Category
- An Android device with an RCS Capable phone number

Set Up Your Test Device:

To communicate with an unlaunched RBM agent, a test device must support RCS messaging. However, not all Android devices have RCS enabled by default. To check if RCS is available on your device, verify its status in the settings.

How to check RCS status of your device:

1. In the Messages app, tap the  button, then tap Settings.
2. Tap Chat features, and find the Status value.

If Status is Connected, RCS is active on your device.

Assistant creation:

When creating a new Assistant, partners need to provide comprehensive information to ensure accurate representation and effective functionality.

The following Assistant profile information is required to create an Assistant on JBM:

1. Assistant Name [40 Character limit].
2. Short Description: A brief description of the Assistant's purpose or function.
3. Theme Colour: Choose a color theme for the assistant.
4. Brand Imagery for visual representation:
 1. Brand icon (224x224 px)
 2. Cover image (1440x448 px)
5. Privacy Policy and T&C URL: Include links to the assistant's privacy policy and terms and conditions.
6. Contact Info for customer support & query
 1. Primary phone number [Mandatory]
 2. Primary email ID for the brand [Optional]
 3. Primary website of the brand [Optional]
7. Billing Category: Select from Conversational, Basic Message, or Single Message *[More details below]*.
8. Use Case: Choose from Promotional, Transactional, and OTP *[More details below]*.
9. Brand: Select from a dropdown menu or create a new brand if required.

Apple Assistant:

1. Creation of Apple Assistant is like the normal Assistant creation as above, once the Assistant is created it will be enabled for only Apple users from the JBM backend.
2. To enable Assistant specific to Apple, reach out to Ops team they will coordinate with the JBM backend team to configure.
3. Once the Assistant is enabled for Apple, brands can reach out to only Apple users through that Assistant.

Billing Categories:

Each JBM Assistant is required to have a predefined billing category. This will depend on how the Assistant interacts with users. Choose a category which aligns with the expected outcome of the interaction between the Assistant and the end user:

1. **Conversational:** This is for Assistants that interact with users through multi-step conversations
2. **Single Message:** For Assistants which send messages to users without expecting a reply. Single Message Assistants would send Rich Media Cards or text messages over 160 characters.
3. **Basic Message:** For Assistants which send messages to users without expecting a reply. Basic Message Assistants would send text messages up to 160 characters.

Use Cases and Business Rules:

When creating a JBM Assistant, you need to specify its use cases based on the Assistant's purpose. Certain business rules are applied on certain use cases in order to ensure the right experience for end users. The types of the use cases available are as follows:

1. **Promotional:** The promotional assistant sends sales, marketing, and promotional messages to new or existing customers, with the objective of increasing awareness, engagement, and sales
2. **Transactional:** The transactional assistant sends notification updates or alerts to share information directly related to a customer's existing service or products.
3. **OTP:** The OTP assistant sends a one-time password for secure authentication of an account or to confirm a transaction.

JBM Assistants need to follow specific requirements based on their Use case.

Use Cases	'Block & report' shown in conversation?	Applicable Business rules
OTP	No	N/A
Transactional	Yes	N/A
Promotional	Yes	Time of day: Business should initiate conversations only from 7 am – 10 pm (7 days a week)
		Message limits: Four A2P messages per Assistant per user per month (28 days). Subsequent messages will result in an error.
		<i>Please Note: This limit does not apply to P2A messages. Each time a user responds, the brand can send two additional messages.</i>

Every JBM Assistant has a '**Reputation Score**'. This reputation score is defined by Google based on Assistant's performance and adherence to business rules. As per the 'Reputation', the messaging limits are designed as follows:

- **'HIGH'** – 8 messages/per User/per Assistant/per Month
- **'MEDIUM'** – 4 messages/per User/per Assistant/per Month
- **'LOW'** – 2 messages/per User/per Assistant/per Month

As result of a successful setup, a unique access token will be generated and provided. This token will be mandatory for the identification of Assistant in communication with JBM.

Traffic Limits Based on Reputation:

RBM's management system automatically adjusts an agent's ability to reach new audiences based on their performance and reputation. This framework applies exclusively to promotional traffic in India. Transactional and OTP message flows remain unaffected by these specific reach limits.

Dynamic Agent Reach Control operates on a 28-day window. It limits the total number of distinct users an agent can send promotional messages to, based on the agent's Reputation Tier (Low, Medium, or High). This implies a "prove it to use it" model:

- **New Assistants:** All new Assistants launching in India will default to the Low Reputation tier. They must demonstrate high-quality engagement on a smaller scale before accessing a wider audience.
- **Existing Assistants:** Assistants will be evaluated daily. Positive engagement (reads, replies) helps move an agent up tiers; negative signals (blocks, spam reports) will move them down.

Reach Limits by Tier (Promotional Traffic)

Reputation Tier	28-Day Distinct User Limit	Definition
LOW	1 Million Users	Default for new Assistants and Assistants with poor quality metrics.
MEDIUM	25 Million Users	Assistants with consistent quality and moderate engagement.
HIGH	300 Million Users	Established Assistants with excellent user engagement and low spam rates.

These limits apply to the number of unique users messaged, not the total message volume. Existing frequency limits (messages per user per 28d/month) still apply.

Operational Details:

- **User-Initiated Conversations are Exempt:** To ensure customer support and two-way interactions are never disrupted, replies to user-initiated messages are exempt from these limits. If a user messages an agent, the agent can always reply, regardless of their current reach cap.
- **Error Handling:** If an agent exceeds their distinct user limit for the 28-day period, the platform will return a HTTP 429 (RESOURCE_EXHAUSTED) error with the message: "You have reached the allowed traffic limit for this agent on distinct users, your message will not be delivered."
- **Visibility:** Partners can infer their current reach limit by monitoring the Reputation Bucket (Low, Medium, High) displayed in the Business Communications Developer Console.

Actions for Partners:

- **Monitor Reputation:** Regularly check the track agent reputation tiers.
- **Focus on Quality:** Advise your brand clients that the fastest way to increase their reach is to send relevant, highly engaging content that minimizes user block rates.
- **Manage Onboarding:** Set expectations with new brands that they will start with a 1 million user reach cap to "warm up" their agent and prove quality.
- **Handle Errors:** Update your sending logic to gracefully handle and log the specific HTTP 429 errors related to reach limits.

Assistant elements:

An Assistant is made up of **Rich cards and Carousels**. Rich cards combine media, text, and suggestions in one message. They focus on a single topic and offer clear actions to users.

A carousel is a group of rich cards and each rich card is comprised of the following components:

1. Media: Images, stickers, audio, or video to illustrate the card
 - a) Media dimension for standalone single card
 1. Small media: 3780 x 1080 px OR 1260 x 360 px [Aspect Ratio 7:2]
 2. Medium media: 1274 x 546 px OR 840 x 360 px [Aspect Ratio 21:9]
 3. Tall media: 960 x 720 px OR 540 x 360 px [Aspect Ratio 3:2]
 - b) Media dimension for standalone single card (Horizontal)
 1. 918 x 1920 px OR 306 x 640 px [Aspect Ratio 9:16]*
 - c) Media dimension for carousel cards [Covered in below table]

- d) Media dimension for Video: 960 x 720p or 1920 x 1080p
 - e) Maximum recommended file size of 2 MB for images and 10 MB for video.
 - f) **Best practices suggest to leave some margin [~25px] for image media and not place any content [logo or text] on image edges.**
2. Title: Short title of the card (max 40 Char, optional but recommended)
 3. Description: Short description (max 110 Chars, optional but recommended)
 4. CTA: Max 4 per card, recommended 2
 - a) In case of tall media, only one CTA will be visible
 5. Suggested Chiplists (Max 11 for a standalone rich card or a carousel)

***Please note:** The Horizontal Rich card utilizes a fixed media width of 128dp, while the height is content-driven, scaling dynamically to match the adjacent text block. To mitigate vertical cropping and ensure your key message or imagery remains visible, we recommend a 9:16 aspect ratio with a centered, 10-15% edge Safe Zone for critical media content

The below table highlights recommended character length basis your assistant configuration.

Element	CTAs	Recommended Character Length	Maximum Character Length
Standalone Card: Title	1-4	40 characters	200 characters
Standalone Card: Description	1-4	120 characters	2000 Characters
Carousel Card: Title	1	30-40 characters	200 characters
Carousel Card: Description	1	40-45 characters	2000 Characters
Carousel Card: Title	2	25 characters	200 characters
Carousel Card: Description	2	25-30 characters	2000 Characters
Suggested Reply Text		25 characters	25 characters
Suggested Action Text		25 characters	25 characters
Suggestion Chip List		25 characters	25 characters

Image Aspect Ratio and Resolution			
Card Width	Media height	Aspect Ratio	Resolution
Small	Short	3:2	600x400
Medium	Short	2.7:1	851x315
Medium	Medium	16:9	960x540
Medium	Tall	10:9	1000x900

The maximum size of text that can be sent in an RBM message is 256kb. This includes the text that makes up the JSON payload when sending structured messages.

The maximum size of a file that can be sent through RBM is 200MB.

Suggested Chip lists/Quick Response are a number of suggested replies and/or actions that an Assistant can send to a user along with a message or Rich Card that provides the user with quick interaction options and shortcuts for starting the conversation given the context of the invocation. A suggested chip list may contain:

- Suggested Replies (Which invoke a response from the Assistant)

- Suggested Actions (Opening URL, creating calendar event, Sharing or receiving location)
- Chips (i.e. Suggested Replies and Actions) shall always be displayed in the order in which the Assistant provided them in the Suggested Chip List.

Supported media types: JBM supports the following media content types:

- | | | |
|--------------|--------------|---------------|
| • image/jpeg | • video/h263 | • video/mpeg4 |
| • image/jpg | • video/m4v | • video/web |
| • image/gif | • video/mp4 | |
| • image/png | • video/mpeg | |

TPS Allocation:

Currently a minimum of 200 TPS is allocated at an account level as default, this can further be divided amongst the brands and assistants created under that account. In case a partner wants to increase the allotted TPS please reach out to us at JBM.CustomerSuccess@ril.com and we can update it in 3 working days subject to the shared volumes.

Assistant Approval:

The Assistant approval process is crucial for ensuring that all assistants on the platform are verified by Jio before they can go live. All Assistants which have completed verification questionnaire will be sent to Jio for approval.

Key points:

- Verification Requirement: All Assistants must be verified by Jio before they can go live.
- Shield Icon: Verified assistants will display a shield icon below their icon, indicating their approval status.
- Verification Process: The verification process requires brands to complete and submit a questionnaire.
- Letter of Authority: Upon submitting the questionnaire, brands will be asked to submit a letter to Jio in a prescribed format.
- Activation: Assistants can only be launched once they are approved.

Workflow

The Assistant Approval Workflow involves the following steps:

- Aggregators and brands need to submit a questionnaire
- Upon submitting the questionnaire, partners will receive an email with a predefined format which requires them to reply and confirm that they are authorize to represent the brand/account.
- Once the questionnaire is submitted, the assistant appears as a listing in the Assistant Approval screen.
- JBM Admins can choose to approve/reject the Assistant basis furnished information. Upon successful verification assistant will be Approved and ready to launch.

Domain Verification for Newly Registered Websites

If the website associated with any Assistant is less than 3 months old, we would subsequently require the following documents to verify the same:

1. Supporting Documents for Registration of Business
 1. Business registration documents
 2. Tax identification information
 3. Information about the company's owners or management
2. Confirmation of Business Legitimacy: Details about the business's background, history, and intended use of the JBM Assistant
3. Any other Relevant information

Please note, verification for such Assistants will be on hold until the above details can be furnished

Launch Questionnaire

1. Branding

The first page of the questionnaire helps ascertain the legal entity of the brand for which the Assistant is being created and a designated Point of Contact from the brand whom the 'Letter of Authorization (LOA)' can be sent out to. The required details to be filled under the section are as follows:

- Legal Name of the Brand's Parent Company
- Website of the Brand's Parent Company
- Brand Contact Name
- Brand Contact Title
- Brand Contact Email

2. Point of Contact(s)

The Point of Contact(s) refer to the user in the organization responsible for the Assistant being onboarded. In case of any questions with regards to the use case or information provided for the 'Assistants', we will reach out to the designated point of contacts for clarity.

3. Assistant Experience

Our questionnaire for launching an JBM assistant aims to assess the assistant's readiness, compliance with best practices, and potential impact on users. The questions cover various aspects of the assistant's functionality, user experience, and business operations.

The questions are as below:

- **How do you obtain opt-in to message users with your Assistant?**

The question aims to understand how businesses obtain opt-in consent from users to send messages and the mechanisms they have in place for obtaining this consent. It also encourages businesses to provide evidence or details of their consent process explicitly in the form of links and screenshots (where they obtain user opt-in/consent to receive promotional messages from the user)

- **What actions trigger messages to users?**

This question seeks to understand the different scenarios or conditions under which messages are sent to users. Businesses are expected to provide information on the specific events or actions that trigger these messages. These triggers can vary widely and may include:

- User Actions such as signing up, making a purchase, etc
- External Triggers such as change in order status, etc
- Promotional Campaigns triggered by businesses, etc
- Service reminders such as appointments, etc

- Other situations not covered above

- **What types of interactions will the Assistant have with users?**

This question aims to clarify the purpose of the Assistant and the types of interactions it's designed for. It seeks to understand if these interactions are primarily one-way or two-way communications. Businesses are expected to describe the primary types of interactions the Assistant will engage in, such as providing information, answering questions, offering recommendations, or assisting with specific tasks. If users are expected to click on links, information on where the links would lead them would be required.

- **What message does the Assistant send when a user opts out?**

This question pertains to the message that the Assistant sends when a user chooses to opt out or unsubscribe from receiving further messages. The query seeks to understand the content and tone of the message that the Assistant delivers when a user decides to opt out and the behavior of the assistant once the user opts out from receiving communication.

4. Assistant Preview

In order for us to validate the use case of your Assistant, we would require videos and screenshot to understand it's offerings and interactions with end users.

To do the same, we would require you to record a short video demonstrating how the Assistant interacts with end customers and upload it over a publicly accessible cloud. Once done, you may share the link with us on JBM platform under the specified field and submit the Assistant for Approval.

Assistant Webhook:

An Assistant webhook is needed to be set at JBM to interact with the assistant. To set the webhook JBM follows the following steps:

1. Webhook URL and a Client Token (can be randomly generated or any desired string of client choice) need to be given at portal while configuring the webhook for the assistant. **This Client Token needs to be stored or remembered by the client as it will not be displayed due to security reasons.**

2. A POST request to the Webhook URL will be sent by JBM in which request body has Client Token provided by the client and a Secret (randomly generated by JBM).

3. JBM expects the client to match the Client Token provided at portal and the Client Token received in request body. If it matches, it ensures the client that the request received on webhook is from JBM only.

4. When Client Token of request body and Client Token provided at portal found same, in response to the POST request, JBM expects the Secret in response body (which was sent in request body by JBM) in 200 OK http status code.

5. Once JBM receives the 200 OK http status code and Secret in response body, JBM matches the Secret sent in request body and the Secret received in response body. If both are same JBM configures the Webhook URL with the Client Token provided by the client. In this way JBM ensures the response it received is of its request only thus verifying the client.

Sample Curl Request:

```
curl --location 'https://jio.com/webhook/integrations' \
--header 'Content-Type: application/json' \
--data '{
  "clientToken": "ABCDEFGHIJKLMNO",
```

```
"secret": "xyskdfet"
}'
```

Sample Response:

```
{
  "secret": "xyskdfet"
}
```

JBM to Assistant Requests:

JBM provides a mechanism to ensure that requests sent to the assistant can be verified by the client, confirming that the event or message requests received by the assistant were indeed sent by JBM. To achieve this, JBM includes a custom request header in each request sent to the assistant. This header has the key "X-JBM-Signature" and contains a hash string as its value. The client should extract this hash string, referred to as "headerHash," from the request header and generate another hash as described below, called "computedHash," on their end. By comparing the headerHash with the computedHash, the client can verify that the request was genuinely sent by JBM.

To generate the computedHash, the client should follow these steps:

1. Consider HTTP request's body as "jsonBytes."
2. Compute an HMAC hash using the SHA-512 algorithm with jsonBytes and the Client Token (provided during webhook configuration).
3. Base64 encode the resulting HMAC hash from step 2.
4. The output of step 3 is the required computedHash.

Outbound IPs Whitelisting:

In order to seamlessly receive events from us, we request you to whitelist the following IPs:

#	IP Address
1	34.93.85.85
2	34.110.188.15
3	34.98.76.136
4	34.93.238.245
5	34.93.14.3
6	34.47.245.98
7	34.47.252.222
8	34.93.212.214
9	34.93.147.9
10	34.100.142.13
11	34.47.150.59
12	35.200.253.4
13	35.200.244.12
14	34.100.198.76
15	35.200.199.7
16	34.47.192.111
17	34.47.150.52
18	34.93.189.124
19	34.100.200.19

20	34.93.59.70
21	35.244.7.214
22	34.47.250.10
23	35.200.184.114
24	35.200.209.126
25	34.100.168.92
26	34.93.38.186
27	34.47.200.233
28	35.244.2.62
29	35.200.155.141
30	35.244.41.200
31	35.244.34.186
32	35.200.255.234
33	34.100.171.236
34	34.47.143.95
35	34.100.186.65
36	34.93.41.87
37	34.100.142.227