

USER MANUAL

v. 1.3-2016.08.30

TABLE OF CONTENTS

TABLE OF CONTENTS.....	2
ABOUT.....	2
DEMO.....	2
VERSION CHANGES.....	2
KNOWN BUGS.....	2
USAGE WITHOUT CODING.....	3
USAGE WITH CODING (NORMAL).....	5
ADVANCED PARAMETERS.....	6

ABOUT

At first, thank you for purchasing **OxOD**! OxOD — simple, modern and lightweight open/save file dialog system for Unity UI. Displays a dialog box that prompts the user to select a file, then returns it's full path. Easy to integrate in the existing project. Supported platforms: Windows, Mac, Linux and Android. Note that OxOD requires Unity 4.6 or later. If you're using older version of Unity, you must update it.

If you have any questions or suggestions, please contact: oxy949@gmail.com

DEMO

There is a demo scene, located in "Assets/OxOD/Demo/" folder, named "DemoScene".

VERSION CHANGES

- Release 1.0
- Release 1.1:
 - + Added maxSize and saveLastPath options;
 - * Some bug fixes
- Release 1.2:
 - * Fixed bug with maxSize parameter
- Release 1.3:
 - * Improved documentation
 - * Fixed bug with saveLastPath parameter



KNOWN BUGS

- None


USAGE WITHOUT CODING

Plugin is easy-to-use.



1. Drag and drop "OxOD" prefab from "Assets/OxOD/" folder into the scene's root canvas (usually named "Canvas"). If you don't yet have root Canvas object (and EventSystem for it), create it from Unity menu: GameObject → UI → Canvas;



2. Drag “UIFileSelector” prefab from “Assets/OxOD/” folder to your UI form (or create new one (or just drop it to the root Canvas));




3. Select created instance of “UIFileSelector” prefab and in the Unity Inspector window:



3.1 Drag and drop “OxOD” prefab instance (from scene objects, not from Assets) to the “Dialog” field;

3.2. Link any action you want to “OnFileSelected” event (more info at: <https://docs.unity3d.com/Manual/UnityEvents.html>) or simply use “public string result” for your needs;

4. Make sure the OxOD prefab is on top of other elements (last child of Canvas object in scene);



5. Done! Now you ready to launch created scene.

USAGE WITH CODING (NORMAL)

1. Repeat 1st and 4th steps from “USAGE WITHOUT CODING”;

2. Open any MonoBehaviour (Unity) script and add public reference to the OxOD.FileDialog:

```
using OxOD;  
public FileDialog dialog;
```

3. Create new Coroutine (IEnumerator) with “yield return StartCoroutine(dialog.Open())” for async file selection for opening or with “yield return StartCoroutine(dialog.Save())” for async file selection for saving;

4. After dialog box closed, use “dialog.result” to get full path for selected file. Note, dialog.result will be null, if file was not selected;

5. Invoke created Coroutine (IEnumerator) from script by StartCoroutine(CoroutineName());

6. Link “OxOD” prefab instance with field from created script (see 3.1 from “USAGE WITHOUT CODING”).

Example:

```
public IEnumerator SelectFile()  
{  
    Debug.Log("[FileSelector] Starting file dialog");
```

```

yield return StartCoroutine(dialog.Open());

if (dialog.result != null)
{
    Debug.Log("[FileSelector] Dialog ended, result: " + dialog.result);
    // Your interactions with dialog.result here
}
else
{
    Debug.Log("[FileSelector] Dialog canceled");
}
}

public void OnSelectFileButtonClick()
{
    StartCoroutine(SelectFile());
}

```

ADVANCED PARAMETERS

“OxOD.FileDialog.Open()” and “OxOD.FileDialog.Save()” have equals parameters (except “maxSize”):

Open/Save(string path = null, string allowedExtensions = null, string windowName = "OPEN FILE", Sprite windowIcon = null, long maxSize = -1, bool saveLastPath = true)

Where:

- path – default full path to file/folder
- allowedExtensions – string of the allowed extensions, splited by “|” symbol.
Example: ".png|.jpg|.gif"
- windowName – window title
- windowIcon – Sprite icon (null – default file icon)
- maxSize – Maximum file size in bytes (only “Open” parameter) (-1 – unlimited)
- saveLastPath – Save last directory’s path to PlayerPrefs "OxOD.lastPath". Used as default path, when “path” parameter is not set