

WORLD 8 / Z0-A

نقشه اجرایی و Gate های پذیرش Z0-A

از تثبیت قراردادهای Observation مستقل، Mason محدود، ارزیابی مستقل و Restore

وضعیت: EXECUTION ROADMAP / FINAL DESIGN BASELINE

اصل: هیچ مرحله با گذشت زمان PASS نمی شود؛ فقط Evidence می تواند Gate را ببندد.

1. ترتیب اجرا

مرحله	خروجی	Gate اصلی
Z0A-0 Freeze contracts	Plane boundaries, schemas, Objective/Revision contracts, role model	Contract lint + schema validation + change-control freeze
Z0A-1 Spine hardening	/commit-time CAS, intent idempotency, atomic append head/outbox, lease/fencing	race/adversarial/mutation gate
Z0A-2 Entity/Role separation	portable binding و Entity, Role, RoleBinding tables/APIs	wrong-role/provider-capture negative tests
& Z0A-3 Objective Revision	Phenotype Revision و versioned Objective Contract	immutability + CAS promotion + rollback
Z0A-4 Observation	raw telemetry→aggregate→SLO→gap_signal	provenance, detector version, Mason isolation
Z0A-5 Mason proposer	Candidate Revision فقط از gap معتبر	forbidden-change negative suite
Z0A-6 Independent evaluation	/evaluation receipts + separate evaluator principal build	SoD + identity binding tests
/Z0A-7 Promotion rollback	promotion gate + canonical activation event	;self-approval impossible stale revision rejected
Z0A-8 Recovery	checkpoint/replay/clean-host restore	+ fresh post-restore write new fencing token
Z0A-9 Operational proof	provider handoff + real effect receipt + SLO monitoring	E3/E4 claim-specific gates

2. Z0A-0 - Freeze قراردادهای پایه

- ثبت پنج Plane و owner هر object.
- تعریف schemaهای Objective Contract, Phenotype Revision, gap_signal, Evaluation Receipt.
- ثبت forbidden transitions.
- تعریف DB roles: runtime_sequencer, observer, mason_proposer, evaluator, effect_executor, promotion_authority.
- تعریف GRANT/REVOKE ماتریس و threat assumptions.

3. Z0A-1 - Spine

- CAS داخل transaction نهایی.
- idempotency key + semantic hash collision rejection.
- atomic event/head/projection/outbox.

- lease expiry/rotation + fencing
- append-only at DB level
- checkpoint verification and replay-integrity checks

آزمون‌های اجباری

Expected	Test
فقط اولی commit؛ دومی stale reject	دو writer با expected_head یکسان
deduplicate/replay prior result	retry همان key و همان intent
partial write هیچ؛ IDEMPOTENCY_COLLISION	همان key با payload متفاوت
reject	stale fencing token
all-or-nothing	event commit + outbox fault injection
runtime role denied	UPDATE/DELETE committed_events

Z0A-2 - Entity/Role/Binding .4

company-001 به عنوان Entity/Society باقی می‌ماند. sales-role، secretary-role و accountant-role جایگاه هستند. Binding ها executor/provider-neutral می‌مانند.

- Role name authority mint نمی‌کند.
- Task assignment با RoleBinding فعال و scope مجاز تطبیق داده می‌شود.
- Provider switch هیچ canonical ID را تغییر نمی‌دهد.

Z0A-3 - Objective / Revision .5

- Objective Contract immutable per version
- rollback-ready و Phenotype Revision parent-linked
- Mason فقط allowed_adaptation_surface را لمس می‌کند.
- hard constraints و authority ceiling خارج از مسیر Mason هستند.

Z0A-4 - Observation .6

- Telemetry loss نباید replay را مختل کند.
- Aggregation window و detector version ثبت شود.
- gap_signal باید provenance و objective version داشته باشد.
- Gap detector مستقل از Mason credential و code path باشد.

Evaluator و Z0A-5/6 - Mason .7

Evaluator	Mason	موضوع
-----------	-------	-------

می‌تواند صحت مرجع gap را بررسی کند	مصرف می‌کند	Gap
ارزیابی می‌کند	می‌سازد	Candidate
باید verify کند تغییر نکرده‌اند	حق تغییر ندارد	Objective/Hard Constraints
ندارد	ندارد	Promotion
identity/build digest با evaluation receipt	proposal receipt	Receipt

Z0A-7 - Promotion .8

Promotion Authority تنها بعد از receipt معتبر و policy gate می‌تواند Candidate را فعال کند. activation باید روی CAS current phenotype revision/head داشته باشد. هر rollback یک canonical event جدید است.

Z0A-8 - Restore .9

1. Export durable recovery bundle
2. Start clean environment with different system identity
3. Restore schema/data
4. Verify chain/checkpoint/head/revision/objective
5. Recreate separated DB roles/credentials
6. Acquire fresh lease with higher fencing token
7. Execute one fresh governed write
8. Record restore receipt, RTO/RPO, operator steps

Z0A-9 - Operational evidence .10

- ChatGPT→Grok handoff on same Task without identity fork
- One real low-risk external effect with authorization/outbox/attempt/receipt
- Observation detects a predefined SLO breach
- Mason proposes a reversible low-risk improvement from that gap
- Independent evaluator judges it; separate promotion decision activates or rejects

Release rule .11

A.Z0-A is complete only when architecture and executable boundary agree
document claiming five planes while runtime still allows Mason to select its own telemetry
or promote itself is a FAIL, regardless of test count