```
C:\Windows\System32\cmd.exe - mysql -u root -p
mysql> select * from employee;
ERROR 1146 (42502): Table 'employee.employee' doesn't exist
mysql> select * from employes;
Empty set (0.00 sec)
mysql> drop table employes;
Query OK, 0 rows affected (0.05 sec)
mysql> _
```

```
mysql> create table employes(id int,name varchar(25),address varchar(25));
Query OK, 0 rows affected (0.06 sec)
mysql> insert into employee values(1,"Madhav","Baramati");
ERROR 1146 (42502): Table 'employee.employee' doesn't exist
mysql> insert into employes values(1, "Madhav", "Baramati");
Query OK, 1 row affected (0.04 sec)
mysql> insert into employes values(2, "Gururaj", "Satara");
Query OK, 1 row affected (0.04 sec)
mysql> insert into employes values(3,"Nandkumar","Pune");
Query OK, 1 row affected (0.04 sec)
mysql> alter table employes add email varchar(20);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> select * from employes;
                                email
 id
        name
                     address
        Madhay
    1
                    Baramati
                                NULL
        Gururaj
    2
                     Satara
                                NULL
        Nandkumar
                                NULL
                    Pune
3 rows in set (0.00 sec)
mysal>
```

C:\Windows\System32\cmd.exe - mysql -u root -p

```
C:\Windows\System32\cmd.exe - mysql -u root -p
mysql> insert into employes values(3,"Nandkumar","Pune");
Query OK, 1 row affected (0.04 sec)
mysql> alter table employes add email varchar(20);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> select * from employes;
 id
                     address
                                email
         name
        Madhav
                     Baramati
                                NULL
    1
    2
        Gururaj
                     Satara
                                NULL
        Nandkumar
                     Pune
                                NULL
3 rows in set (0.00 sec)
mysql> desc employes;
 Field
                          Null | Key | Default
           Type
 id
                          YES
            int
                                       NULL
 name
            varchar(25)
                          YES
                                       NULL
 address
           varchar(25)
                                       NULL
                          YES
 email
           varchar(20)
                          YES
                                       NULL
4 rows in set (0.00 sec)
mysql>
```

```
C:\Windows\System32\cmd.exe - mysql -u root -p
                                                                                                                     ×
mysql> select * from employes;
                     address
 id
                                email
        name
        Madhav
                                NULL
    1
                     Baramati
        Gururaj
                                NULL
    2
                     Satara
        Nandkumar
                     Pune
                                NULL
3 rows in set (0.00 sec)
mysql> desc employes;
 Field
           Type
                          Null
                                 Key
                                        Default |
                                                 Extra
 id
           int
                          YES
                                        NULL
 name
           varchar(25)
                          YES
                                        NULL
           varchar(25)
 address
                          YES
                                        NULL
 email
           varchar(20)
                          YES
                                        NULL
4 rows in set (0.00 sec)
mysql> truncate table employes;
Query OK, 0 rows affected (0.06 sec)
mysql> select * from employee;
ERROR 1146 (42502): Table 'employee.employee' doesn't exist
mysql> select * from employes;
Empty set (0.00 sec)
```