





```
student@student: ~
                                                                                                         11 En ≪× 9:48 AM 🖔
  mysql> insert into borrower values(7,"Vijay","2022-09-12","STP","i");
  Query OK, 1 row affected (0.03 sec)
  mysql> select * from library audit://
  +------
  | rollin | name | dateofissue | nameofbook | status | ts
   7 | Vijay | 2022-09-12 | STP | i | 2022-09-23 09:40:33 |
1 row in set (0.00 sec)
  mysql> update borrower set status="r" where rollin=1;
  Ouery OK, 1 row affected (0.04 sec)
  Rows matched: 1 Changed: 1 Warnings: 0
  mysql> select * from library audit://
    rollin | name | dateofissue | nameofbook | status | ts
    7 | Vijay | 2022-09-12 | STP | i | 2022-09-23 09:40:33 |
  1 row in set (0.00 sec)
  mysql> create trigger after_delete after delete on borrower for each row
     -> insert into library audit values(old.rollin, old.name, old.dateofissue,
     -> old.nameofbook, old.status, current timestamp());
     -> end ;
     -> //
  Query OK, 0 rows affected (0.08 sec)
  mysql> create trigger after_update after update on borrower for each row
     -> insert into library_audit values(new.rollin, new.name, new.dateofissue,
     -> new.nameofbook, new.status, current_timestamp());
     -> end ;
     -> //
  Query OK, 0 rows affected (0.09 sec)
```

```
student@student: ~
                                                                                                                                1 En ≪× 9:49 AM 以
   2 rows in set (0.00 sec)
   mysql> update borrower set status="r" where rollin=2;
       -> //
   Query OK, 1 row affected (0.03 sec)
   Rows matched: 1 Changed: 1 Warnings: 0
   mysql> select * from library_audit; //
   | rollin | name | dateofissue | nameofbook | status | ts
          7 | Vijay | 2022-09-12 | STP | i | 2022-09-23 09:40:33 |
          8 | Prasad | 2022-09-17 | 00P | i | 2022-09-23 09:44:55 | 2 | Sanket | 2022-09-16 | SPM | r | 2022-09-23 09:45:24 |
   3 rows in set (0.00 sec)
   mysql> update borrower set status="i" where rollin=1;
   Ouery OK, 1 row affected (0.04 sec)
   Rows matched: 1 Changed: 1 Warnings: 0
   mysql> select * from library audit; //
   | rollin | name | dateofissue | nameofbook | status | ts
                                                       2022-09-23 09:40:33
          7 | Vijay | 2022-09-12 | STP
                                                l i
          8 | Prasad | 2022-09-17 | 00P
                                                       2022-09-23 09:44:55
          2 | Sanket | 2022-09-16 | SPM
                                                1 г
                                                         2022-09-23 09:45:24
          1 | Madhav | 2022-09-15 | TOC
                                                         2022-09-23 09:45:42
   4 rows in set (0.00 sec)
   mysql> delete from borrower where rollin=5;
   Query OK, 1 row affected (0.03 sec)
   mysql> select * from library_audit; //
     rollin | name | dateofissue | nameofbook | status | ts
```

```
student@student: ~
                                                                                                                                 11 En ≪× 9:47 AM ₹5
   mysql> create database Trigger;
   ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to
   use near 'Trigger' at line 1
   mysgl> create database Triggesr;
   Ouery OK, 1 row affected (0.00 sec)
   mysql> use Triggesr;
   Database changed
   mysql> create table borrower (rollin int, name varchar(30), dateofissue date, nameofbook varchar(30), status char(10));
   Query OK, 0 rows affected (0.07 sec)
   mysql> insert borrower values (101, 'abc', '2017-07-16', 'dbms', 'r'), (102, 'abc1', '2017-07-16', 'cn', 'i'),
       -> (103, 'abc3', '2017-07-18', 'toc', 'i'), (104, 'abc4', '2017-07-20', 'ds', 'i'), (105, 'abc5', '2017-07-23', 'daa',
       -> 'r'), (106, 'nisha', '2017-08-10', 'splm', 'r' );
   Ouery OK, 6 rows affected (0.03 sec)
   Records: 6 Duplicates: 0 Warnings: 0
   mysql> truncate table borrower;
   Ouery OK, 0 rows affected (0.03 sec)
   mysql> insert into borrower values(1,"Madhav","2022-09-15","TOC","i");
   Query OK, 1 row affected (0.03 sec)
   mysql> insert into borrower values(2,"Sanket","2022-09-16","SPM","i");
   Query OK, 1 row affected (0.05 sec)
   mysql> insert into borrower values(3,"Zaid","2022-08-17","DMS","i");
   Query OK, 1 row affected (0.03 sec)
   mysql> insert into borrower values(4,"Pratik","2022-09-02","CNS","r");
   Query OK, 1 row affected (0.03 sec)
   mysql> insert into borrower values(5,"Rehan","2022-09-07","SPOS","r");
   Ouery OK, 1 row affected (0.04 sec)
   mysql> insert into borrower values(6,"Ravi","2022-09-09","STC","r");
   Ouery OK, 1 row affected (0.03 sec)
   mysql> create table library_audit(rollin int, name char(10), dateofissue date,nameofbook char(10), status char, ts timestamp);
   Query OK, 0 rows affected (0.07 sec)
```