

IUS
INSTITUT
UNIVERSITAIRE
DES SCIENCES

FACULTÉ DES SCIENCES ET TECHNIQUES

FST L3

Rapport du travail de laboratoire #1

ETUDIANT : FELIX SNAEL SAENS

PROFESSEUR : Ismaël SAINT AMOUR

Le 25 octobre 2026


L’objectif de ce TD est de :

- Comprendre les concepts de base de git (système de gestion de version)
- Savoir utiliser git pour gérer un projet localement.
- Découvrir GitHub et apprendre a collaborer sur un dépôt distant


Travail Diriger

- Reproduire une série de taches
- Créer un nouveau dépôts sur GitHub


Installation de Git Hub




1)Vérification de la version git installe sur le PC




2) deuxième étape : connexion à mon compte GitHub







3) Troisième étape : configuration de Git



4) Quatrième étape : vérification des donne utilisateurs




5)cinquième étape : affichage de la liste des fichier et dossiers avec la commande ls



6) sixième étape : Création d’un dossier dans Desktop

```
@DESKTOP-K84N4TN MINGW64 ~
destop/projet-git-saens
```




7)septième étape : Entrée dans notre dossier « projet-git » fraichement crée.

```
Admin@DESKTOP-K84N4TN MINGW64 ~
$ cd desktop/projet-git-saens
```

8)huitième étape : initialisation du dépôt git

```
$ git init
Initialized empty Git repository in C:/Users/PC/Desktop/projet1-git/.git/
```

9) neuvième étape : ouverture et écriture de mon projet dans le fichier README.md



10) dixième étape : ajout de dossier README.md dans git et premier commit effectué

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
$ git commit -m "premier commit"
[master (root-commit) 36c5661] premier commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
```

11)onzième étape : Affichage de l'histoire des commit dans un dépôt Git.

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
$ git log
commit 36c566117fc1e565f3be71164ec8942c614bc334 (HEAD -> master)
Author: wencky <wencky.mondesir@ius.education>
Date:   Thu Oct 22 10:01:46 2026 -0400

    premier commit

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
```

12)douzième étape : génération d'une clé SSH

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
$ ssh-keygen -t rsa -b 4096 -C "wencky.mondesir@ius.education"
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/Admin/.ssh/id_rsa):
Created directory '/c/Users/Admin/.ssh'.
Enter passphrase for "/c/Users/Admin/.ssh/id_rsa" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/Admin/.ssh/id_rsa
Your public key has been saved in /c/Users/Admin/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:gHf/IMO3ppCT+LjPAqGZprwHeoc/9RFXDyyGKGSQF0k wencky.mondesir@ius.education
The key's randomart image is:
+---[RSA 4096]----+
|  .=Eo . . .     |
|  ..+.. . o +    |
|   ...o .. o o   |
|    .. +.*.   .  |
|   + .. So= +    |
| .= . .o.+ * .   |
|oo.. o..... .    |
|o.o.o .o.        |
| ooo...oo        |
+----[SHA256]-----+

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
```

13) treizième étape : affichage de la clé privée avec la commande cat

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
$ cat ~/.ssh/id_rsa
-----BEGIN OPENSSH PRIVATE KEY-----
b3BlbnNzac1rZXktdjEAAAAABG5vbmUAAAAEbm9uZQAAAAAAAAABAAACFwAAAAdzc2gtcn
NhAAAAAwEAAQAAAgEAvpztwb70E1HDGmO9ZpS1AS7YfDzNlR1b5Xc7VOuH1wv1FP+XxLdy
NA3MZknw6iMLa/xpgtOjO9VTCzoC5SPILQ1mwxex1Ed4VynJL1zDkeSXSk2NZqg1ZzUn8v
NqNDqCDk/m3tgl8XJE2eSnGRgifkL/Pn4F3oQMULg8+kjqkZzQCBtHngpf1hQW1czCqQbd
g1w6V1p1AXhyO8vGj1ELhuxhSmaVx6mQWNq/CX+ou+2LIY7w1IFmxO8SyAiG55Sz1tmzdJ
QKKeCdrWI3/LY/fgisbrvVAOR3BnoBrhY/uPjSoCfFiHwfKws13t+pT3HQ99dtWHZBGUCG
M84rhSIxxWlcFAu49twuHE/hXTvqKt7qUQJm+IkaN3UfckZo5mP3IOtMpkv1PxoZHBdAP+
CBNwAxunyPKqJ5+jhOCCDl2b6+Jh5eNh1A1wi3UzGBKIxDYkVu9PUpEI126/RhpfdpDIDO
ZzUECfiuiWEUF/OSRnpgyfCnjUWOL6eYJtK37IGyNxJlvVvHsXrmxKGgb3OdoKxB226b6gZefYyPRXwXDBkbf9Kcn0vL2p2qvBzlpdJvC0mBbj4b81pB96qg
nuDCH1sBfoqOTaXeEgj/SzOXOqmrLBVOZAC/fmui2yUgeCBQQ1+mLQ1p8btoOmblOpOffx
ciI6OPsXzlX+Z1JUEZWFMAAAADAQABAAACAXcezEuO3zMGE9P3RrXzxMSfOn6FCtf8qxEz
taMG7nqFCopWSuZcS4XJdnyTFrTx7mO3Jvpy7q2XWUqBYs4jC6xMJXMhd2AyONWVYQLdTh
sOapc9wT4VxsSdD4OsO3SP8AlT2SqjhwWSs2tDOhBx2Ump38+Ut1oKQ/GgSXV7drrplVVl
wECOKqvjjjS9osyEObhRzrT21iW++3/IzhI7a+L+8FDI23HMS1Ebrl+QJVIipAHuS6oz6w
/JlQYiUgDjUQ+gwpDPCySfaCTdmanGZLY6X6UxLQ8jJO/HI8/51fIjxagxSd6RAhJbeHfO
eZoIK3wd1hLDCGm6/uJdSiOI/g6ODR7m71174U+5MoM6uL8fmLwR2MnrqQPDiKKJMSVKby
3WrxAYgUO+PVY3GER7pxCkYMQSPbqFGgfVRau8RpVLMCiCBnh1hOW9VxCpt9b8SNdHoI9K
GX5NYlupQUvfFgqpF8YKed1THCYLhz9F/O294WlvqEu8LYhbsQOdqKmuoWsRRtxXuHqEcs
d1pxMQvZ2hh2xBdn9HFABn1fJdm7qUyq4bskDhoPmWPAiZWIxAu8ZjNWXLrn/OU8WjqHMl
53a5JKRQHZmkNgPZKy7LhyI62i3LQyDvUiQyekEMLOX9+ncbyP/ofrP8wc/X/kyeDT+6T
na8HdEnjVTCLC8i3gFAAABAQCjdAJRfgXSECe4zgz7SyveF7jGEpJ+AOodx4GWUUMtvo9g
aC1UkQA/8fKkJZBATzsqRkBbAeciN21afjxbqZ+EpV9POCXa6Pwvc6VtBnReCp7J8mQPEp
+BU/+aveADd7UeQ2v3OR8ojxKVTLm/QM9DIOZYL4GCW4kVx+7NEP3iMh1gE/DQ6ye6KQ+i
vqi7WUx3/Fn3y46FYhIKDIfLvWDHdKCMPJBMRLCRS5S6UX1DAcIRc+jLTFQJGJ2Gm16+C
JmcsNVuzDxvebZxjTPTDPzOtfDsgXKUJcGSWDNzVA5+5k2zjKpmlxhDi53zg3JcblXrhKZ
9Z8RHLPN+B9YQ8AUAAABAQD3XRLz2NWEJOsvi43JdliQJ2DpmRn2sx3Joht3woWh5rTAOJ
SHObkIwqnNKLYVce7xG9NIk4AC4ST7N3eMKDT31CthVFsmeohJv3a+dCW/9we8mEn92xM8
fd+bzP9n2mGb7TETONDAjsnGxc673CfjsDnnMQKYUdqyDOTHwCOGWjbgcS2+p39hhKqOxB
GGP2z448jdZcLPTaIQAkjuoPMg6TbigSM7yOAFjBaGp0vAeTpNKbDnZ4ajP65piiSOYce1
sD/YIO69TQ3obBn1iACRB/zYy7eOzUjjrLVBWLNvWhmfIqYkSnMJjDseb85GgOBTz4SoLw
fuJsOvu7x9x8GVAAABAQDFRJ7OltDvNaAO9pjdDZY+SPr6VOh+TOXlfIQCYdZBkMI22cV4
kZf4YQkxNM1/LxYYM2eZ+vc471c+OIVJ1Y4gcMbOm7+HCJId9ZqjFRhXsO/Xr5yh7WrfPP
FUG/iA6Lnk+ptXzTxWb9uBFE2cOab2Fg5jGA8cideJEycDsFFOIWYEmRHj8aIe7sTLbJpg
4FLIr8YMbc+o6OszAt5WeAygeocwQSGQw9ZeiMWH/oHrf4JrCoXEg3soXzjhzDR3l4vZU+R
ZpLYG7WzUXM81uF39vIJxDLp+d88acUj6W51hXy+dG/Kka+q/jkOQJJjdpm5urB1zxGAy1
eZixK2fAjghHAAAAHXdlbmNreS5tb25kZXNpckBpdXMuZWR1Y2FOaW9uAQIDBAU=
-----END OPENSSH PRIVATE KEY-----


Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
```

14) quatorzième étape : affiche de la clé publique


```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
$ cat ~/.ssh/id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAACAQC+nO3BvvQTUcMaY71mlLUBLth8PM2VHVvldztXS4fXC/UU/5fEt3IODcxmSfDqIwtr/GmC3SPT1VMJmgLlI8gtCWbDF7HUR3hXK
kuXMOR5JdKTY1mqDVnNSfy82oOOoIOT+be2CXxckTZ5KcZGCJ+Qv8+fgXehAxQuDz6SOqRnNAIG0eeCl/WFBaVzMKpBt2CXDpXWnUBeHLTy8aPUQuG7GFKZpXHqZBY2r8Jf4677Ys
jvDUgWbE7xLICIbnlLPW2bNOlAop4J2tYjf8tj9+CKxuu9UDRHcGegGuFju4+NKgJ8WIfB8rCyXe36lPcdD3121YdkHpQIYzziuFIjHFaVwUC7j23C4cT+FdO+oq3upRAmb4iRo3d
9yRmjmY/cjSOymS/U/GhkcFOA/4IE3ADG6fI8qonn6OE4IIOXZvr4mHl42HUDXCLdTMYEojENiRW709SkQjXbr9GGl92kMgPRnNQQJ+K6JYRQX85JGemDJ8KeNRY4vp5gm0rfsgbI
EmW9W8exeubEoaBvfR04rEHbbpvqBl59jI9FfBcMGRt/OpyfS8vanaq8HOWlOm8LSYFuPhvzWkH3qqCe4MIfWwF+irRNpd4SCP9LPRfSqassFU5kAL9+a6LbJSB4IFBDX6YtDWnxu
g6ZuU6nR9/FyIjrQ+xfOVf5nUlQRlYUw== wencky.mondesir@ius.education

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
```

15) quinzième étape : ajout réussie de la clé sur mon compte GitHub



16) seizième étape : création du dépôt GitHub



17) clonage du dépôt GitHub via la clé SSH

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
$ git clone git@github.com:wencky/my-first-project.git
Cloning into 'my-first-project'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
$ ls
README.md  my-first-project/

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git (master)
$ cd my-first-project

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ echo "Systeme d'exploitation!" > Module.txt

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Disable this message with "git config set advice.addEmptyPathspec false"

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ git add .
warning: in the working copy of 'Module.txt', LF will be replaced by CRLF the next time Git touches it

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ git commit -m "Ajout Module"
[main 2b7d2df] Ajout Module
 1 file changed, 1 insertion(+)
 create mode 100644 Module.txt


Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ git branch -M main
```

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/systeme (main)
$ git push -u origin main
Enumerating objects: 40, done.
Counting objects: 100% (40/40), done.
Delta compression using up to 4 threads
Compressing objects: 100% (38/38), done.
Writing objects: 100% (39/39), 3.78 MiB | 259.00 KiB/s, done.
Total 39 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To github.com:wencky/TD.git
   11c961b..85c7c50  main -> main
branch 'main' set up to track 'origin/main'.

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/systeme (main)
```

Second exercice

Creation d'un depot GitHub nommé TD



Clonage du dossier TD sur mon bureau

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ git clone git@github.com:wencky/TD.git
Cloning into 'TD'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
```

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ git clone git@github.com:wencky/TD.git
Cloning into 'TD'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
```

Création des dossier système, image, projet, présentation dans le dossier principale TD

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ cd Deskto
bash: cd: Deskto: No such file or directory

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ cd Desktop/projet-git/my-first-project/TD
bash: cd: Desktop/projet-git/my-first-project/TD: No such file or directory

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ cd desktop
bash: cd: desktop: No such file or directory

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project (main)
$ cd TD

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ mkdir systeme

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ cd systeme

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/systeme (main)
$ mkdir image

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/systeme (main)
$ mkdir presentation

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/systeme (main)
$ mkdir projet

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/systeme (main)
$ cd ..

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ mkdir reseauI

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ cd resauI
bash: cd: resauI: No such file or directory

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ cd reseauI
```

```
Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ cd resauI
bash: cd: resauI: No such file or directory

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ cd reseauI

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/reseauI (main)
$ mkdir image

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/reseauI (main)
$ mkdir projet

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/reseauI (main)
$ mkdir presentation

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD/reseauI (main)
$ cd ..

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ cd TD
bash: cd: TD: No such file or directory

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ ls
LICENSE  README.md  reseauI/  systeme/

Admin@DESKTOP-K84N4TN MINGW64 ~/Desktop/projet-git/my-first-project/TD (main)
$ git status
```

Conclusion

Notions acquise durant ce laboratoire

- Familiarisation avec les termes du Git (dépôt local) et GitHub (dépôt distant)
- Capacité à héberger un projet sur GitHub et a clone un projet sur notre ordinateur avec Git
- Utilisation de certaine commande Git et leur utilisation (et d'autre terme technique)

I. Git --version : permet de vérifier la version Git installé sur son ordinateur
II. Git config - -global user.name et Git config - - global useur.email : permet de configurer le compte GitHub avec des données utilisateur
III. Git config - -list : permet d'afficher la liste des configurations de Git
IV. ls : permet l'affichage de tous les répertoire
V. cd : permet l'ouverture d'un dossier
VI. mkdir : permet de créer un dossier
VII. Git unit : permet l'initialisation d'un dépôt
VIII. READEME.md : fichier texte écrit en Markdown
IX. Git log : permet d'afficher l'historique des commit dans un dépôt Git
X. Git status sert à afficher l'état actuel d'un dépôt Git
XI. Git add : permet d'ajouter des fichiers
XII. Git commit -m : valide les changements ajouter
XIII. Git branch –M main : permet de renommer la branche actuelle en main même si une branche main existe déjà.
XIV. Git push –u origin main : permet d'envoyer la branche main vert GitHub.