



IAM CONFIGURATION

Syed-clinic



MFA enabled



Safwan-clinic MFA enabled

safwan-clinic Info Delete

Summary

ARN <code>arn:aws:iam::634888936976:user/safwan-clinic</code>	Console access Enabled with MFA	Access key 1 Create access key
Created December 11, 2025, 00:07 (UTC-05:00)	Last console sign-in Today	

Permissions

Groups

Tags

Security credentials

Last Accessed

Console sign-in

Manage console access

Console sign-in link https://634888936976.signin.aws.amazon.com/console	Console password Updated 1 hour ago (2025-12-11 00:19 EST)
	Last console sign-in 32 minutes ago (2025-12-11 01:33 EST)

Permission policies

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

Users

Groups

Roles

Permissions

Identity providers

Account settings

Root access management

Temporary-credential requests

Info

Access reports

Access analyzer

Resource analysis

Grouped access

Analysis settings

Credential report

Organization activity

Service control policies

Resource control policies

IAM Identity Center

IAMS Organizations

safwan-clinic Info Delete

Summary

ARN <code>arn:aws:iam::634888936976:user/safwan-clinic</code>	Console access Enabled with MFA	Access key 1 Create access key
Created December 11, 2025, 00:07 (UTC-05:00)	Last console sign-in Today	

Permissions

Groups

Tags

Security credentials

Last Accessed

Permissions policies (3)

Permissions are defined by policies attached to the user directly or through groups.

Filter by Type

Search

All types

Policy name	Type	Attached via
AmazonS3Outposts	AWS-managed	Directly
CustomS3Outposts	Customer managed	Directly
IAMUserGroupPassword	AWS-managed	Directly

Permissions boundary (not set)

Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this user, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

[Generate policy](#)

Bilal-clinic

bilal-clinic Info Delete

Summary

ARN
 arn:aws:iam::193425759990:user/bilal-clinic

Console access
Enabled with MFA

Access key 1
[Create access key](#)

Created
December 11, 2025, 00:06 (UTC-05:00)

Last console sign-in
 Today

Permissions Groups Tags **Security credentials** Last Accessed

Console sign-in

Manage console access

Console sign-in link
 <https://193425759990.signin.aws.amazon.com/console>

Console password
Updated 1 hour ago (2025-12-11 00:06 EST)

Last console sign-in
 22 minutes ago (2025-12-11 01:41 EST)

Permission Policies

Identity and Access Management (IAM)

Dashboard
Groups
Access management
User groups
Users
Roles
Policies
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access analyzer
Resource analysis [New](#)
Detailed access
Analyzer settings
Detailed report
Organization activity
Service control policies
Resource control policies
IAM Identity Center [AP](#)
IAM Organizations [AP](#)

1 policy selected X

ARN
 arn:aws:iam::193425759990:user/bilal-clinic

Console access
Enabled with MFA

Access key 1
[Create access key](#)

Created
December 11, 2025, 00:06 (UTC-05:00)

Last console sign-in
 Today

Permissions Groups Tags **Security credentials** Last Accessed

Permissions policies (1)

Permissions are defined by policies attached to the user directly or through groups.

Filter by Type all types < > ⚙

☐	Policy name ?	Type	Attached via ?
☐	AllowManageCloudMFA	Custom inline	Inline
☐	IAMUserChangePassword	AWS managed	Directly
☐	IamOnlyAccess	AWS managed - job function	Directly

Permissions boundary (not set)

Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this user, their customers, events, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

[Select this policy](#)

No requests to generate a policy in the past 7 days.

CloudTrail [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms [Create profile](#)

CLOUDTRAIL Logs

Amazon S3

18/

Objects (208)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 Inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix:

Show versions: ☐

☐	Name	Type	Last modified	Size	Storage class
☐	634888936976_CloudTrail_us-east-1_20251218T2350Z_xlPIkmNjzJQ6ovJQ.json.gz	gz	December 18, 2025, 18:50:29 (UTC-05:00)	2.9 KB	Standard
☐	634888936976_CloudTrail_us-east-1_20251218T2355Z_xbIXErPa2ZNSN6Kc.json.gz	gz	December 18, 2025, 18:39:17 (UTC-05:00)	692.0 B	Standard
☐	634888936976_CloudTrail_us-east-1_20251218T2330Z_13oeZmYz8ZCcx7gh8.json.gz	gz	December 18, 2025, 18:33:17 (UTC-05:00)	3.0 KB	Standard
☐	634888936976_CloudTrail_us-east-1_20251218T2330Z_9rMIh57pA6R20uh.json.gz	gz	December 18, 2025, 18:33:16 (UTC-05:00)	774.0 B	Standard
☐	634888936976_CloudTrail_us-east-1_20251218T2315Z_ER088EBAK5R0B1pc.json.gz	gz	December 18, 2025, 18:17:55 (UTC-05:00)	665.0 B	Standard

S3 Versioning

Amazon S3

clinic-logs-safwan-634888936976 [Info](#)

Objects | Metadata | **Properties** | Permissions | Metrics | Management | Access Points

Bucket overview

AWS Region US East (N. Virginia) us-east-1	Amazon Resource Name (ARN) arn:aws:s3:::clinic-logs-safwan-634888936976	Creation date December 11, 2025, 04:54:56 (UTC-05:00)
--	---	---

Bucket Versioning [Edit](#)

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning
Enabled

Multi-factor authentication (MFA) delete
An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)

Disabled

S3 Permission

The screenshot shows the AWS Management Console interface for the bucket 'clinic-logs-safwan-634888936976'. The left sidebar contains navigation links for Amazon S3, Buckets, and various management and storage options. The main content area is titled 'Permissions overview' and includes sections for 'Access finding' and 'Block public access (bucket settings)'. The 'Block public access' section shows that public access is currently 'On' and provides an 'Edit' button.

Permissions overview

Access finding
Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#).
[View analyzer for us-east-1](#)

Block public access (bucket settings) [Edit](#)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access
On

► **Individual Block Public Access settings for this bucket**

The screenshot shows the 'Access control list (ACL)' for the bucket 'clinic-logs-safwan-634888936976'. It includes a warning about the bucket owner enforced setting and a table listing the grantees and their permissions.

Access control list (ACL) [Edit](#)

Grant basic read/write permissions to other AWS accounts. [Learn more](#)

ⓘ This bucket has the bucket owner enforced setting applied for Object Ownership
When [bucket owner enforced](#) is applied, use bucket policies to control access. [Learn more](#)

Grantee	Objects	Bucket ACL
Bucket owner (your AWS account) Canonical ID: 0e6ffb21e2f57610ce2f02cd4bfcc9005bd4759df817635f9035bcfa97403e	List, Write	Read, Write
Everyone (public access) Group: http://acs.amazonaws.com/groups/global/AllUsers	-	-
Authenticated users group (anyone with an AWS account) Group: http://acs.amazonaws.com/groups/global/AuthenticatedUsers	-	-
S3 log delivery group Group: http://acs.amazonaws.com/groups/s3/LogDelivery	-	-

S3 Backup - (Example: Version ID)

The screenshot shows the 'Objects' tab for the bucket 'clinic-logs-safwan-634888936976'. It displays a list of objects with their names, types, version IDs, last modified dates, and sizes. The objects listed are 'Multi-Factor Authentication (MFA) Policy - AWS Environment.pdf', 'NDA Agreement Sign Paper.pdf', and 'Remote Working, Data Protection & Endpoint Security Policy.pdf'.

Employee-Screening/ [Copy S3 URI](#)

Objects (3)


[Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

[Show versions](#)

☐	Name	Type	Version ID	Last modified	Size
☐	Multi-Factor Authentication (MFA) Policy - AWS Environment.pdf	pdf	9G6HnIS76P7vydWLeOWhqORSBcAwARpE	December 19, 2025, 01:09:10 (UTC-05:00)	70.
☐	NDA Agreement Sign Paper.pdf	pdf	3pcAqK9WBsfx2fcbJ6drfaQq65XipGX	December 19, 2025, 00:36:20 (UTC-05:00)	69.
☐	Remote Working, Data Protection & Endpoint Security Policy.pdf	pdf	j96HTa6SLcx8J8xd5oLtlRhGr_U.HU	December 19, 2025, 01:05:11 (UTC-05:00)	75.

Employee Screening - Multi-Factor Authentication (MFA) Policy - AWS Environment.pdf, A NDA Agreement Sign Paper.pdf, Remote Working, Data Protection & Endpoint Security Policy.pdf



The screenshot displays the AWS S3 console interface. The left-hand navigation pane shows the 'Amazon S3' service with categories like 'Buckets', 'Access management and security', and 'Storage management and insights'. The main content area is titled 'Employee-Screening/' and shows a list of three objects under the 'Objects (3)' heading. Each object is a PDF file related to employee screening policies. The interface includes standard S3 actions like 'Copy S3 URI', 'Copy URL', 'Download', 'Open', 'Delete', 'Actions', 'Create folder', and 'Upload'. A search bar and a 'Show versions' toggle are also present above the object list.

☐	Name	Type	Last modified	Size	Storage class
☐	Multi-Factor Authentication (MFA) Policy - AWS Environment.pdf	pdf	December 19, 2025, 01:09:10 (UTC-05:00)	70.7 KB	Standard
☐	NDA Agreement Sign Paper.pdf	pdf	December 19, 2025, 00:36:20 (UTC-05:00)	69.9 KB	Standard
☐	Remote Working, Data Protection & Endpoint Security Policy.pdf	pdf	December 19, 2025, 01:05:11 (UTC-05:00)	75.5 KB	Standard