

Not Secure — 44.199.252.57

New Item - Jenkins

Jenkins

All

New Item

Sign in

New Item

Enter an item name

Security-Scanning-Pipeline

Select an item type

 **Pipeline**
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.

 **Freestyle project**
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

 **Multi-configuration project**
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

 **Folder**
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

OK

Not Secure — 44.199.252.57

Security-Scanning-Pipeline Config - Jenkins

Jenkins

Security-Scanning-Pipeline

Configure

Sign in

Configure

General

Triggers

Pipeline

Advanced

☐ Trigger builds remotely (e.g., from scripts) ?

Pipeline

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script ?

```
1  IMAGE_NAME = "devsecops-1a0-app"
2  IMAGE_TAG  = "${env.BUILD_NUMBER}"
3  SNS_TOPIC  = "arn:aws:sns:us-east-1:730335435540:DevSecOps-Alerts"
4  NO_COLOR   = "true"
5  }
6
7  stages {
8    stage('Generate Application Code') {
9      steps {
10        script {
11          echo "Creating malicious Dockerfile on purpose..."
12          writeFile file: 'index.html', text: '<h1>Welcome to the DevSecOps
13          writeFile file: 'Dockerfile', text: ''
14          FROM ncinx:1.19.0-alpine
15        }
16      }
17    }
18  }
```

try sample Pipeline...

Save

Apply



Jenkins

Security-Scanning-Pipeline

#2



Sign in

VEX allows you to communicate the actual status of vulnerabilities in your project, improving security transparency and reducing false positives for your users.
Learn more and start using VEX: <https://trivy.dev/docs/v0.75/guide/supply-chain/vex/repo#publishing-vex-documents>

To disable this notice, set the TRIVY_DISABLE_VEX_NOTICE environment variable.

devsecops-lab-app:2 (alpine 3.11.6)

=====

Total: 55 (HIGH: 48, CRITICAL: 7)

Library	Vulnerability	Severity	Status	Installed Version	Fixed Version
apk-tools	CVE-2021-36159	CRITICAL	fixed	2.10.5-r0	2.10.7-r0
libfetch: an out of boundary read while libfetch uses strtol to parse...					
https://avd.aquasec.com/nvd/cve-2021-36159					
Alpine Linux apk-tools before 2.12.5, the tarball parser					
	CVE-2021-30139	HIGH			2.10.6-r0

Subscriptions | Simple Notifications | Launch an instance | EC2 | us-east-1 | Instance details | EC2 | us-east-1 | i-003f2d352aaaa323e session | Temp Mail - Disposable Email Address | x | +

temp-mail.org/en

Forget about spam, advertising mailings, hacking and attacking robots. Keep your real mailbox clean and secure. Temp Mail provides temporary, secure, anonymous, free, disposable email address.

Copy

Refresh

Change

Delete

SENDER

SUBJECT

VIEW

• "AWS Notifications"
no-reply@sns.amazonaws.com



AWS Notification - Subscription Confirmation



• "AWS Notifications"
no-reply@sns.amazonaws.com

Security Scan Result: Build #4





Amazon SNS > Subscriptions

Subscriptions (4) Edit Delete Request confirmation Confirm subscription Create subscription

Search

ID	Endpoint	Status	Protocol	Topic
acad3f8f-fd2d-4f0a...	cenip45468@deert...	Confirmed	EMAIL-JSON	DevSecOps-Alerts

EC2 > Instances > i-003f2d352aaaa323e

EC2

Dashboard
AWS Global View
Events

▼ Instances

- Instances
- Instance Types
- Launch Templates
- Spot Requests
- Savings Plans
- Reserved Instances
- Dedicated Hosts
- Capacity Reservations
- UltraServers [New](#)
- Capacity Manager [New](#)

▼ Images

- AMIs
- AMI Catalog

▼ Elastic Block Store

Instance summary for i-003f2d352aaaa323e (Jenkins-CI-Server) info

Updated about 1 hour ago

Connect Instance state Actions

Instance ID i-003f2d352aaaa323e	Public IPv4 address 44.199.252.57 open address	Private IPv4 addresses 10.0.8.48
IPv6 address -	Instance state Running	Public DNS ec2-44-199-252-57.compute-1.amazonaws.com open address
Hostname type IP name: ip-10-0-8-48.ec2.internal	Private IP DNS name (IPv4 only) ip-10-0-8-48.ec2.internal	Elastic IP addresses -
Answer private resource DNS name -	Instance type t3.micro	AWS Compute Optimizer finding Opt-in to AWS Compute Optimizer for recommendations. Learn more
Auto-assigned IP address 44.199.252.57 [Public IP]	VPC ID vpc-07c40c6c22943acbf (devsecops-net-vpc) vpc	Auto Scaling Group name -
IAM role iam_role_devsecops iam_role_devsecops	Subnet ID subnet-06739997dada30150 (devsecops-net-subnet-public1-us-east-1a) subnet-public1-us-east-1a	

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

